

1 MRO		1
2 Module Docu	mentation	2
2.1 Entities .		2
	2.1.0.1 ogit/Organization	2
	2.1.0.2 ogit/MRO/Aviation/Component	3
	2.1.0.3 ogit/MRO/Aviation/AircraftType	3
	2.1.0.4 ogit/MRO/Aviation/Aircraft	4
	2.1.0.5 ogit/Person	4
	2.1.0.6 ogit/MRP/Workshop	5
	2.1.0.7 ogit/MRO/Aviation/Workstation	5
	2.1.0.8 ogit/MRO/Aviation/Layover	6
	2.1.0.9 ogit/MRO/Aviation/Task	7
	2.1.0.10 ogit/MRO/Aviation/Capability	7
	2.1.0.11 ogit/MRO/Aviation/MPD	8
	2.1.0.12 ogit/MRO/Aviation/Facility	9
	2.1.0.13 ogit/Location	9
	2.1.0.14 ogit/MRO/Aviation/Airport	10
	2.1.0.15 ogit/MRO/Aviation/Bay	10
2.2 Verbs .		11
	2.2.0.1 ogit/MRO/Aviation/conflictsWith	11
	2.2.0.2 ogit/MRO/Aviation/isPartOf	11
	2.2.0.3 ogit/MRO/Aviation/suppliedBy	11
	2.2.0.4 ogit/worksOn	11
	2.2.0.5 ogit/MRO/Aviation/linksTo	12
	2.2.0.6 ogit/includes	12
	2.2.0.7 ogit/MRO/Aviation/overhaul	12
	2.2.0.8 ogit/MRO/Aviation/alternatesWith	13
	2.2.0.9 ogit/locatedIn	13
	2.2.0.10 ogit/affects	13
	2.2.0.11 ogit/MRO/Aviation/characterize	14
	2.2.0.12 ogit/requires	14
	2.2.0.13 ogit/owns	14
	2.2.0.14 ogit/MRO/Aviation/performedAt	14
	2.2.0.15 ogit/belongs	15
	2.2.0.16 ogit/MRO/Aviation/references	15
	2.2.0.17 ogit/MRO/Aviation/suit	15
	2.2.0.18 ogit/relates	16
	2.2.0.19 ogit/MRO/Aviation/orders	16
2.3 Attributes	s	17
	2.3.0.1 ogit/postalCode	17
	2.3.0.2 ogit/email	17

2.3.0.3 ogit/alternativeName
2.3.0.4 ogit/function
2.3.0.5 ogit/country
2.3.0.6 ogit/businessCategory
2.3.0.7 ogit/notification
2.3.0.8 ogit/sourceld
2.3.0.9 ogit/mobilePhone
2.3.0.10 ogit/city
2.3.0.11 ogit/status
2.3.0.12 ogit/lastName
2.3.0.13 ogit/passportNumber
2.3.0.14 ogit/middleName
2.3.0.15 ogit/streetAddress
2.3.0.16 ogit/firstName
2.3.0.17 ogit/title
2.3.0.18 ogit/name
2.3.0.19 ogit/description
2.3.0.20 ogit/officePhone
2.3.0.21 ogit/phone
2.3.0.22 ogit/fax
2.3.0.23 ogit/otherPhone
2.3.0.24 ogit/webPage
2.3.0.25 ogit/id
2.3.0.26 ogit/position

# **Chapter 1**

# **MRO**

### Overview

The Maintenance, Repair, Overhaul (MRO) is the overhaul, repair, inspection or modification of an aircraft or aircraft component.

## **Chapter 2**

## **Module Documentation**

### 2.1 Entities

### 2.1.0.1 ogit/Organization

An identity that represents an organization, company, or some other grouping of Person objects. Entities of this type should be created with a predefined ID. Those IDs should be named like a domain name, i.e. a concatention of some strings separated with a dot. if organization data is created from a LDAP then a mapping like "cn=John Doe,dc=example,dc=com" => "john\_doe.example.com" should be employed. The ogit/function attribute should be used to tell what kind of grouping an entity of type Organization is: company, department, group, ...

• id: http://www.purl.org/ogit/Organization

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

· parent: ogit/Node

### attributes

- · mandatory:
  - ogit/name
- · optional:
  - ogit/businessCategory
  - ogit/city
  - ogit/country
  - ogit/description
  - ogit/email
  - ogit/function
  - ogit/phone
  - ogit/postalCode
  - ogit/sourceld
  - ogit/status
  - ogit/streetAddress
  - ogit/webPage

### outgoing edges

- ogit/MRO/Aviation/orders => ogit/MRO/Aviation/Layover
- ogit/owns => ogit/MRO/Aviation/Aircraft

### 2.1.0.2 ogit/MRO/Aviation/Component

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Component

valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

### incoming edges

• ogit/affects <= ogit/MRO/Aviation/Task

### outgoing edges

• ogit/MRO/Aviation/suit => ogit/MRO/Aviation/AircraftType

### 2.1.0.3 ogit/MRO/Aviation/AircraftType

### TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/AircraftType
- · valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushik

• scope: NTO

• parent: ogit/Node

### incoming edges

- ogit/MRO/Aviation/linksTo <= ogit/MRO/Aviation/Task
- ogit/MRO/Aviation/suit <= ogit/MRO/Aviation/Component</li>

### outgoing edges

ogit/MRO/Aviation/characterize => ogit/MRO/Aviation/Aircraft

### 2.1.0.4 ogit/MRO/Aviation/Aircraft

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Aircraft

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

### incoming edges

- ogit/MRO/Aviation/characterize <= ogit/MRO/Aviation/AircraftType
- ogit/MRO/Aviation/overhaul <= ogit/MRO/Aviation/Layover
- ogit/owns <= ogit/Organization
- ogit/worksOn <= ogit/MRO/Aviation/Workstation

### outgoing edges

- ogit/locatedIn => ogit/Location
- ogit/locatedIn => ogit/MRO/Aviation/Bay

### 2.1.0.5 ogit/Person

A Person represents a human identity.

- id: http://www.purl.org/ogit/Person
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem
- scope: SGO
- · parent: ogit/Node

### attributes

- · optional:
  - ogit/alternativeName
  - ogit/email
  - ogit/fax
  - ogit/firstName
  - ogit/lastName
  - ogit/middleName
  - ogit/mobilePhone
  - ogit/notification
  - ogit/officePhone
  - ogit/otherPhone
  - ogit/passportNumber
  - ogit/position
  - ogit/sourceld
  - ogit/status
  - ogit/title
  - ogit/webPage

### incoming edges

• ogit/MRO/Aviation/suppliedBy <= ogit/MRO/Aviation/Capability

### 2.1.0.6 ogit/MRP/Workshop

### TODO.

- id: http://www.purl.org/ogit/MRP/Workshop
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- · creator: Kaushik
- · scope: NTO
- · parent: ogit/Node

### outgoing edges

• ogit/belongs => ogit/MRO/Aviation/Facility

### 2.1.0.7 ogit/MRO/Aviation/Workstation

### TODO.

- $\bullet \ id: \verb|http://www.purl.org/ogit/MRO/Aviation/Workstation|\\$
- valid-from: Fri Sep 07 00:00:00 UTC 2018
- · creator: Kaushik
- · scope: NTO
- parent: ogit/Node

### attributes

- optional:
  - ogit/id
  - ogit/name

### incoming edges

• ogit/MRO/Aviation/performedAt <= ogit/MRO/Aviation/Task

### outgoing edges

- ogit/locatedIn => ogit/MRO/Aviation/Bay
- ogit/worksOn => ogit/MRO/Aviation/Aircraft

### 2.1.0.8 ogit/MRO/Aviation/Layover

The IL-Check (intermediate layover check) is - in addition to the D-Check - one of the biggest, most elaborate aircraft overhauls.

- id: http://www.purl.org/ogit/MRO/Aviation/Layover
- · valid-from: Fri Sep 07 00:00:00 UTC 2018
- · creator: Kaushik
- scope: NTO
- · parent: ogit/Node

### attributes

- optional:
  - ogit/id
  - ogit/name

### incoming edges

- ogit/MRO/Aviation/orders <= ogit/Organization
- ogit/relates <= ogit/MRO/Aviation/Task

### outgoing edges

• ogit/MRO/Aviation/overhaul => ogit/MRO/Aviation/Aircraft

### 2.1.0.9 ogit/MRO/Aviation/Task

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Task

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

• parent: ogit/Node

#### attributes

- · optional:
  - ogit/id
  - ogit/name

### outgoing edges

- ogit/MRO/Aviation/linksTo => ogit/MRO/Aviation/AircraftType
- ogit/MRO/Aviation/performedAt => ogit/MRO/Aviation/Workstation
- ogit/MRO/Aviation/references => ogit/MRO/Aviation/MPD
- ogit/affects => ogit/MRO/Aviation/Component
- ogit/relates => ogit/MRO/Aviation/Layover
- ogit/requires => ogit/MRO/Aviation/Capability

### 2.1.0.10 ogit/MRO/Aviation/Capability

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Capability

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

• parent: ogit/Node

### incoming edges

• ogit/requires <= ogit/MRO/Aviation/Task

### outgoing edges

• ogit/MRO/Aviation/suppliedBy => ogit/Person

#### 2.1.0.11 ogit/MRO/Aviation/MPD

Maintenance Planning Data documents data developed by the manufacturer of a particular airplane that contains the information each operator of that airplane needs to develop a customized, scheduled maintenance and inspection program.

• id: http://www.purl.org/ogit/MRO/Aviation/MPD

valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

#### attributes

- · optional:
  - ogit/description
  - ogit/id
  - ogit/name

### incoming edges

- ogit/MRO/Aviation/alternatesWith <= ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/conflictsWith <= ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/references <= ogit/MRO/Aviation/Task
- ogit/MRO/Aviation/references <= ogit/MRO/Aviation/MPD
- ogit/includes <= ogit/MRO/Aviation/MPD
- ogit/requires <= ogit/MRO/Aviation/MPD

### outgoing edges

- ogit/MRO/Aviation/alternatesWith => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/conflictsWith => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/references => ogit/MRO/Aviation/MPD
- ogit/includes => ogit/MRO/Aviation/MPD
- ogit/requires => ogit/MRO/Aviation/MPD

### 2.1.0.12 ogit/MRO/Aviation/Facility

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Facility

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushik

· scope: NTO

· parent: ogit/Node

### incoming edges

- ogit/belongs <= ogit/MRP/Workshop
- ogit/belongs <= ogit/MRO/Aviation/Bay</li>

### 2.1.0.13 ogit/Location

A place where some service is offered or requested. In many cases this will be related to a an address of an Organization. Similar to http://purl.org/goodrelations/v1#Location

• id: http://www.purl.org/ogit/Location

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

• scope: SGO

· parent: ogit/Node

#### attributes

- · mandatory:
  - ogit/name
- · optional:
  - ogit/description

### incoming edges

- ogit/locatedIn <= ogit/MRO/Aviation/Aircraft
- ogit/locatedIn <= ogit/MRO/Aviation/Airport

### 2.1.0.14 ogit/MRO/Aviation/Airport

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Airport

• valid-from: Fri Sep 07 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

### outgoing edges

• ogit/locatedIn => ogit/Location

### 2.1.0.15 ogit/MRO/Aviation/Bay

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/Bay

• valid-from: Fri Sep 07 00:00:00 UTC 2018

• creator: Kaushik

• scope: NTO

• parent: ogit/Node

### incoming edges

- ogit/locatedIn <= ogit/MRO/Aviation/Aircraft
- ogit/locatedIn <= ogit/MRO/Aviation/Workstation

### outgoing edges

• ogit/belongs => ogit/MRO/Aviation/Facility

### 2.2 Verbs

### 2.2.0.1 ogit/MRO/Aviation/conflictsWith

### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/conflictsWith
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

• ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

### 2.2.0.2 ogit/MRO/Aviation/isPartOf

### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/isPartOf
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### 2.2.0.3 ogit/MRO/Aviation/suppliedBy

### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/suppliedBy
```

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

• ogit/MRO/Aviation/Capability => ogit/Person

### 2.2.0.4 ogit/worksOn

Indicates if one entity is currently working on another entity.

```
• id: http://www.purl.org/ogit/worksOn
```

• valid-from: Wed Jun 24 00:00:00 UTC 2015

creator: Peter Larem

### **Allowed Connection**

• ogit/MRO/Aviation/Workstation => ogit/MRO/Aviation/Aircraft

### 2.2.0.5 ogit/MRO/Aviation/linksTo

#### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/linksTo
```

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

ogit/MRO/Aviation/Task => ogit/MRO/Aviation/AircraftType

### 2.2.0.6 ogit/includes

Indicates if an entity includes something else.

```
• id: http://www.purl.org/ogit/includes
```

valid-from: Thu Jul 05 00:00:00 UTC 2018

• creator: qikram@arago.de

### **Allowed Connection**

• ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

### 2.2.0.7 ogit/MRO/Aviation/overhaul

### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/overhaul
```

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

ogit/MRO/Aviation/Layover => ogit/MRO/Aviation/Aircraft

### 2.2.0.8 ogit/MRO/Aviation/alternatesWith

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/alternatesWith

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

### 2.2.0.9 ogit/locatedIn

indicate that something has its place somewhere

```
• id: http://www.purl.org/ogit/locatedIn
```

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

- ogit/MRO/Aviation/Aircraft => ogit/Location
- ogit/MRO/Aviation/Aircraft => ogit/MRO/Aviation/Bay
- ogit/MRO/Aviation/Airport => ogit/Location
- ogit/MRO/Aviation/Workstation => ogit/MRO/Aviation/Bay

### 2.2.0.10 ogit/affects

The relationship indicates that one entity affects some other entity.

```
• id: http://www.purl.org/ogit/affects
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### **Allowed Connection**

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Component

### 2.2.0.11 ogit/MRO/Aviation/characterize

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/characterize

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

#### **Allowed Connection**

• ogit/MRO/Aviation/AircraftType => ogit/MRO/Aviation/Aircraft

### 2.2.0.12 ogit/requires

Indicates dependencies between entities in the sense of "necessary condition".

```
• id: http://www.purl.org/ogit/requires
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

- ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Capability
- ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

### 2.2.0.13 ogit/owns

This relationship indicates that one entity owns some other.

```
• id: http://www.purl.org/ogit/owns
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### **Allowed Connection**

ogit/Organization => ogit/MRO/Aviation/Aircraft

### 2.2.0.14 ogit/MRO/Aviation/performedAt

### TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/performedAt
- valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

### **Allowed Connection**

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Workstation

### 2.2.0.15 ogit/belongs

Verb showing if one entity belongs to another.

```
• id: http://www.purl.org/ogit/belongs
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### **Allowed Connection**

- ogit/MRP/Workshop => ogit/MRO/Aviation/Facility
- ogit/MRO/Aviation/Bay => ogit/MRO/Aviation/Facility

### 2.2.0.16 ogit/MRO/Aviation/references

#### TODO.

```
• id: http://www.purl.org/ogit/MRO/Aviation/references
```

• valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

- ogit/MRO/Aviation/Task => ogit/MRO/Aviation/MPD
- ogit/MRO/Aviation/MPD => ogit/MRO/Aviation/MPD

### 2.2.0.17 ogit/MRO/Aviation/suit

### TODO.

- id: http://www.purl.org/ogit/MRO/Aviation/suit
- · valid-from: Thu Feb 25 00:00:00 UTC 2016
- creator: bneal@arago.de

### **Allowed Connection**

ogit/MRO/Aviation/Component => ogit/MRO/Aviation/AircraftType

### 2.2.0.18 ogit/relates

General relationship indicating that one entity is related to another one.

```
• id: http://www.purl.org/ogit/relates
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### **Allowed Connection**

• ogit/MRO/Aviation/Task => ogit/MRO/Aviation/Layover

### 2.2.0.19 ogit/MRO/Aviation/orders

### TODO.

• id: http://www.purl.org/ogit/MRO/Aviation/orders

valid-from: Thu Feb 25 00:00:00 UTC 2016

• creator: bneal@arago.de

### **Allowed Connection**

• ogit/Organization => ogit/MRO/Aviation/Layover

### 2.3 Attributes

### 2.3.0.1 ogit/postalCode

The postal code. For example, 60433.

```
• id: http://www.purl.org/ogit/postalCode
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Organization

### 2.3.0.2 ogit/email

An email address.

```
• id: http://www.purl.org/ogit/email
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Organization
  - ogit/Person

### 2.3.0.3 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

```
• id: http://www.purl.org/ogit/alternativeName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Person

### 2.3.0.4 ogit/function

Attibute used to specify a function that some entity does/provides. This is more specific then 'description'. Should contain a short string. At this level of specification it is still a free from string. However, unlike 'description', it is expected to contain some list of fixed values.

```
• id: http://www.purl.org/ogit/function
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Organization

### 2.3.0.5 ogit/country

Name of a country.

- id: http://www.purl.org/ogit/country
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- · optional:
  - ogit/Organization

### 2.3.0.6 ogit/businessCategory

The category of a business.

- id: http://www.purl.org/ogit/businessCategory
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
  - ogit/Organization

### 2.3.0.7 ogit/notification

A notification.

```
• id: http://www.purl.org/ogit/notification
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
  - ogit/Person

### 2.3.0.8 ogit/sourceld

The Id of the source system.

```
• id: http://www.purl.org/ogit/sourceId
```

· valid-from: Thu Jun 11 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Organization
  - ogit/Person

### 2.3.0.9 ogit/mobilePhone

A mobile phone number.

```
• id: http://www.purl.org/ogit/mobilePhone
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Person

### 2.3.0.10 ogit/city

Name of a city.

• id: http://www.purl.org/ogit/city

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
  - ogit/Organization

### 2.3.0.11 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

```
• id: http://www.purl.org/ogit/status
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Organization
  - ogit/Person

### 2.3.0.12 ogit/lastName

Last name of a person.

```
• id: http://www.purl.org/ogit/lastName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- · optional:
  - ogit/Person

### 2.3.0.13 ogit/passportNumber

Passport number of person

```
• id: http://www.purl.org/ogit/passportNumber
```

· valid-from: Thu Aug 26 00:00:00 UTC 2021

· creator: kaushik gondaliya

used

- · optional:
  - ogit/Person

### 2.3.0.14 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

### 2.3.0.15 ogit/streetAddress

The street address. For example, Eschersheimer Landstr. 526-532

- id: http://www.purl.org/ogit/streetAddress
- · valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · optional:
  - ogit/Organization

### 2.3.0.16 ogit/firstName

### First name of a person

```
• id: http://www.purl.org/ogit/firstName
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### used

- · optional:
  - ogit/Person

### 2.3.0.17 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

```
• id: http://www.purl.org/ogit/title
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### used

- optional:
  - ogit/Person

### 2.3.0.18 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

- · mandatory:
  - ogit/Location
  - ogit/Organization
- · optional:
  - ogit/MRO/Aviation/Layover
  - ogit/MRO/Aviation/MPD
  - ogit/MRO/Aviation/Task
  - ogit/MRO/Aviation/Workstation

### 2.3.0.19 ogit/description

Contains a description.

```
• id: http://www.purl.org/ogit/description
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- · optional:
  - ogit/Location
  - ogit/MRO/Aviation/MPD
  - ogit/Organization

### 2.3.0.20 ogit/officePhone

The phone number in the office.

```
• id: http://www.purl.org/ogit/officePhone
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

· creator: Philipp Pelchmann

used

- · optional:
  - ogit/Person

### 2.3.0.21 ogit/phone

a phone number

```
• id: http://www.purl.org/ogit/phone
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

- optional:
  - ogit/Organization

### 2.3.0.22 ogit/fax

The number of a fax.

```
• id: http://www.purl.org/ogit/fax
```

• valid-from: Mon Jul 27 00:00:00 UTC 2015

• creator: Philipp Pelchmann

used

- · optional:
  - ogit/Person

### 2.3.0.23 ogit/otherPhone

The number of an other phone.

- id: http://www.purl.org/ogit/otherPhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- · creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

### 2.3.0.24 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

- · optional:
  - ogit/Organization
  - ogit/Person

### 2.3.0.25 ogit/id

### General id.

• id: http://www.purl.org/ogit/id

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

### used

- · optional:
  - ogit/MRO/Aviation/Layover
  - ogit/MRO/Aviation/MPD
  - ogit/MRO/Aviation/Task
  - ogit/MRO/Aviation/Workstation

### 2.3.0.26 ogit/position

Indicates user's position. This field contains a string value.

- id: http://www.purl.org/ogit/position
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- · creator: Arthur Shoba

- · optional:
  - ogit/Person