

April 13, 2021

1 Representing MARS in OGIT ontology

1

Chapter 1

Representing MARS in OGIT ontology

Overview

All definition in the ogit/MARS namespace aim to have a proper modelling of MARS Nodes as graph data.

Those definitions will obsolete

- MARS XML Schema
- Modelling of MARS nodes in the Automation NTO

Transition to MARS NTO

Entity Mappings

instead of just one entity type ogit/Automation/MARSNode there are now four:

- ogit/MARS/Application
- ogit/MARS/Resource
- ogit/MARS/Software
- ogit/MARS/Machine

Attribute Mappings

general remarks:

- /NodeID, /ID is supposed to be stored in ogit/_xid (user provided indentifiers)
- /NodeName is mapped to ogit/name
- $\mbox{NodeType}$ is mapped to $\mbox{ogit/_type}$ (one of the four entity types)
- the following attributes from ${\tt ogit/Automation/MARSNode}$ become obsolete:

- ogit/Automation/marsNodeFormalRepresentation
- ogit/Automation/marsNodeType (replaced by ogit/_type)
- a few attributes from ogit/Automation NTO have been reused
- · attributes from SGO or other NTOs have been reused when appropriate
- · the following attributes were added without having a corresponding definition in MARS XML Schema:
 - ogit/url for "Software" and "Resource"
 - ogit/serialNumber for "Software"
 - ogit/Automation/lifecycle
- only a subset of attributes defined by MARS XML Schema is mapped to *ontology defined attributes*. All others will remain "free attributes"
- the following classification attributes have a predefined list of allowed values:
 - ApplicationClass, ApplicationSubClass
 - ResourceClass
 - MachineClass
- the values of classification attributes for Software MARS nodes are not validated, yet

The full mapping is defined here.

Verb Mappings

- ogit/Automation/MARSNode -ogit/relates-> ogit/Automation/MARSNode is replaced by:
 - ogit/MARS/Application -ogit/dependsOn-> ogit/MARS/Resource
 - ogit/MARS/Resource -ogit/dependsOn-> ogit/MARS/Software
 - ogit/MARS/Software -ogit/dependsOn-> ogit/MARS/Machine
- most relationships for ogit/Automation/MARSNode are also allowed for ogit/MARS/*:
 - everything from the ogit/ServiceManagement NTO
 - relations to objects with secondary data: ogit/Timeseries, ogit/Attachment, ...
 - when appropriate the new mappings are only for specific MARS nodes, e.g. only ${\tt ogit/MARS/} \leftarrow {\tt Application}$
- some relationships for ogit/Automation/MARSNode were not duplicated for ogit/MARS/* (at least not yet):
 - most relationships between ${\tt ogit/Automation/MARSNode}$ and other entities from ${\tt ogit/} \leftarrow$ Automation NTO