Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/sitemap.html

---

Checker Input

Show ☐ source   ☐ outline   ☐ image report

[Options…]

Check by [address ▼]

[http://studentweb.kennesaw.edu/~vluong/3260/project/pages/sitemap.html]

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning**   **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 16; to line 2, column 6

   `type html>↵<html><!-- I`

   For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

   If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

   From line 25, column 1; to line 25, column 31

   `↵</style>↵<script type="text/javascript">↵docum`

3. **Error**   **Bad value** `100%` **for attribute** `width` **on element** [`img`](#) **: Expected a digit but saw** `%` **instead.**

   From line 41, column 4; to line 41, column 102

   `60px">↵                    <img src="../images/vva-logo.png" width="100%"`
   `alt="VVA Logo" title="VVA Logo" style="z-index:400">↵                    <`

4. **Error**   **The** `valign` **attribute on the** `td` **element is obsolete. [Use CSS instead](#).**

   From line 42, column 10; to line 43, column 20

```
↵                           </td>↵                              <td valign="top">↵
<
```

5. **Error**   **Stray end tag** `tr`.

From line 53, column 11; to line 53, column 15

```
                                    </tr></tr>↵
<
```

6. **Error**   The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 56, column 9; to line 57, column 33

```
>↵                       </td>↵              <td width="20%" valign="top">↵
<
```

7. **Error**   The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 56, column 9; to line 57, column 33

```
>↵                       </td>↵              <td width="20%" valign="top">↵
<
```

8. **Error**   The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 64, column 6; to line 65, column 31

```
le">↵    <tr>↵            <td width="20%" valign="top">↵            ↵
```

9. **Error**   The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 64, column 6; to line 65, column 31

```
le">↵    <tr>↵            <td width="20%" valign="top">↵            ↵
```

10. **Error**   Element `a` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 73, column 7; to line 73, column 30

```
                          ↵                                    <a
href="../index.html"><li>Ho
```

Contexts in which element a may be used:
     Where [phrasing content](#) is expected.
Content model for element [ul](#):
     Zero or more [li](#) and [script-supporting](#) elements.

11. **Error**   Element `a` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 74, column 6; to line 74, column 34

```
</a>↵                                    <a href="newsandevents.html"><li>Ne
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

---

12.   **Error**   **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 75, column 7; to line 75, column 29

```
/a>↵                            <a href="aboutus.html"><li>Ab
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

---

13.   **Error**   **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 76, column 7; to line 76, column 28

```
/a>↵                            <a href="donate.html"><li>Do
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

---

14.   **Error**   **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 77, column 7; to line 77, column 30

```
/a>↵                            <a href="pictures.html"><li>Pi
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

---

15.   **Error**   **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 78, column 7; to line 78, column 31

```
/a>↵                            <a href="contactus.html"><li>Co
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

16. **Error** **Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 79, column 6; to line 79, column 37

```
</a>↵                                  <a href="communityservice.html"><li>Co
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

17. **Error** **Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 80, column 6; to line 80, column 29

```
</a>↵                                  <a href="feedback.html"><li>Fe
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

18. **Error** **Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 90, column 6; to line 90, column 29

```
<ul>↵                                  <a href="../index.html"><li>Ho
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

19. **Error** **Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 91, column 6; to line 91, column 43

```
</a>↵                                  <a href="../pages/newsandevents.html">
<li>Ne
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

20. **Error** **Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.)**

From line 92, column 7; to line 92, column 38

```
/a>↵                                        <a href="../pages/aboutus.html"><li>Ab
```

Contexts in which element <u>a</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

21.   **Error**   **Element <u>a</u> not allowed as child of element <u>ul</u> in this context.**

(Suppressing further errors from this subtree.)

From line 93, column 7; to line 93, column 37

```
/a>↵                                        <a href="../pages/donate.html"><li>Do
```

Contexts in which element <u>a</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

22.   **Error**   **Element <u>a</u> not allowed as child of element <u>ul</u> in this context.**

(Suppressing further errors from this subtree.)

From line 94, column 7; to line 94, column 39

```
/a>↵                                        <a href="../pages/pictures.html"><li>Pi
```

Contexts in which element <u>a</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

23.   **Error**   **Element <u>a</u> not allowed as child of element <u>ul</u> in this context.**

(Suppressing further errors from this subtree.)

From line 95, column 7; to line 95, column 40

```
/a>↵                                        <a href="../pages/contactus.html"><li>Co
```

Contexts in which element <u>a</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

24.   **Error**   **Element <u>a</u> not allowed as child of element <u>ul</u> in this context.**

(Suppressing further errors from this subtree.)

From line 96, column 6; to line 96, column 46

```
</a>↵                                       <a
href="../pages/communityservice.html"><li>Co
```

Contexts in which element <u>a</u> may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

25. **Error** Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 97, column 6; to line 97, column 38

```
</a>↵                              <a href="../pages/feedback.html"><li>Fe
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

26. **Error** Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 98, column 6; to line 98, column 38

```
</a>↵                              <a href="../pages/thankyou.html"><li>Th
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

27. **Error** Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 99, column 6; to line 99, column 37

```
</a>↵                              <a href="../pages/sitemap.html"><li>Si
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

28. **Error** Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 100, column 6; to line 100, column 37

```
/a> ↵                              <a href="../pages/credits.html"><li>Cr
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

29. **Error** No p element in scope but a p end tag seen.

From line 102, column 5; to line 102, column 8

```
</ul>↵                          </p>↵                    <!
```

30. **Error** The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 105, column 15; to line 106, column 31

```
/div></td>↵              <td align="left" width="20%">↵         <di
```

31. **Error** The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 105, column 15; to line 106, column 31

```
/div></td>↵              <td align="left" width="20%">↵         <di
```

32. **Error** Attribute `height` not allowed on element `div` at this point.

From line 107, column 3; to line 107, column 59

```
="20%">↵                 <div height="100%" id="right-column"
class="floatcenter">↵              <
```

Attributes for element [div](#):

    [Global attributes](#)

33. **Error** The `align` attribute on the `h2` element is obsolete. [Use CSS instead](#).

From line 110, column 6; to line 110, column 24

```
-->↵                        <h2 align="center">Meetin
```

34. **Error** No `p` element in scope but a `p` end tag seen.

From line 123, column 6; to line 123, column 9

```
div>↵                      </p>↵
```

35. **Error** The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

From line 127, column 6; to line 127, column 25

```
<hr>↵                     <div align="center">↵
```

36. **Error** End tag `td` seen, but there were open elements.

From line 148, column 3; to line 148, column 7

```
></div>↵                    </td>↵  </tr
```

37. **Error** Unclosed element `div`.

From line 108, column 5; to line 108, column 32

```
ter">↵              <div class="column-content">↵                    <!
```

38. **Error** Unclosed element `div`.

From line 107, column 3; to line 107, column 59

```
="20%">↵                    <div height="100%" id="right-column"
class="floatcenter">↵                   <
```

39. **Error** **Stray start tag** `footer`.

From line 153, column 1; to line 153, column 8

```
>↵</body>↵<footer>↵    <p a
```

40. **Error** **The** `align` **attribute on the** `p` **element is obsolete. [Use CSS instead](#).**

From line 154, column 2; to line 154, column 19

```
<footer>↵        <p align="center"><a hre
```

Document checking completed.

Used the HTML parser.

Total execution time 84 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 19.12.5