1. **Warning**: The type attribute is unnecessary for JavaScript resources.

From line 25, column 1; to line 25, column 31

```
↩</style>↩<script type="text/javascript">↩docum
```

2. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 108, column 6; to line 108, column 29

```
<l
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

3. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 109, column 6; to line 109, column 43

```
</a>a†© <a href="../pages/newsandevents.html"><1i>Ne
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

4. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 110, column 7; to line 110, column 38

```
/a>↩ <a href="../pages/aboutus.html">Ab
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

5. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

```
From line 111, column 7; to line 111, column 37
```

```
/a>↩ <a href="../pages/donate.html">Do
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more 1i and script-supporting elements.

6. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 112, column 7; to line 112, column 39

```
/a>↩ <a href="../pages/pictures.html">Pi
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more 1i and script-supporting elements.

7. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 113, column 7; to line 113, column 40

```
/a>↩ <a href="../pages/contactus.html">Co
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

8. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 114, column 6; to line 114, column 46

```
</a>a†© <a href="../pages/communityservice.html"><1i>Co
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

9. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 115, column 6; to line 115, column 38

```
</a>ato <a href="../pages/feedback.html">Fe
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

10. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 116, column 6; to line 116, column 38

```
</a>ato <a href="../pages/thankyou.html">Th
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more 1i and script-supporting elements.

11. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 117, column 6; to line 117, column 37

```
</a>↩ <a href="../pages/sitemap.html"><1i>Si
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

12. **Error**: Element <u>a</u> not allowed as child of element <u>ul</u> in this context. (Suppressing further errors from this subtree.)

From line 118, column 6; to line 118, column 37

```
/a> ↩ <a href="../pages/credits.html"><1i>Cr
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

13. **Error**: No p element in scope but a p end tag seen.

From line 120, column 5; to line 120, column 8

14. **Error**: The align attribute on the h2 element is obsolete. <u>Use CSS instead</u>.

From line 129, column 6; to line 129, column 24

```
-->↩ <h2 align="center">Meetin
```

15. **Error**: No p element in scope but a p end tag seen.

From line 142, column 6; to line 142, column 9

16. Warning: Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 16; to line 2, column 6

```
type html>\hat{a}\dagger \odot \leftarrow I
```