

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <http://studentweb.kennesaw.edu/~vluong/3260/project/pages/donate.html>

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by address ▼

<http://studentweb.kennesaw.edu/~vluong/3260/project/pages/donate.html>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 16; to line 2, column 6

```
type html><html><!-- I
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 25, column 1; to line 25, column 31

```
</style><script type="text/javascript">docum
```

3. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 41, column 4; to line 41, column 102

```
60px"><
```

4. **Error** The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 42, column 10; to line 43, column 20

```

</td><
<td valign="top">
<

```

5. **Error** Stray end tag `tr`.

From line 53, column 11; to line 53, column 15

```

</tr></tr>
<

```

6. **Error** The `width` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 56, column 9; to line 57, column 33

```

>< </td>< <td width="20%" valign="top">
<

```

7. **Error** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 56, column 9; to line 57, column 33

```

>< </td>< <td width="20%" valign="top">
<

```

8. **Error** The `width` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 64, column 6; to line 65, column 31

```

le"> <tr> <td width="20%" valign="top">

```

9. **Error** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 64, column 6; to line 65, column 31

```

le"> <tr> <td width="20%" valign="top">

```

10. **Error** Element `a` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 73, column 7; to line 73, column 30

```

<
<a
href="../index.html"><li>Ho

```

Contexts in which element `a` may be used:

Where [phrasing content](#) is expected.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

11. **Error** Element `a` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 74, column 6; to line 74, column 34

←

Ne

Contexts in which element [a](#) may be used:Where [phrasing content](#) is expected.Content model for element [ul](#):Zero or more [li](#) and [script-supporting](#) elements.

12. **Error** Element [a](#) not allowed as child of element [ul](#) in this context.

(Suppressing further errors from this subtree.)

From line 75, column 7; to line 75, column 29

←

Ab

Contexts in which element [a](#) may be used:Where [phrasing content](#) is expected.Content model for element [ul](#):Zero or more [li](#) and [script-supporting](#) elements.

13. **Error** Element [a](#) not allowed as child of element [ul](#) in this context.

(Suppressing further errors from this subtree.)

From line 76, column 7; to line 76, column 28

←

Do

Contexts in which element [a](#) may be used:Where [phrasing content](#) is expected.Content model for element [ul](#):Zero or more [li](#) and [script-supporting](#) elements.

14. **Error** Element [a](#) not allowed as child of element [ul](#) in this context.

(Suppressing further errors from this subtree.)

From line 77, column 7; to line 77, column 30

←

Pi

Contexts in which element [a](#) may be used:Where [phrasing content](#) is expected.Content model for element [ul](#):Zero or more [li](#) and [script-supporting](#) elements.

15. **Error** Element [a](#) not allowed as child of element [ul](#) in this context.

(Suppressing further errors from this subtree.)

From line 78, column 7; to line 78, column 31

←

Co

Contexts in which element [a](#) may be used:Where [phrasing content](#) is expected.Content model for element [ul](#):Zero or more [li](#) and [script-supporting](#) elements.

16. **Error** Element `a` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 79, column 6; to line 79, column 37

```
</a>↵                                <a href="communityservice.html"><li>Co
```

Contexts in which element `a` may be used:

Where [phrasing content](#) is expected.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

17. **Error** Element `a` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 80, column 6; to line 80, column 29

```
</a>↵                                <a href="feedback.html"><li>Fe
```

Contexts in which element `a` may be used:

Where [phrasing content](#) is expected.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

18. **Error** Element `p` not allowed as child of element `h3` in this context.

(Suppressing further errors from this subtree.)

From line 89, column 4; to line 89, column 6

```
pport.↵                                <p>Your d
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

19. **Error** Element `li` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 91, column 5; to line 91, column 8

```
<hr>↵                                <li>If you
```

Contexts in which element `li` may be used:

Inside [ol](#) elements.

Inside [ul](#) elements.

Inside [menu](#) elements.

Content model for element `div`:

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

20. **Error** Element `li` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 92, column 5; to line 92, column 8

```
</li><li>If you
```

Contexts in which element `li` may be used:

Inside `ol` elements.

Inside `ul` elements.

Inside `menu` elements.

Content model for element `div`:

If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a `dl` element: [flow content](#).

21. **Error** The `align` attribute on the `p` element is obsolete. [Use CSS instead](#).

From line 92, column 54; to line 92, column 71

```
hecks to: <p align="center">VIETNA
```

22. **Error** The `align` attribute on the `p` element is obsolete. [Use CSS instead](#).

From line 95, column 4; to line 95, column 21

```
></li><p align="center"><form
```

23. **Error** No `p` element in scope but a `p` end tag seen.

From line 98, column 22; to line 98, column 25

```
</form></p>he
```

24. **Error** The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 101, column 15; to line 102, column 31

```
/div></td><td align="left" width="20%"><di
```

25. **Error** The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 101, column 15; to line 102, column 31

```
/div></td><td align="left" width="20%"><di
```

26. **Error** Attribute `height` not allowed on element `div` at this point.

From line 103, column 3; to line 103, column 59

```
= "20%"><div height="100%" id="right-column"
class="floatcenter"><
```

Attributes for element `div`:

[Global attributes](#)

27. **Error** The `align` attribute on the `h2` element is obsolete. [Use CSS instead.](#)

From line 106, column 6; to line 106, column 24

```
--><          <h2 align="center">Meetin
```

28. **Error** Bad value `100%` for attribute `width` on element `iframe`: Expected a digit but saw `%` instead.

From line 119, column 6; to line 119, column 342

```
<br><          <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

29. **Error** Bad value `100%` for attribute `height` on element `iframe`: Expected a digit but saw `%` instead.

From line 119, column 6; to line 119, column 342

```
<br><          <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

30. **Error** The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead.](#)

From line 119, column 6; to line 119, column 342

```
<br><          <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

31. **Error** No `p` element in scope but a `p` end tag seen.

From line 120, column 6; to line 120, column 9

```
ame><          </p><
```

32. **Error** The `align` attribute on the `div` element is obsolete. [Use CSS instead.](#)

From line 124, column 6; to line 124, column 25

```
<hr><          <div align="center"><
```

33. **Error** End tag `td` seen, but there were open elements.

From line 145, column 3; to line 145, column 7

```
>></div><          </td>< </tr>
```

34. **Error** Unclosed element `div`.

From line 104, column 5; to line 104, column 32

```
ter">↵      <div class="column-content">↵      <!
```

35. **Error** **Unclosed element** `div`.

From line 103, column 3; to line 103, column 59

```
= "20%">↵      <div height="100%" id="right-column"  
class="floatcenter">↵      <
```

36. **Error** **Stray start tag** `footer`.

From line 150, column 1; to line 150, column 8

```
>↵</body>↵<footer>↵  <p a
```

37. **Error** The `align` attribute on the `p` element is obsolete. [Use CSS instead](#).

From line 151, column 2; to line 151, column 19

```
<footer>↵      <p align="center"><a href
```

Document checking completed.

Used the HTML parser.

Total execution time 87 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 19.12.5