Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/feedback.html

| Checker Input |
|---|
| Show source outline image report |
| Options |
| Check by address ▼ |
| http://studentweb.kennesaw.edu/~vluong/3260/project/pages/feedback.html |
| Check |

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

5.

| rom line 25 | column 1; to line 25, colum | s unnecessary for JavaScript resources. |
|-----------------|-------------------------------------|---|
| • | | |
| <u></u> | <pre>cscript type="text/jage"</pre> | vascript"> <u>~</u> docum |
| Error Ba | d value 100% for attri | bute width on element img: Expected a digi |
| ut saw % | instead. | |
| rom line 41, | column 4; to line 41, colum | nn 102 |
| 50px"> <i>←</i> | | <pre><img <="" pre="" src="/images/vva-logo.png" width="100%"/></pre> |
| lt="VVA Lo | ogo" title="VVA Logo" | style="z-index:400">↩ < |
| | | P1 |
| Error Th | e valign attribute or | the td element is obsolete. <u>Use CSS insteac</u> |
| | column 10; to line 43, colu | ımn 20 |
| rom line 42, | | ∠+d valign="ton"\⊔ |
| From line 42, | <u>←</u> | \ta valign= top >- |
| <u></u> | <u>~</u> | ↩ |
| | ك | Ctu Valigii- top / |
| Error St | r | |

Error The width attribute on the td element is obsolete. Use CSS instead.

```
From line 56, column 9; to line 57, column 33
     >←
                                               ↔
                             ←
     <
            The |valign| attribute on the |td| element is obsolete. Use CSS instead.
 6.
    From line 56, column 9; to line 57, column 33
     >←
                             ↩
                                               ↔
     <
            The width attribute on the td element is obsolete. Use CSS instead.
 7.
    From line 64, column 6; to line 65, column 31
     le">↩ ↩
                             ↔
     Error The valign attribute on the td element is obsolete. Use CSS instead.
 8.
    From line 64, column 6; to line 65, column 31
     le">← ←
                             ↔
     Error | Element | a | not allowed as child of element | u1 | in this context.
 9.
    (Suppressing further errors from this subtree.)
    From line 73, column 7; to line 73, column 30
    href="../index.html">Ho
    Contexts in which element a may be used:
       Where phrasing content is expected.
    Content model for element ul:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Element a not allowed as child of element ul in this context.
10.
    (Suppressing further errors from this subtree.)
    From line 74, column 6; to line 74, column 34
                                             <a href="newsandevents.html">Ne
     </a>←
    Contexts in which element a may be used:
       Where phrasing content is expected.
    Content model for element ul:
       Zero or more 1i and script-supporting elements.
             Element |\underline{a}| not allowed as child of element |\underline{u1}| in this context.
     Error
11.
     (Suppressing further errors from this subtree.)
    From line 75, column 7; to line 75, column 29
                                       <a href="aboutus.html">Ab
```

```
Contexts in which element a may be used:
   Where phrasing content is expected.
Content model for element ul:
   Zero or more li and script-supporting elements.
```

Error Element a not allowed as child of element ul in this context. 12. (Suppressing further errors from this subtree.) From line 76, column 7; to line 76, column 28 /a>↩ Do Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more <u>li</u> and <u>script-supporting</u> elements.

Error Element a not allowed as child of element ul in this context. 13. (Suppressing further errors from this subtree.) From line 77, column 7; to line 77, column 30 /a>↩ Pi Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more 1i and script-supporting elements.

Element a not allowed as child of element ul in this context. 14. (Suppressing further errors from this subtree.) From line 78, column 7; to line 78, column 31 /a>← Co Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more 1i and script-supporting elements.

Error Element a not allowed as child of element ul in this context. 15. (Suppressing further errors from this subtree.) From line 79, column 6; to line 79, column 37 Co ← Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more li and script-supporting elements.

| 16. | Error Element a not allowed as child of element u in this context. |
|-----|--|
| | (Suppressing further errors from this subtree.) |
| | From line 80, column 6; to line 80, column 29 |
| | ← ca href="feedback.html"> Fe |
| | Contexts in which element <u>a</u> may be used: |
| | Where phrasing content is expected. |
| | Content model for element <u>ul</u> : |
| | Zero or more <u>li</u> and <u>script-supporting</u> elements. |
| 17. | Error The align attribute on the h1 element is obsolete. Use CSS instead. |
| | From line 95, column 1; to line 95, column 20 |
| | <i>↔ ↔</i> <h1< th=""></h1<> |
| | align="center" >Tell U |
| | |
| 18. | Error The align attribute on the table element is obsolete. Use CSS |
| | instead. |
| | From line 99, column 2; to line 99, column 23 |
| | ↔ ↔ ↔ |
| | ω |
| | |
| 19. | Error Bad value First Name for attribute for on element label: An ID must |
| | not contain whitespace. |
| | From line 108, column 18; to line 108, column 41 |
| | <ta><ta><ta><ta><ta><ta><ta><ta><ta><ta< th=""></ta<></ta></ta></ta></ta></ta></ta></ta></ta></ta> |
| | |
| l | · · · · · · · · · · · · · · · · · · · |
| 20. | Error Bad value 30% for attribute size on element input Expected a digit |
| | but saw % instead. |
| | From line 109, column 16; to line 109, column 77 |
| | <pre><input <="" name="firstname" pre=""/></pre> |
| | type="text" id="firstname" size="30%"> |
| | type= text iu= firstname size= 30% > |
| 21. | Error Bad value Last Name for attribute for on element label: An ID must |
| ۷۱. | L |
| | not contain whitespace. |
| | From line 114, column 18; to line 114, column 40 |
| | <label for="Last Name"></label> |
| | |

| | Error | Bad value | 30% for attri | bute size | on eleme | nt <u>input</u> | : Expected | l a dig |
|----------|---|--|---|--|------------|--|--------------|--------------|
| b | ut saw | / % instead | d. | | | | | |
| Fı | rom line | e 115, column | 16; to line 115, c | column 75 | | | | |
| ty | ype="t | ext" id="la | stname" size=' | "30%"> | ↔ | <inp< td=""><td>ut name="la</td><td>stname</td></inp<> | ut name="la | stname |
| | Error | Bad value | 30% for attri | bute size | on eleme | nt <u>input</u> | : Expected | l a dig |
| b | ut saw | / % instead | d. | | | | | |
| Fı | rom line | e 121, column | 16; to line 121, o | column 69 | | | | |
| [| | | | | | | | |
| 1 | | | | | | <inp< td=""><td>ut name="ema</td><td>ail"</td></inp<> | ut name="ema | ail" |
| | Error | The alig | ail" size="309 n] attribute on 55; to line 131, o | %">↩ | ement is o | | | |
| Fi | Error | The alig | attribute on | %">↩ | ement is o | bsolete. | | stead |
| Fi | Error | The aligned | attribute on | %">← | | bsolete. | Use CSS in | stead ">← |
| Fi | Error line | The aligner a | 55; to line 131, o | %">← | | bsolete. | Use CSS in | stead ">⊷ |
| FI | Error line | The aligner a | attribute on 55; to line 131, on attribute on | the td elector the pelector the pelector column 21 | | obsolete. <td< td=""><td>Use CSS in</td><td>stead ">←</td></td<> | Use CSS in | stead ">← |
| Fi Fi | Error line | The aligner 130, column order to the aligner 132, column | attribute on 55; to line 131, on attribute on | the td elector the pelecolumn 21 | ment is ob | obsolete. <td< td=""><td>Use CSS in</td><td>stead ">⊷</td></td<> | Use CSS in | stead ">⊷ |
| Fi Fi Fi | Error From line From line From line From line | The aligner 130, column order the aligner 132, column Start tag | attribute on 55; to line 131, on attribute on 6; to line 132, co | the td elector the pelecolumn 21 | ment is ob | obsolete. <td< td=""><td>Use CSS in</td><td>stead ">←</td></td<> | Use CSS in | stead ">← |
| Fi Fi Fi | Error From line From line From line From line | The aligner 130, column order the aligner 132, column Start tag | attribute on 55; to line 131, on attribute on 6; to line 132, co | the td elector the pelector the pelector the column 21 cplumn 21 column 10 | ment is ob | obsolete. <td< td=""><td>Use CSS in</td><td>stead ">←</td></td<> | Use CSS in | stead ">← |

27. Fatal Error Cannot recover after last error. Any further errors will be ignored.

From line 197, column 13; to line 198, column 10

<tabl

Document checking completed.

Used the HTML parser.

Total execution time 152 milliseconds.

About this checker • Report an issue • Version: 19.12.5