Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/index.html

Checker Input

Show ☐ source   ☐ outline   ☐ image report

Options…

Check by address ▾

http://studentweb.kennesaw.edu/~vluong/3260/project/index.html

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

    From line 1, column 16; to line 2, column 6

    `type html>↵<html><!-- I`

    For further guidance, consult Declaring the overall language of a page and Choosing language tags.

    If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

    From line 26, column 1; to line 26, column 31

    `↵</style>↵<script type="text/javascript">↵docum`

3. **Error** **Bad value** `100%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

    From line 42, column 4; to line 42, column 99

    `60px">↵                      <img src="images/vva-logo.png" width="100%"`
    `alt="VVA Logo" title="VVA Logo" style="z-index:400">↵              <`

4. **Error** **The** `valign` **attribute on the** `td` **element is obsolete. Use CSS instead.**

    From line 43, column 10; to line 44, column 20

```
↩                        </td>↩                          <td valign="top">↩
<
```

5. **Error**   **Stray end tag** `tr`.

From line 54, column 11; to line 54, column 15

```
                              </tr></tr>↩
<
```

6. **Error**   **The** `width` **attribute on the** `td` **element is obsolete.** [Use CSS instead](#).

From line 57, column 9; to line 58, column 33

```
>↩                    </td>↩            <td width="20%" valign="top">↩
<
```

7. **Error**   **The** `valign` **attribute on the** `td` **element is obsolete.** [Use CSS instead](#).

From line 57, column 9; to line 58, column 33

```
>↩                    </td>↩            <td width="20%" valign="top">↩
<
```

8. **Error**   **The** `width` **attribute on the** `td` **element is obsolete.** [Use CSS instead](#).

From line 65, column 6; to line 66, column 31

```
le">↩   <tr>↩            <td width="20%" valign="top">↩          ↩
```

9. **Error**   **The** `valign` **attribute on the** `td` **element is obsolete.** [Use CSS instead](#).

From line 65, column 6; to line 66, column 31

```
le">↩   <tr>↩            <td width="20%" valign="top">↩          ↩
```

10. **Error**   **Element** [a](#) **not allowed as child of element** [ul](#) **in this context.**

(Suppressing further errors from this subtree.)

From line 74, column 7; to line 74, column 27

```
                    ↩                            <a href="index.html">
<li>Ho
```

Contexts in which element [a](#) may be used:
    Where [phrasing content](#) is expected.
Content model for element [ul](#):
    Zero or more [li](#) and [script-supporting](#) elements.

11. **Error**   **Element** [a](#) **not allowed as child of element** [ul](#) **in this context.**

(Suppressing further errors from this subtree.)

From line 75, column 6; to line 75, column 40

```
</a>↵                                          <a href="pages/newsandevents.html">
<li>Ne
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

12. **Error** **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 76, column 7; to line 76, column 35

```
/a>↵                                          <a href="pages/aboutus.html"><li>Ab
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

13. **Error** **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 77, column 7; to line 77, column 34

```
/a>↵                                          <a href="pages/donate.html"><li>Do
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

14. **Error** **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 78, column 7; to line 78, column 36

```
/a>↵                                          <a href="pages/pictures.html"><li>Pi
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

15. **Error** **Element a not allowed as child of element ul in this context.**

(Suppressing further errors from this subtree.)

From line 79, column 7; to line 79, column 37

```
/a>↵                                          <a href="pages/contactus.html"><li>Co
```

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more `li` and script-supporting elements.

16. **Error** **Element** `a` **not allowed as child of element** `ul` **in this context.**
(Suppressing further errors from this subtree.)

From line 80, column 6; to line 80, column 43

```
</a>↵                            <a href="pages/communityservice.html">
<li>Co
```

Contexts in which element a may be used:
    Where phrasing content is expected.
Content model for element `ul`:
    Zero or more `li` and script-supporting elements.

17. **Error** **Element** `a` **not allowed as child of element** `ul` **in this context.**
(Suppressing further errors from this subtree.)

From line 81, column 6; to line 81, column 35

```
</a>↵                            <a href="pages/feedback.html"><li>Fe
```

Contexts in which element a may be used:
    Where phrasing content is expected.
Content model for element `ul`:
    Zero or more `li` and script-supporting elements.

18. **Error** **Element** `bar` **not allowed as child of element** `div` **in this context.**
(Suppressing further errors from this subtree.)

From line 100, column 6; to line 100, column 10

```
on">↵                            <bar>Chapte
```

Content model for element `div`:
    If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with script-supporting elements.
    If the element is not a child of a `dl` element: flow content.

19. **Warning** **Article lacks heading. Consider using** `h2` - `h6` **elements to add identifying headings to all articles.**

From line 98, column 6; to line 98, column 14

```
er">↵                            <article>↵                            <
```

20. **Error** **Element** `bar` **not allowed as child of element** `div` **in this context.**
(Suppressing further errors from this subtree.)

From line 106, column 6; to line 106, column 10

```
on">↵                            <bar>Goyett
```

Content model for element `div`:

   If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd`
   elements, optionally intermixed with script-supporting elements.

   If the element is not a child of a `dl` element: flow content.

21.   **Warning**   **Article lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all articles.**

   From line 104, column 6; to line 104, column 14

   `cle>↵                          <article>↵`

22.   **Error**   **Element `bar` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)**

   From line 113, column 6; to line 113, column 10

   `on">↵                          <bar>Chapte`

   Content model for element `div`:

   If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd`
   elements, optionally intermixed with script-supporting elements.

   If the element is not a child of a `dl` element: flow content.

23.   **Warning**   **Article lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all articles.**

   From line 111, column 5; to line 111, column 13

   `↵               ↵                    <article>↵`

24.   **Error**   **Element `bar` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)**

   From line 119, column 6; to line 119, column 10

   `on">↵                          <bar>Chapte`

   Content model for element `div`:

   If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd`
   elements, optionally intermixed with script-supporting elements.

   If the element is not a child of a `dl` element: flow content.

25.   **Warning**   **Article lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all articles.**

   From line 117, column 5; to line 117, column 13

   `icle>↵                          <article>↵`

26.   **Error**   **Element** `bar` **not allowed as child of element** `div` **in this context.**

(Suppressing further errors from this subtree.)

From line 125, column 6; to line 125, column 10

```
on">↵                              <bar>Chapte
```

Content model for element `div`:

    If the element is a child of a `dl` element: one or more `dt` elements followed by one or more `dd`

    elements, optionally intermixed with script-supporting elements.

    If the element is not a child of a `dl` element: flow content.

27.   **Warning**   **Article lacks heading. Consider using** `h2` - `h6` **elements to add**
identifying headings to all articles.

From line 123, column 5; to line 123, column 13

```
icle>↵                        <article>↵                              <
```

28.   **Error**   **Text not allowed in element** `ul` **in this context.**

From line 159, column 1; to line 159, column 25

```
h3> </li>↵                              $1000 SCHOLARSHIPS
<br>↵A
```

Content model for element `ul`:

    Zero or more `li` and script-supporting elements.

29.   **Error**   **Element** `br` **not allowed as child of element** `ul` **in this context.**

(Suppressing further errors from this subtree.)

From line 159, column 26; to line 159, column 29

```
LARSHIPS                <br>↵Appli
```

Contexts in which element `br` may be used:

    Where phrasing content is expected.

Content model for element `ul`:

    Zero or more `li` and script-supporting elements.

30.   **Error**   **Text not allowed in element** `ul` **in this context.**

From line 160, column 1; to line 160, column 64

```
IPS             <br>↵Applications must be  mailed and postmarked by April 15th,
2019.<br>↵
```

Content model for element `ul`:

    Zero or more `li` and script-supporting elements.

31.   **Error**   **Element** `br` **not allowed as child of element** `ul` **in this context.**

(Suppressing further errors from this subtree.)

From line 160, column 65; to line 160, column 68

```
5th, 2019.<br>↵                      <br
```

Contexts in which element br may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

32. **Error** **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 161, column 3; to line 161, column 6

```
19.<br>↵                 <br>     ↵Nort
```

Contexts in which element br may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

33. **Error** **Text not allowed in element** ul **in this context.**

From line 162, column 1; to line 162, column 35

```
>↵             <br>     ↵NorthEast Georgia Homeless Veterans<br>↵S
```

Content model for element ul:

Zero or more li and script-supporting elements.

34. **Error** **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 162, column 36; to line 162, column 39

```
s Veterans<br>↵Shelt
```

Contexts in which element br may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

35. **Error** **Text not allowed in element** ul **in this context.**

From line 163, column 1; to line 163, column 20

```
erans<br>↵Shelter - Winder, GA<br><b
```

Content model for element ul:

Zero or more li and script-supporting elements.

36. **Error** **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 163, column 21; to line 163, column 24

```
Winder, GA<br><br>↵
```

Contexts in which element <u>br</u> may be used:

    Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

    Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

37. **Error**   **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 163, column 25; to line 163, column 28

```
er, GA<br><br>↵
```

Contexts in which element <u>br</u> may be used:

    Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

    Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

38. **Error**   **Text not allowed in element** <u>ul</u> **in this context.**

From line 165, column 1; to line 165, column 31

```
br>↵                              ↵Ft. McPherson Veterans Homeless<br>
```

Content model for element <u>ul</u>:

    Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

39. **Error**   **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 165, column 32; to line 165, column 35

```
s Homeless<br>
```

Contexts in which element <u>br</u> may be used:

    Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

    Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

40. **Error**   **Text not allowed in element** <u>ul</u> **in this context.**

From line 166, column 1; to line 166, column 20

```
        ↵Shelter, Atlanta, GA<br><b
```

Content model for element <u>ul</u>:

    Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

41. **Error**   **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 166, column 21; to line 166, column 24

```
tlanta, GA<br><br>↵
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

42. **Error** **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 166, column 25; to line 166, column 28

```
ta, GA<br><br>↵
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

43. **Error** **Element** <u>a</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 167, column 6; to line 167, column 43

```
<br>↵                          <a
href="pages/communityservice.html">More i
```

Contexts in which element <u>a</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

44. **Error** **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 167, column 103; to line 167, column 106

```
here!</a><br>↵ <br>
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

---

45. **Error** **Element** <u>br</u> **not allowed as child of element** <u>ul</u> **in this context.**

(Suppressing further errors from this subtree.)

From line 168, column 2; to line 168, column 5

```
</a><br>↵ <br><br>↵<
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

46.   **Error**   Element `br` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 168, column 6; to line 168, column 9

```
<br>↵ <br><br>↵<li><
```

Contexts in which element `br` may be used:

    Where [phrasing content](#) is expected.

Content model for element `ul`:

    Zero or more `li` and [script-supporting](#) elements.

47.   **Error**   Text not allowed in element `ul` in this context.

From line 170, column 1; to line 170, column 8

```
/h3></li>↵Held at:<br>
```

Content model for element `ul`:

    Zero or more `li` and [script-supporting](#) elements.

48.   **Error**   Element `br` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 170, column 9; to line 170, column 12

```
>↵Held at:<br>                           ↵G
```

Contexts in which element `br` may be used:

    Where [phrasing content](#) is expected.

Content model for element `ul`:

    Zero or more `li` and [script-supporting](#) elements.

49.   **Error**   Text not allowed in element `ul` in this context.

From line 171, column 1; to line 171, column 42

```
:<br>                            ↵Gainesville-Hall Chapter 17, Oakwood,  GA <br>
↵
```

Content model for element `ul`:

    Zero or more `li` and [script-supporting](#) elements.

50.   **Error**   Element `br` not allowed as child of element `ul` in this context.

(Suppressing further errors from this subtree.)

From line 171, column 43; to line 171, column 46

```
wood,  GA <br> ↵<br>
```

Contexts in which element `br` may be used:

    Where [phrasing content](#) is expected.

Content model for element `ul`:

    Zero or more `li` and [script-supporting](#) elements.

51. **Error**   **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 172, column 1; to line 172, column 4

```
 GA <br>          ↵<br><br>↵<
```

Contexts in which element br may be used:

    Where phrasing content is expected.

Content model for element ul:

    Zero or more li and script-supporting elements.

52. **Error**   **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 172, column 5; to line 172, column 8

```
<br>     ↵<br><br>↵<li><
```

Contexts in which element br may be used:

    Where phrasing content is expected.

Content model for element ul:

    Zero or more li and script-supporting elements.

53. **Error**   **Text not allowed in element** ul **in this context.**

From line 174, column 1; to line 174, column 114

```
/h3></li>↵Christmas Toy Drive for Area deserving children, supporting the Place
and Freedom Tabernacle Church, Cumming,  GA.<br><b
```

Content model for element ul:

    Zero or more li and script-supporting elements.

54. **Error**   **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 174, column 115; to line 174, column 118

```
ming,  GA.<br><br><b
```

Contexts in which element br may be used:

    Where phrasing content is expected.

Content model for element ul:

    Zero or more li and script-supporting elements.

55. **Error**   **Element** br **not allowed as child of element** ul **in this context.**

(Suppressing further errors from this subtree.)

From line 174, column 119; to line 174, column 122

```
,  GA.<br><br><br><b
```

Contexts in which element br may be used:

    Where phrasing content is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

56. **Error** Element `br` not allowed as child of element `ul` in this context. **(Suppressing further errors from this subtree.)**

From line 174, column 123; to line 174, column 126

```
A.<br><br><br><br>↵
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

57. **Error** Element `br` not allowed as child of element `ul` in this context. **(Suppressing further errors from this subtree.)**

From line 174, column 127; to line 174, column 130

```
r><br><br><br>↵                        </
```

Contexts in which element <u>br</u> may be used:

Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

58. **Error** Bad value `100%` for attribute `width` on element `iframe`: Expected a digit but saw `%` instead.

From line 178, column 2; to line 178, column 197

```
ca:</h1>↵        <iframe width="100%" height="600px"
src="https://www.youtube.com/embed/0bIS3vuH1zw" frameborder="0"
allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture"
```

59. **Error** Bad value `600px` for attribute `height` on element `iframe`: Expected a digit but saw `p` instead.

From line 178, column 2; to line 178, column 197

```
ca:</h1>↵        <iframe width="100%" height="600px"
src="https://www.youtube.com/embed/0bIS3vuH1zw" frameborder="0"
allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture"
```

60. **Error** The `frameborder` attribute on the `iframe` element is obsolete. **Use CSS instead.**

From line 178, column 2; to line 178, column 197

```
ca:</h1>↵        <iframe width="100%" height="600px"
src="https://www.youtube.com/embed/0bIS3vuH1zw" frameborder="0"
```

```
allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture"
```

61.   **Error**   The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 186, column 15; to line 187, column 31

```
/div></td>↵                <td align="left" width="20%">↵            <di
```

62.   **Error**   The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 186, column 15; to line 187, column 31

```
/div></td>↵                <td align="left" width="20%">↵            <di
```

63.   **Error**   Attribute `height` not allowed on element `div` at this point.

From line 188, column 3; to line 188, column 59

```
="20%">↵                <div height="100%" id="right-column"
class="floatcenter">↵            <
```

Attributes for element `div`:

   [Global attributes](#)

64.   **Error**   The `align` attribute on the `h2` element is obsolete. [Use CSS instead](#).

From line 191, column 6; to line 191, column 24

```
-->↵                        <h2 align="center">Meetin
```

65.   **Error**   Bad value `100%` for attribute `width` on element `iframe`: Expected a digit but saw `%` instead.

From line 204, column 6; to line 204, column 342

```
<br>↵                    <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3…6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

66.   **Error**   Bad value `100%` for attribute `height` on element `iframe`: Expected a digit but saw `%` instead.

From line 204, column 6; to line 204, column 342

```
<br>↵                    <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3…6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

67.   **Error**   The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead](#).

From line 204, column 6; to line 204, column 342

```
<br>↵                         <iframe src="https://www.google.com/maps/embed?
pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3…6705!5m2!1sen!2sus"
width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
```

68. **Error** No `p` element in scope but a `p` end tag seen.

From line 205, column 6; to line 205, column 9

```
ame>↵                         </p>↵
```

69. **Error** The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

From line 209, column 6; to line 209, column 25

```
<hr>↵                         <div align="center">↵
```

70. **Error** End tag `td` seen, but there were open elements.

From line 230, column 3; to line 230, column 7

```
></div>↵                         </td>↵  </tr>
```

71. **Error** Unclosed element `div`.

From line 189, column 5; to line 189, column 32

```
ter">↵                <div class="column-content">↵                         <!
```

72. **Error** Unclosed element `div`.

From line 188, column 3; to line 188, column 59

```
="20%">↵                         <div height="100%" id="right-column"
class="floatcenter">↵                <
```

73. **Error** Stray start tag `footer`.

From line 235, column 1; to line 235, column 8

```
>↵</body>↵<footer>↵   <p a
```

74. **Error** The `align` attribute on the `p` element is obsolete. [Use CSS instead](#).

From line 236, column 2; to line 236, column 19

```
<footer>↵        <p align="center"><a hre
```

Document checking completed.

Used the HTML parser.

Total execution time 274 milliseconds.