Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/contactus.html

Checker Input			
Show source outline image report			
Options			
Check by address ▼			
http://studentweb.kennesaw.edu/~vluong/3260/project/pages/contactus.html			
Check			

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

In the language of this document.

From line 1, column 16; to line 2, column 6

type html></html><!-- I

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

- 3. Error Bad value 100% for attribute width on element img: Expected a digit but saw % instead.

 From line 41, column 4; to line 41, column 102

 60px">← ← <
- 4. Error The valign attribute on the td element is obsolete. Use CSS instead. From line 42, column 10; to line 43, column 20

```
Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/contactus.html - Nu Html Checker
                      ←
                                                   ↔
    <
     Error Stray end tag tr.
 5.
    From line 53, column 11; to line 53, column 15
                                           ↔
    < ∶
     Error The width attribute on the td element is obsolete. Use CSS instead.
 6.
    From line 56, column 9; to line 57, column 33
                           ←
                                             ↔
    <
 7.
           The |valign| attribute on the |td| element is obsolete. Use CSS instead.
    From line 56, column 9; to line 57, column 33
                           ←
                                             ↔
     >←
    <
     Error The width attribute on the td element is obsolete. Use CSS instead.
 8.
    From line 64, column 6; to line 65, column 31
     le">← ←
                           ↔
     Error The valign attribute on the td element is obsolete. Use CSS instead.
 9.
    From line 64, column 6; to line 65, column 31
     le">↩ ↩
                           ←
10.
     Error | Element | a | not allowed as child of element | u1 | in this context.
    (Suppressing further errors from this subtree.)
    From line 73, column 7; to line 73, column 30
    href="../index.html">Ho
    Contexts in which element a may be used:
       Where phrasing content is expected.
    Content model for element ul:
       Zero or more 1i and script-supporting elements.
```

11. Error Element <u>a</u> not allowed as child of element <u>u1</u> in this context. (Suppressing further errors from this subtree.)

From line 74, column 6; to line 74, column 34

12. Error Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 75, column 7; to line 75, column 29

/a>

/a href="aboutus.html">Ab

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

13. Error Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 76, column 7; to line 76, column 28

(a href="donate.html">Do

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

14. Error Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 77, column 7; to line 77, column 30

(a href="pictures.html">Pi

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

15. Error Element a not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 78, column 7; to line 78, column 31

/a>

/a>

/a href="contactus.html">Column 31

/a>

Contexts in which element a may be used:

Where phrasing content is expected.

Content model for element ul:

Zero or more li and script-supporting elements.

From line 79, column 6; to line 79, column 37 <1>Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more li and script-supporting elements. Error Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.) From line 80, column 6; to line 80, column 29 <1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1i>Feedback.html"><1	(Suppressing further errors from this subtree.)		
Contexts in which element a may be used: Where phrasing content is expected. Content model for element u: Zero or more li and script-supporting elements. Error Element a not allowed as child of element ui in this context. (Suppressing further errors from this subtree.) From line 80, column 6; to line 80, column 29 ⟨/a>→	From line 79, column 6; to line 79, column 37		
Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more li and script-supporting elements. Error Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.) From line 80, column 6; to line 80, column 29 (/a> (/a> (a href="feedback.html"> Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more li and script-supporting elements. Error The align attribute on the hill element is obsolete. Use CSS instead. From line 88, column 4; to line 88, column 22 	↔ Co		
Content model for element ul: Zero or more li and script-supporting elements. Error Element a not allowed as child of element ul in this context. (Suppressing further errors from this subtree.) From line 80, column 6; to line 80, column 29 (/a)			
Error Element a not allowed as child of element u1 in this context.	Where phrasing content is expected.		
Error Element a not allowed as child of element u1 in this context.	Content model for element <u>ul</u> :		
(Suppressing further errors from this subtree.) From line 80, column 6; to line 80, column 29 (/a)	Zero or more <u>li</u> and <u>script-supporting</u> elements.		
From line 80, column 6; to line 80, column 29 \[\langle \langle \rangle \langle \text{a href="feedback.html">\langle \rangle \rangle \rangle \rangle \text{contexts in which element a may be used:} \[\text{Where phrasing content is expected.} \] Content model for element ul: \[\text{Zero or more li and script-supporting elements.} \] \[\text{Error The align attribute on the h1 element is obsolete. Use CSS instead.} \] From line 88, column 4; to line 88, column 22 \[\text{">\display=0} \qquad \text{ch1 align="center">\text{Contac}} \] \[\text{Error The width attribute on the td element is obsolete. Use CSS instead.} \] From line 92, column 6; to line 93, column 30 \[\text{Crr>\display=0} \text{ctd width="50%" valign="top"> \display=0} \text{Prom line 92, column 6; to line 93, column 30} \[\text{Error The valign attribute on the td element is obsolete. Use CSS instead} \] From line 92, column 6; to line 93, column 30 \[\text{Crr>\display=0} \text{ctd width="50\%" valign="top"> \display=0} \text{Crr>\display=0} \text{ctd width="50\%" valign="top"> \display=0} \[\text{Error No p element in scope but a p end tag seen.} \] From line 104, column 5; to line 104, column 8 \[\text{C/p>\display=0} \text{C/p>\display=0} \]	Error Element a not allowed as child of element ul in this context.		
Contexts in which element a may be used: Where phrasing content is expected.	(Suppressing further errors from this subtree.)		
Contexts in which element a may be used: Where phrasing content is expected. Content model for element u1: Zero or more li and script-supporting elements. Error The align attribute on the h1 element is obsolete. Use CSS instead. From line 88, column 4; to line 88, column 22 "> \(\text{h1} \) align="center"> \(\text{cntar} \) contac Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 \(\text{crs} \text{ctd} \) width="59%" valign="top"> \(\text{e} \) Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 \(\text{crs} \text{ctd} \) width="59%" valign="top"> \(\text{e} \) Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 \(\left(p \right) \text{e} \) \(\left(p \right) \text{e} \)			
Contexts in which element a may be used: Where phrasing content is expected. Content model for element u1: Zero or more li and script-supporting elements. Error The align attribute on the h1 element is obsolete. Use CSS instead. From line 88, column 4; to line 88, column 22 "> \(\text{h1} \) align="center"> \(\text{cntar} \) contac Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 \(\text{crs} \text{ctd} \) width="59%" valign="top"> \(\text{e} \) Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 \(\text{crs} \text{ctd} \) width="59%" valign="top"> \(\text{e} \) Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 \(\left(p \right) \text{e} \) \(\left(p \right) \text{e} \)	↔ Fe		
Content model for element u1: Zero or more 1i and script-supporting elements. Error The align attribute on the h1 element is obsolete. Use CSS instead. From line 88, column 4; to line 88, column 22 "> \(\text{h1 align="center"} \) Contac Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 Ctr> \(\text{ctr} \) \(\text{ctd width="50%" valign="top"} \) \(\text{\text{e}} \) Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 Ctr> \(\text{ctr} \) \(\text{ctd width="50%" valign="top"} \) \(\text{\text{\text{e}}} \) Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 C(p) \(\text{\text{e}} \) \(\text{closumn 8} \)			
Zero or more 1i and script-supporting elements. Error The align attribute on the h1 element is obsolete. Use CSS instead.	Where <u>phrasing content</u> is expected.		
Error The align attribute on the h1 element is obsolete. Use CSS instead. From line 88, column 4; to line 88, column 22 ">ee			
From line 88, column 4; to line 88, column 22 "> \(\text{At} \) align="center">Contac Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 \(\text{CT>} \to \text{CT} \) \(\text{CSS instead} \) Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 \(\text{CT>} \to \text{CT} \) \(\text{CSS instead} \) Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 \(\text{CP>} \to \text{CSS instead} \)	Zero or more <u>1i</u> and <u>script-supporting</u> elements.		
From line 88, column 4; to line 88, column 22 "> \(\text{At} \) align="center">Contac Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 \(\text{CTS} \to \) \(\text{At} \) Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 \(\text{CTS} \to \) \(\text{At} \) \(\text{CTS} \to \) \(\text{At} \) \(\text{CTS} \to \) \(\text{At} \) \(\text{CTS} \to \) \(\text{CTS} \to \) \(\text{CTS} \to \)	Error The align attribute on the h1 element is obsolete. Use CSS instead.		
Contact Cont	L		
Error The width attribute on the td element is obsolete. Use CSS instead. From line 92, column 6; to line 93, column 30 Column 6; to line 93, column 30 Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30	· · · · · · · · · · · · · · · · · · ·		
From line 92, column 6; to line 93, column 30 Carryed Actd width="50%" valign="top" > e Error The [valign] attribute on the [td] element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 Carryed Actd width="50%" valign="top" > e Carryed Actd width="50%" valign="top" > e Error No [p] element in scope but a [p] end tag seen. From line 104, column 5; to line 104, column 8	<u> </u>		
Error The [valign] attribute on the [td] element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 ← ⟨tr⟩← ⟨td width="50%" valign="top"⟩ ← Error No [p] element in scope but a [p] end tag seen. From line 104, column 5; to line 104, column 8 ⟨/p⟩ ← ⟨/p⟩ ← ←	Error The width attribute on the td element is obsolete. Use CSS instead.		
Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30 Column 6; to line 93, column 30 Column 70 Column 8 Column 8 Column 5; to line 104, column 8 Column 8	From line 92, column 6; to line 93, column 30		
Error The valign attribute on the td element is obsolete. Use CSS instead From line 92, column 6; to line 93, column 30	↔ ↔ ↔		
From line 92, column 6; to line 93, column 30 $ \begin{array}{cccccccccccccccccccccccccccccccccc$	↔		
From line 92, column 6; to line 93, column 30 $ {} \leftarrow \langle tr \rangle \leftarrow \langle td \; width = "50\%" \; valign = "top" \rangle \leftarrow \\ \leftarrow $ Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 $ {\langle p \rangle} \leftarrow {} \leftarrow {$			
$\frac{\varphi}{\varphi} < \text{tr} > \varphi < \text{td width="50%" valign="top">} \varphi$ $\frac{\varphi}{\varphi}$ Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 $\frac{\langle p \rangle \varphi}{\langle p \rangle \varphi} \qquad \frac{\varphi}{\varphi}$	Error The valign attribute on the td element is obsolete. Use CSS instead		
Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8	From line 92, column 6; to line 93, column 30		
Error No p element in scope but a p end tag seen. From line 104, column 5; to line 104, column 8 $\langle p \rangle \leftarrow \langle p \rangle \leftarrow \langle$			
From line 104, column 5; to line 104, column 8	<u>ب</u>		
From line 104, column 5; to line 104, column 8	From No in element in scope but a intend tag seen		
(/p> ← (/p>← ←)			
F	r		
Every The width attribute on the this element is absolute the CSS instead	ζ/p>		

```
← ← ← colspan="2" width="50%" valign="top" align="center">←
```

```
23. Error The valign attribute on the td element is obsolete. Use CSS instead.

From line 115, column 11; to line 116, column 63

colspan="2" width="50%" valign="top" align="center">
```

```
Attribute cols not allowed on element input at this point.
25.
      From line 125, column 9; to line 125, column 59
                                                                    <input type="text" cols="50"</pre>
      name="name" id="name">↔
      Attributes for element input:
         Global attributes
                               when type is file
         accept
         alt
                               when type is image
                               when type is text, search, url, tel, email, password, date, month, week,
         <u>autocomplete</u>
                                time, datetime-local, number, range, or color
         <u>autofocus</u>
         checked
                               when type is <u>checkbox</u> or <u>radio</u>
         dirname
                               when type is text or search
         <u>disabled</u>
         <u>form</u>
         formaction
                               when type is submit or image
         <u>formenctype</u>
                               when type is submit or image
         formmethod
                               when type is submit or image
         <u>formnovalidate</u>
                               when type is submit or image
         <u>formtarget</u>
                                when type is <u>submit</u> or <u>image</u>
         <u>height</u>
                               when type is image
         list
                                when type is text, search, url, tel, email, date, month, week, time,
                                datetime-local, number, range, or color
                                when type is date, month, week, time, datetime-local, number, or range
         <u>max</u>
         <u>maxlength</u>
                                when type is text, search, url, tel, email, or password
```

<u>min</u> when type is date, month, week, time, datetime-local, number, or range <u>multiple</u> when type is email or file name pattern when type is text, search, url, tel, email, or password placeholder when type is text, search, url, tel, email, password, or number when type is text, search, url, tel, email, password, date, month, week, <u>readonly</u> time, datetime-local, or number when type is text, search, url, tel, email, password, date, month, week, required time, datetime-local, number, checkbox, radio, or file size when type is text, search, url, tel, email, or password when type is image src when type is date, month, week, time, datetime-local, number, or range <u>step</u>

<u>type</u>

<u>value</u> when type is not file or image

<u>width</u> when type is image

Error Attribute cols not allowed on element input at this point. 26.

From line 133, column 9; to line 133, column 62

>← <input type="email" cols="50"</pre> name="email" id="email">↩

Attributes for element input:

Global attributes

when type is file <u>accept</u> alt when type is image

when type is text, search, url, tel, email, password, date, month, week, <u>autocomplete</u>

time, datetime-local, number, range, or color

autofocus

checked when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

form

<u>formaction</u> when type is submit or image when type is submit or image formenctype **formmethod** when type is submit or image formnovalidate when type is submit or image **formtarget** when type is submit or image

when type is image <u>height</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

<u>max</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>

<u>maxlength</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>min</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>

multiple when type is <u>email</u> or <u>file</u>

<u>name</u>

<u>pattern</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>placeholder</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, or <u>number</u>

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, or number

<u>required</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, number, checkbox, radio, or file

<u>size</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>src</u> when type is <u>image</u>

<u>step</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>

<u>type</u>

<u>value</u> when type is not <u>file</u> or <u>image</u>

<u>width</u> when type is <u>image</u>

27. Error Attribute cols not allowed on element input at this point.

From line 141, column 9; to line 141, column 65

>← <input type="text" cols="50"

name="Subject" id="Subject">↔

Attributes for element input:

Global attributes

<u>accept</u> when type is <u>file</u>

alt when type is image

autocomplete when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, range, or color

<u>autofocus</u>

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>


<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or image

9	
<u>formnovalidate</u>	when type is <u>submit</u> or <u>image</u>
<u>formtarget</u>	when type is <u>submit</u> or <u>image</u>
<u>height</u>	when type is <u>image</u>
<u>list</u>	when type is text, search, url, tel, email, date, month, week, time,
	datetime-local, number, range, or color
<u>max</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or <u>range</u>
<u>maxlength</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
<u>min</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or <u>range</u>
<u>multiple</u>	when type is <u>email</u> or <u>file</u>
<u>name</u>	
<u>pattern</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
placeholder	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , or <u>number</u>
<u>readonly</u>	when type is text, search, url, tel, email, password, date, month, week,
	time, datetime-local, or number
required	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , <u>date</u> , <u>month</u> , <u>week</u> ,
	time, datetime-local, number, checkbox, radio, or file
<u>size</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
<u>src</u>	when type is <u>image</u>
<u>step</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or <u>range</u>
<u>type</u>	
<u>value</u>	when type is not <u>file</u> or <u>image</u>
<u>width</u>	when type is <u>image</u>



```
29. Error Bad value 20px for attribute rows on element textarea: Expected a digit but saw p instead.

From line 149, column 9; to line 149, column 70

>← <textarea name="Message"

cols="50px" rows="20px" id="Message"></text
```

30. Error The align attribute on the td element is obsolete. Use CSS instead. From line 152, column 9; to line 153, column 35

```
→
    align="right" colspan="2">↩
     Error The align attribute on the td element is obsolete. Use CSS instead.
31.
    From line 169, column 15; to line 170, column 31
     /div>←
                             ↔
                                                                      <di
32.
     Error The width attribute on the td element is obsolete. Use CSS instead.
    From line 169, column 15; to line 170, column 31
     /div>←
                             ↔
                                                                      <di
     Error Attribute height not allowed on element div at this point.
33.
    From line 171, column 3; to line 171, column 59
     ="20%">↩
                             <div height="100%" id="right-column"</pre>
    class="floatcenter">↔
    Attributes for element <u>div</u>:
       Global attributes
     Error The align attribute on the h2 element is obsolete. Use CSS instead.
34.
    From line 175, column 9; to line 175, column 27
                                                       <h2 align="center">Meetin
35.
     Error Bad value 100% for attribute width on element iframe: Expected a
    digit but saw |% | instead.
    From line 188, column 6; to line 188, column 342
     <br>
<
                               <iframe src="https://www.google.com/maps/embed?</pre>
    pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
    width="100%" height="100%" frameborder="0" style="border:0:" allowfullscreen="">
     Error Bad value 100% for attribute height on element iframe: Expected a
36.
    digit but saw |% instead.
    From line 188, column 6; to line 188, column 342
                               <iframe src="https://www.google.com/maps/embed?</pre>
    pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
    width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
            The frameborder attribute on the iframe element is obsolete. Use CSS
37.
     Error
    instead.
    From line 188, column 6; to line 188, column 342
```

```
<br>→
                               <iframe src="https://www.google.com/maps/embed?</pre>
     _____
    pb=!1m14!1m8!1m3!1d13197.181307489562!2d-84.1506472!3...6705!5m2!1sen!2sus"
    width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen="">
     Error No p element in scope but a p end tag seen.
38.
    From line 189, column 6; to line 189, column 9
     ame>↩
                               ←
     Error The align attribute on the div element is obsolete. Use CSS instead.
39.
    From line 193, column 6; to line 193, column 25
     <hr>→
                               <div align="center">↔
            End tag | td | seen, but there were open elements.
40.
    From line 214, column 3; to line 214, column 7

← 
     ></div>←
     Error Unclosed element div.
41.
    From line 172, column 5; to line 172, column 32
                       <div class="column-content">←
                                                                      <!
     Error Unclosed element | div |.
42.
    From line 171, column 3; to line 171, column 59
     ="20%">←
                             <div height="100%" id="right-column"</pre>
    class="floatcenter">←
43.
     Error | Stray start tag | footer |.
    From line 219, column 1; to line 219, column 8
     >~</body>~<footer>~ 
     Error The align attribute on the pelement is obsolete. Use CSS instead.
44.
    From line 220, column 2; to line 220, column 19
                     <a hre</pre>
     <footer>←
```

Document checking completed.

Used the HTML parser.

Total execution time 103 milliseconds.

About this checker • Report an issue • Version: 19.12.5