

Feedback initial

1. : Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 16; to line 2, column 6
`type html><html><!-- I`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Warning:** The `type` attribute is unnecessary for JavaScript resources.
From line 25, column 1; to line 25, column 31

```
</style><script type="text/javascript">docum
```

3. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 217, column 11; to line 218, column 56

```
<tr>
  <td align="center" valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

4. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 217, column 11; to line 218, column 56

```
<tr>
  <td align="center" valign="top" cellpadding="2px">
```

5. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 217, column 11; to line 218, column 56

```
<tr>
  <td align="center" valign="top" cellpadding="2px">
```

6. **Error:** The `font` element is obsolete. [Use CSS instead](#).

From line 220, column 76; to line 220, column 90

```
nd_1"><br><font size="4">1</fon
```

7. **Error:** The `font` element is obsolete. [Use CSS instead](#).

From line 220, column 103; to line 220, column 117

```
/font><br><font size="1">Worst<
```

8. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 222, column 13; to line 224, column 56

```
</td>
  <td align="center"
    valign="top" cellpadding="2px">
```

Attributes for element `td`:

Global attributes

colspan — Number of columns that the cell is to span

rowspan — Number of rows that the cell is to span

headers — The header cells for this cell

9. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 222, column 13; to line 224, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

10. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 222, column 13; to line 224, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

11. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 228, column 13; to line 230, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

Attributes for element `td`:

Global attributes

colspan — Number of columns that the cell is to span

rowspan — Number of rows that the cell is to span

headers — The header cells for this cell

12. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 228, column 13; to line 230, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

13. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 228, column 13; to line 230, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

14. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 234, column 13; to line 236, column 56

```

                                </td>
                                <td align="center"
valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

15. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 234, column 13; to line 236, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

16. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 234, column 13; to line 236, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

17. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 240, column 13; to line 242, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

18. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 240, column 13; to line 242, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

19. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 240, column 13; to line 242, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

20. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 246, column 13; to line 248, column 56

```

        </td>
    <td align="center"
    valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

21. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 246, column 13; to line 248, column 56

```

        </td>
    <td align="center"
    valign="top" cellpadding="2px">

```

22. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 246, column 13; to line 248, column 56

```

        </td>
    <td align="center"
    valign="top" cellpadding="2px">

```

23. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 252, column 13; to line 254, column 56

```

        </td>
    <td align="center" valign="top"
    cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

24. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 252, column 13; to line 254, column 56

```

        </td>
    <td align="center" valign="top"
    cellpadding="2px">

```

25. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 252, column 13; to line 254, column 56

```

        </td>
    <td align="center" valign="top"
    cellpadding="2px">

```

26. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 258, column 13; to line 260, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

27. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 258, column 13; to line 260, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

28. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 258, column 13; to line 260, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

29. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 264, column 13; to line 266, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

30. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 264, column 13; to line 266, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

31. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 264, column 13; to line 266, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

32. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 270, column 13; to line 272, column 57

```

</td>
<td align="center" valign="top"
cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

33. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 270, column 13; to line 272, column 57

```

</td>
<td align="center" valign="top"
cellpadding="2px">

```

34. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 270, column 13; to line 272, column 57

```

</td>
<td align="center" valign="top"
cellpadding="2px">

```

35. **Error:** The `font` element is obsolete. [Use CSS instead.](#)

From line 274, column 92; to line 274, column 106

```

<br>10<br><font size="1">Best</

```

36. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 287, column 11; to line 288, column 56

```

<tr>
<td align="center" valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

37. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 287, column 11; to line 288, column 56

```

<tr>
<td align="center" valign="top" cellpadding="2px">

```

38. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 287, column 11; to line 288, column 56

```

<tr>
<td align="center" valign="top" cellpadding="2px">

```

39. **Error:** The `font` element is obsolete. [Use CSS instead.](#)

From line 290, column 78; to line 290, column 92

```

ic_1"><br><font size="4">1</fon

```

40. **Error:** The `font` element is obsolete. [Use CSS instead.](#)

From line 290, column 105; to line 290, column 119

```

/font><br><font size="1">Worst<

```

41. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 292, column 13; to line 294, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

42. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 292, column 13; to line 294, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

43. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 292, column 13; to line 294, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

44. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 298, column 13; to line 300, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">

```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

45. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 298, column 13; to line 300, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

46. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 298, column 13; to line 300, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

47. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 304, column 13; to line 306, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

48. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 304, column 13; to line 306, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

49. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 304, column 13; to line 306, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

50. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 310, column 13; to line 312, column 56

```
        </td>  
        <td align="center"  
        valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

51. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 310, column 13; to line 312, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">
```

52. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 310, column 13; to line 312, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">
```

53. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 316, column 13; to line 318, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

54. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 316, column 13; to line 318, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">
```

55. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 316, column 13; to line 318, column 56

```

</td>
<td align="center"
valign="top" cellpadding="2px">
```

56. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 322, column 13; to line 324, column 56

```

</td>
<td align="center" valign="top"
cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

57. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 322, column 13; to line 324, column 56

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

58. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 322, column 13; to line 324, column 56

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

59. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 328, column 13; to line 330, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

60. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 328, column 13; to line 330, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

61. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 328, column 13; to line 330, column 56

```
        </td>
        <td align="center"
valign="top" cellpadding="2px">
```

62. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 334, column 13; to line 336, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

63. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 334, column 13; to line 336, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

64. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 334, column 13; to line 336, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

65. **Error:** Attribute `cellpadding` not allowed on element `td` at this point.

From line 340, column 13; to line 342, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

Attributes for element `td`:

[Global attributes](#)

[colspan](#) — Number of columns that the cell is to span

[rowspan](#) — Number of rows that the cell is to span

[headers](#) — The header cells for this cell

66. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 340, column 13; to line 342, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

67. **Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 340, column 13; to line 342, column 57

```
        </td>
        <td align="center" valign="top"
cellpadding="2px">
```

68. **Error:** The `font` element is obsolete. [Use CSS instead.](#)

From line 344, column 94; to line 344, column 108

```
<br>10<br><font size="1">Best</
```

69. **Error:** Bad value `best thing` for attribute `for` on element `label`: An ID must not contain whitespace.

From line 358, column 8; to line 358, column 31

```
d>
<label for="best thing"></labe
```

70. **Error:** Bad value `best thing` for attribute `id` on element `select`: An ID must not contain whitespace.

From line 359, column 14; to line 359, column 64

```
<select name="best thing" size="1" id="best  
thing">
```

71. **Error:** Bad value `worst thing` for attribute `for` on element `label`: An ID must not contain whitespace.

From line 383, column 8; to line 383, column 32

```
d> <label for="worst thing"></labe
```

72. **Error:** Bad value `worst thing` for attribute `id` on element `select`: An ID must not contain whitespace.

From line 384, column 14; to line 384, column 66

```
<select name="worst thing" size="1" id="worst  
thing">
```

73. **Error:** The `align` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 411, column 10; to line 412, column 29

```
<tr> <td  
align="right"><label
```

74. **Error:** The `align` attribute on the `table` element is obsolete. [Use CSS instead.](#)

From line 421, column 5; to line 421, column 26

```
td> <table align="center">
```

75. **Error:** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 126, column 18; to line 126, column 40

```
<td><label for="FirstName"></labe
```

76. **Error:** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 132, column 18; to line 132, column 39

```
<td><label for="LastName"></labe
```