1. **Warning**: The type attribute is unnecessary for JavaScript resources.

```
From line 25, column 1; to line 25, column 31
```

```
↩</style>↩<script type="text/javascript">↩docum
```

2. **Error**: Element <u>p</u> not allowed as child of element <u>h3</u> in this context. (Suppressing further errors from this subtree.)

From line 107, column 4; to line 107, column 6

```
pport.↩ Your d
```

Contexts in which element p may be used:

Where flow content is expected.

3. **Error**: Element <u>li</u> not allowed as child of element <u>div</u> in this context. (Suppressing further errors from this subtree.)

From line 109, column 5; to line 109, column 8

```
<hr>↩ If you
```

Contexts in which element li may be used:

Inside ol elements.

Inside ul elements.

Inside menu elements.

Content model for element div:

If the element is a child of a <u>dl</u> element: one or more <u>dt</u> elements followed by one or more <u>dd</u> elements, optionally intermixed with <u>script-supporting elements</u>.

If the element is not a child of a dl element: flow content.

4. **Error**: Element <u>li</u> not allowed as child of element <u>div</u> in this context. (Suppressing further errors from this subtree.)

From line 110, column 5; to line 110, column 8

```
↩ If you
```

Contexts in which element li may be used:

Inside o1 elements.

Inside ul elements.

Inside menu elements.

Content model for element div:

If the element is a child of a <u>dl</u> element: one or more <u>dt</u> elements followed by one or more <u>dd</u> elements, optionally intermixed with <u>script-supporting elements</u>. If the element is not a child of a <u>dl</u> element: flow content.

5. **Error**: The align attribute on the p element is obsolete. Use CSS instead.

From line 110, column 54; to line 110, column 71

```
hecks to: VIETNA
```

6. **Error**: The align attribute on the p element is obsolete. <u>Use CSS instead</u>.

From line 113, column 4; to line 113, column 21

```
>ât© ât©
```

7. **Error**: The align attribute on the h2 element is obsolete. Use CSS instead.

From line 122, column 6; to line 122, column 24

```
-->↩ <h2 align="center">Meetin
```

8. **Error**: Bad value 100% for attribute width on element <u>iframe</u>: Expected a digit but saw % instead.

From line 135, column 6; to line 135, column 342

```
<br/><br>↩ <iframe
```

src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d13197.1813074
89562!2d-84.1506472!3â€|6705!5m2!1sen!2sus" width="100%" height="100%"
frameborder="0" style="border:0;" allowfullscreen=""></ifra</pre>

9. **Error**: Bad value 100% for attribute height on element <u>iframe</u>: Expected a digit but saw % instead.

From line 135, column 6; to line 135, column 342

```
<br/><br>↩ <iframe
```

src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d13197.1813074
89562!2d-84.1506472!3â€|6705!5m2!1sen!2sus" width="100%" height="100%"
frameborder="0" style="border:0;" allowfullscreen=""></ifra</pre>

10. Error: The frameborder attribute on the iframe element is obsolete. Use CSS instead.

From line 135, column 6; to line 135, column 342

```
<br/><br>↩ <iframe
```

src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d13197.1813074

```
89562!2d-84.1506472!3…6705!5m2!1sen!2sus" width="100%" height="100%" frameborder="0" style="border:0;" allowfullscreen=""></ifra
```

11. **Error**: No p element in scope but a p end tag seen.

From line 136, column 6; to line 136, column 9

12. **Warning**: Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 16; to line 2, column 6

There were errors.

Used the schema for HTML + SVG 1.1 + MathML 3.0 + RDFa 1.1.

Used the HTML parser.

Total execution time 18 milliseconds.