Pictures.html initial error codes

1. **Warning**: Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

   From line 1, column 16; to line 2, column 6

   ```
   type html>⏎<html><!-- I
   ```

   For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

   If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Warning**: The `type` attribute is unnecessary for JavaScript resources.

   From line 25, column 1; to line 25, column 31

   ```
   ⏎</style>⏎<script type="text/javascript">⏎docum
   ```

3. **Error**: Stray end tag `tr`.

   From line 53, column 11; to line 54, column 10

   ```
   </tr>⏎ </tr>⏎ <
   ```

4. **Error**: The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

   From line 80, column 6; to line 81, column 18

   ```
   le">⏎ <tr>⏎ <td width="20%">⏎ ⏎
   ```

5. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

   From line 89, column 7; to line 89, column 30

   ```
   ⏎ <a href="../index.html"><li>Ho
   ```

   Contexts in which element `a` may be used:
   Where [phrasing content](#) is expected.
   Content model for element `ul`:
   Zero or more [li](#) and [script-supporting](#) elements.

6. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 90, column 6; to line 90, column 34

`</a>`🔁 **`<a href="newsandevents.html">`**`<li>Ne`

Contexts in which element `a` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more `li` and [script-supporting](#) elements.

7. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 91, column 7; to line 91, column 29

`/a>`🔁 **`<a href="aboutus.html">`**`<li>Ab`

Contexts in which element `a` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more `li` and [script-supporting](#) elements.

8. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 92, column 7; to line 92, column 28

`/a>`🔁 **`<a href="donate.html">`**`<li>Do`

Contexts in which element `a` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:
Zero or more `li` and [script-supporting](#) elements.

9. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 93, column 7; to line 93, column 30

`/a>`🔁 **`<a href="pictures.html">`**`<li>Pi`

Contexts in which element `a` may be used:
Where [phrasing content](#) is expected.
Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

10. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

    From line 94, column 7; to line 94, column 31

    `/a>`↩ **`<a href="contactus.html">`**`<li>Co`

    Contexts in which element `a` may be used:
    Where [phrasing content](#) is expected.
    Content model for element `ul`:
    Zero or more `li` and [script-supporting](#) elements.

11. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

    From line 95, column 6; to line 95, column 37

    `</a>`↩ **`<a href="communityservice.html">`**`<li>Co`

    Contexts in which element `a` may be used:
    Where [phrasing content](#) is expected.
    Content model for element `ul`:
    Zero or more `li` and [script-supporting](#) elements.

12. **Error**: Element `a` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

    From line 96, column 6; to line 96, column 29

    `</a>`↩ **`<a href="feedback.html">`**`<li>Fe`

    Contexts in which element `a` may be used:
    Where [phrasing content](#) is expected.
    Content model for element `ul`:
    Zero or more `li` and [script-supporting](#) elements.

13. **Error**: The `width` attribute on the `table` element is obsolete. [Use CSS instead](#).

    From line 105, column 5; to line 105, column 50

    `</h2>`↩ **`<table width="80%" border="0" cellpadding="5">`**↩ `<tb`

14. **Error**: The `cellpadding` attribute on the `table` element is obsolete. [Use CSS instead](#).

From line 105, column 5; to line 105, column 50

`</h2>`⮐ **`<table width="80%" border="0" cellpadding="5">`**⮐ `<tb`

15. **Error**: The `border` attribute on the `table` element is obsolete. [Use CSS instead]().

From line 105, column 5; to line 105, column 50

`</h2>`⮐ **`<table width="80%" border="0" cellpadding="5">`**⮐ `<tb`

16. **Error**: The `width` attribute on the `td` element is obsolete. [Use CSS instead]().

From line 107, column 9; to line 108, column 24

`>`⮐ `<tr>`⮐ **`<td width="300px">`**`<img s`

17. **Error**: The `width` attribute on the `table` element is obsolete. [Use CSS instead]().

From line 122, column 5; to line 122, column 50

`</h3>`⮐ **`<table width="80%" border="0" cellpadding="5">`**⮐ `<tb`

18. **Error**: The `cellpadding` attribute on the `table` element is obsolete. [Use CSS instead]().

From line 122, column 5; to line 122, column 50

`</h3>`⮐ **`<table width="80%" border="0" cellpadding="5">`**⮐ `<tb`

19. **Error**: The `border` attribute on the `table` element is obsolete. [Use CSS instead]().

From line 122, column 5; to line 122, column 50

`</h3>`⮐ **`<table width="80%" border="0" cellpadding="5">`**⮐ `<tb`

20. **Error**: The `width` attribute on the `td` element is obsolete. [Use CSS instead]().

From line 124, column 9; to line 125, column 22

`>`⮐ `<tr>`⮐ **`<td width="45%">`**`<img s`

21. **Error**: The `align` attribute on the `td` element is obsolete. [Use CSS instead]().

From line 136, column 15; to line 137, column 31

`/div></td>`⮐ **`<td align="left" width="20%">`**⮐ `<di`

22. **Error**: The `width` attribute on the `td` element is obsolete. [Use CSS instead](#).

From line 136, column 15; to line 137, column 31

`/div></td>`⏎ **`<td align="left" width="20%">`**⏎ `<di`

23. **Error**: Attribute `height` not allowed on element `div` at this point.

From line 138, column 3; to line 138, column 59

`="20%">`⏎ **`<div height="100%" id="right-column" class="floatcenter">`**⏎ `<`

Attributes for element `div`:
[Global attributes](#)

24. **Error**: The `align` attribute on the `div` element is obsolete. [Use CSS instead](#).

From line 144, column 6; to line 144, column 25

`<hr>`⏎ **`<div align="center">`**⏎

25. **Error**: End tag `td` seen, but there were open elements.

From line 166, column 3; to line 166, column 7

`</div>`⏎ **`</td>`**⏎ `</tr`

26. **Error**: Unclosed element `div`.

From line 138, column 3; to line 138, column 59

`="20%">`⏎ **`<div height="100%" id="right-column" class="floatcenter">`**⏎ `<`

27. **Error**: Stray start tag `footer`.

From line 171, column 1; to line 171, column 8

`>`⏎`</body>`⏎**`<footer>`**⏎ `<p a`

28. **Error**: The `align` attribute on the `p` element is obsolete. [Use CSS instead](#).

From line 172, column 2; to line 172, column 19

`<footer>`⏎ **`<p align="center">`**`<a hre`

Document checking completed.

Used the HTML parser.

Total execution time 20 milliseconds.