Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/aboutus.html

Checker Input
Show source outline image report
Options
Check by address ▼
http://studentweb.kennesaw.edu/~vluong/3260/project/pages/aboutus.html
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

5.

rom line 25, colu	ımn 1; to line 25, column 31	ı	
Error Bad va	alue 100% for attribute	e width on element img : Expected a digi	
out saw 📆 ins	tead.		
From line 41, colu	ımn 4; to line 41, column 10	02	
60px">↩	<pre><img< pre=""></img<></pre>	src="/images/vva-logo.png" width="100%"	
1+-"\//\ Logo"	title="VVA Logo" styl	a_"= indov:100">()	
TI- ANY FORO	CICLE- VVA LOGO SCYL	e= Z-1nuex.400 >←	
TIC- VVA LOGO		e= 2-11uex.400 >←	
		td element is obsolete. <u>Use CSS instead</u>	
Error The v		td element is obsolete. Use CSS instead	
Error The v	align attribute on the	td element is obsolete. <u>Use CSS instead</u>	
Error The v	align attribute on the	td element is obsolete. Use CSS instead	
Error The v	align attribute on the align 10; to line 43, column 2	td element is obsolete. <u>Use CSS instead</u>	
Error The v	align attribute on the	etd element is obsolete. Use CSS instead	

Error The width attribute on the td element is obsolete. Use CSS instead.

```
From line 56, column 9; to line 57, column 33
     >←
                                               ↔
                             ←
     <
            The |valign| attribute on the |td| element is obsolete. Use CSS instead.
 6.
    From line 56, column 9; to line 57, column 33
     >←
                             ↩
                                               ↔
     <
            The width attribute on the td element is obsolete. Use CSS instead.
 7.
    From line 64, column 6; to line 65, column 31
     le">↩ ↩
                             ↔
     Error The valign attribute on the td element is obsolete. Use CSS instead.
 8.
    From line 64, column 6; to line 65, column 31
     le">← ←
                             ↔
     Error | Element | a | not allowed as child of element | u1 | in this context.
 9.
    (Suppressing further errors from this subtree.)
    From line 73, column 7; to line 73, column 30
    href="../index.html">Ho
    Contexts in which element a may be used:
       Where phrasing content is expected.
    Content model for element ul:
       Zero or more <u>li</u> and <u>script-supporting</u> elements.
     Error Element a not allowed as child of element ul in this context.
10.
    (Suppressing further errors from this subtree.)
    From line 74, column 6; to line 74, column 34
                                             <a href="newsandevents.html">Ne
     </a>←
    Contexts in which element a may be used:
       Where phrasing content is expected.
    Content model for element ul:
       Zero or more 1i and script-supporting elements.
             Element |\underline{a}| not allowed as child of element |\underline{u1}| in this context.
     Error
11.
     (Suppressing further errors from this subtree.)
    From line 75, column 7; to line 75, column 29
                                       <a href="aboutus.html">Ab
```

```
Showing results for http://studentweb.kennesaw.edu/~vluong/3260/project/pages/aboutus.html - Nu Html Checker
Contexts in which element a may be used:
   Where phrasing content is expected.
Content model for element ul:
   Zero or more li and script-supporting elements.
```

Error Element a not allowed as child of element ul in this context. 12. (Suppressing further errors from this subtree.) From line 76, column 7; to line 76, column 28 /a>↩ Do Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more <u>li</u> and <u>script-supporting</u> elements.

Error Element a not allowed as child of element ul in this context. 13. (Suppressing further errors from this subtree.) From line 77, column 7; to line 77, column 30 /a>↩ Pi Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more 1i and script-supporting elements.

Element a not allowed as child of element ul in this context. 14. (Suppressing further errors from this subtree.) From line 78, column 7; to line 78, column 31 /a>← Co Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more 1i and script-supporting elements.

Error Element a not allowed as child of element ul in this context. 15. (Suppressing further errors from this subtree.) From line 79, column 6; to line 79, column 37 Co ← Contexts in which element a may be used: Where phrasing content is expected. Content model for element ul: Zero or more li and script-supporting elements.



```
ing="5px">← ←
```

23. Error Start tag h1 seen in table.

From line 98, column 38; to line 99, column 10

="bottom">← <h1><u>201

Document checking completed.

Used the HTML parser.

Total execution time 237 milliseconds.

About this checker • Report an issue • Version: 19.12.5