

B. Sensitising-hit evidence matrix (13 genes x 7 evidence sources, real values, * = FDR<0.05)

KDM1A *	-2.17*	0.15	0.07	0.19	-0.22	NA	-0.14
USP17L29	-2.14*	NA	NA	NA	NA	NA	NA
TADA2B	-2.06*	0.01	0.06	0.43	0.07	NA	-0.25
TLK2 *	-1.85*	-0.15	0.07	0.06	-0.04	NA	-0.81
PET117	-1.83*	-0.06	0.02	-0.25	0.05	NA	-0.46
SUPT4H1	-1.68*	0.04	0.02	1.00	0.07	NA	-0.58
TSR3	-1.62	-0.47	0.09	-0.43	-0.13	NA	-0.05
VEZF1 *	-1.60*	0.43	-0.24	1.13*	-0.05	0.01	-0.20
EIF4ENIF1	-1.55*	0.53	-0.13	0.06	-0.06	NA	-0.20
HMGB1	-1.47*	-0.08	-0.13	-0.15	-0.07	NA	-0.86
CTDNEP1	-1.39	-0.35	-0.04	-0.12	0.15	NA	-0.27
USP34 *	-1.39*	0.59*	0.16	0.40	-0.03	-0.14	-0.06
ICK	-1.22*	0.11	-0.17	0.36	-0.09	NA	NA
	CRISPR effect	GSE118713 log2FC	GSE111151 log2FC	GSE240112 log2FC	GSE245601 [ACUTE] log2FC	TCGA tumor-normal	DepMap Chronos

NA = not assessed in this project (evidence gap, not a null result). GSE245601 [ACUTE] is never counted as resistance corroboration. TCGA/DepMap computed only where project data exists.