


# Local mechanism context is not equal across the four candidates

Frozen STRING network evidence exists only for USP34 and VEZF1; KDM1A and TLK2 have real CRISPR-ranked pathway leading-edge membership but no frozen PPI network.

CRISPR sensitiser, rank 12/13 · FDR=0.042


## USP34



solid = direct STRING partner · dashed = 2-hop bridge to a WNT/stemness effector

CRISPR sensitiser, rank 1/13 · FDR<0.001

## KDM1A



box = frozen GSEA leading-edge pathway membership (CRISPR ranking), not a network edge  
no PPI/network partners in frozen analysis -- pathway membership only

CRISPR sensitiser, rank 8/13 · FDR=0.037

## VEZF1



shared leading-edge pathway:  
HALLMARK\_HEME\_METABOLISM /  
BLOOD\_VESSEL\_MORPHOGENESIS  
  
DMTN is itself human recurrence-associated  
(up in gse118713 & gse240112, both FDR<0.001)

single frozen network edge -- honestly minimal, not padded

CRISPR sensitiser, rank 4/13 · FDR=0.002

## TLK2



box = frozen GSEA leading-edge pathway membership (CRISPR ranking), not a network edge  
no PPI/network partners in frozen analysis -- shares its one pathway hit with KDM1A