

KP 180



Hydraulic Aluminium Corner Crimping Machine

KP 180 machine is designed and constructed for the hydraulically crimping and correct assembly of aluminium profiles. The machine works according to the hydraulic crimping system.



							
400V AC 3P+PE / 50/60 Hz.	1.14 kW	---	---	6-8 / Max.100 bar	10 L/min.	93X110X140	436.0

Standard Accessories

- » 1 set of 3 mm, 1 set of 5 mm and 1 set of 7 mm crimping knives
- » 2 x pneumatic vertical clamp
- » 2 x profil support arms
- » 2 x allen key (4 and 5 mm)
- » 1 set of 3 mm, 1 set of 5 mm and 1 set of 7 mm crimping knives

Optional Accessories

- » Adjustable multi knife set
- » Safety guard (H:180 mm)
- » Special crimping knives

Product Features






YILMAZ MAKİNE SAN. VE TİC. A.Ş.
www.yilmazmachine.com.tr
444 4 178

KP 180



Hydraulic Aluminium Corner Crimping Machine

- » It is designed through the hydraulically crimping system
- » Steel construction of the machine table that is strong and lasting
- » Practically adjustment of the knives according to the shape and height of the profiles
- » Practically adjustment of the cylinder feed and profile stops by means of the milimetric ruler
- » The machine is equipped with the pneumatic (for clamps) and hydraulic (for crimping) foot pedals for the operation control during the machining cycle
- » Pressing is done by hydraulic crimping heads that move in synchronous with each other
- » Double-acting 90° of bracing clamp for inner corner returns to the home position under the table after crimping
- » Powerful hydraulic pump with 2 x 5 tons capacity
- » Protection plates made of polyamide material to prevent being scratches on the profile surface
- » Positioning of the cylinders closer to the workpiece to shorten the cycle time thanks to the 'return' push button
- » Maximum clamping capacity : H:185 x W:150 mm
- » Maximum crimping height : H:180 mm
- » Minimum window inner dimension that can be crimped : 200 mm



YILMAZ MAKİNE SAN. VE TİC. A.Ş.
www.yilmazmachine.com.tr
444 4 178

KP 180



Hydraulic Aluminium Corner Crimping Machine

Technical Table

CRIMPING CAPACITY	
<i>Max. profile height</i>	185 mm
<i>Max profile width</i>	150 mm
<i>Max crimping height</i>	180 mm
<i>Bracing clamp stroke</i>	100 mm
<i>Minimum window inner dimension that can be crimped</i>	200 mm
<i>Max. crimping force (kg)</i>	2 x 5000



YILMAZ MAKİNE SAN. VE TİC. A.Ş.
www.yilmazmachine.com.tr
444 4 178