# Log Messages

2016-12-14T10:39:43.832+03:00

<14.12.2016, 10:39:43,832 AM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481701183832> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printeriob = sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA-1\Java\JDK18-1.0\_1\lib\tools.jar;C:\Oracle \MIDDLE~1\ORACLE~1\wiserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle\_common\modules \net.sf.antcontrib\_1.1.0.0\_1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\modules\features \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\w\server\server\lib\debugpatch-agent.jarjava.class.version = 52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\endorsedjava.ext.dirs = C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0\_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp\java.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\bin;C:\WINDOWS\Sun \Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER P~1\domains\WEBL D~1\bin;:C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\server\bin;C:\Oracle \MIDDLE~1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C: \PROGRA~1\Java\JDK18~1.0\_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920\_8;C:\PROGRA~1\Java \JDK18~1.0\_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C: \Windows\System32;C:\Windows;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Inte\\INTEL(~1\DAL;C:\PROGRA~2\Inte\\INTEL(~1\IPT;C:\PROGRA~1\Inte\\INTEL(~1\IPT;C: \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local weblogic.jndi.factories:weblogic.corba.j2ee.naming.url:weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name = Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API Specification ava. specification. vendor = Oracle Corporation ava. specification. version = 1.8 java. system. class. loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version = 1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial = weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass = weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = :sun.arch.data.model = \PROGRA~1\Java\JDK18~1.0\_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\jsse.jar;C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\jce.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre \lib\jfr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN\_STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding = cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle\_Home \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data \ldapweblogic.Name = webl\_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server.>

#### 2016-12-14T13:52:19.479+03:00

<14.12.2016, 1:52:19,479 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481712739479> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob = sun.awt.windows.WPrinterJobiava.class.path = C:\PROGRA~1\Java\JDK18~1.0 1\lib\tools.iar:C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle\_common\modules \net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\modules\features \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\Oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracl \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\w\server\server\lib\debugpatch-agent.jarjava.class.version = 52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\endorsedjava.ext.dirs = C:\PROGRA~1\Java \JDK18~1.0 1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0 1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp\java.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\bin;C:\WINDOWS\Sun \Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER\_P~1\domains\WEBL\_D~1\bin;C: \Oracle\MIDDLE~1\ORACLE~1\wserver\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wserver\server\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wserver\server\native\win\x64;C:\Oracle\NIDDLE~1\ORACLE~1\wserver\native\nati \MIDDLE~1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C: \PROGRA~1\Java\JDK18~1.0 1\bin:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920 8:C:\PROGRA~1\Java \JDK18~1.0\_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C: \Windows\System32;C:\Windows;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local \MICROS~1\WINDOW~1;.java.naming.factory.initial = weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs = weblogic.jndi.factories:weblogic.corba.j2ee.naming.url:weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name

= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version = 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version = 1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial = weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass = weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = :sun.arch.data.model = 64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rts.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rt.jar;C: \PROGRA~1\Java\JDK18~1.0\_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\jsse.jar;C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\jce.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre \lib\fr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN\_STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding = cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle\_Home \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data \ldapweblogic.Name = webl AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\w|server\serverwls.home = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server.>

#### 2016-12-14T14:09:02.727+03:00

<14.12.2016, 2:09:02,727 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481713742727> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob = sun.awt.windows.WPrinterJobiava.class.path = C:\PROGRA~1\Java\JDK18~1.0 1\lib\tools.jar:C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle\_common\modules \net.sf.antcontrib\_1.1.0.0\_1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\modules\features \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\Oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracl \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version \JDK18~1.0 1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0 1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp\java.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\bin;C:\WINDOWS\Sun \Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER\_P~1\domains\WEBL\_D~1\bin;;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\server\bin;C:\Oracle \MIDDLE~1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C: \PROGRA~1\Java\JDK18~1.0 1\bin:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920 8:C:\PROGRA~1\Java \JDK18~1.0\_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C: \Windows\System32;C:\Windows;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:\PROGRA~1\INTEL \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local \MICROS~1\WINDOW~1; java.naming.factory.initial = weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs = weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name = Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version = 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version = 1.8iava.vm.vendor = Oracle Corporationiava.vm.version = 25.111-b14iavax.management.builder.initial = weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass = weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =  $64 sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre$ \JDK18~1.0 1\jre\lib\jce.jar;C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0 1\jre \lib\jfr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN\_STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding = cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle\_Home \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data \ldapweblogic.Name = webl\_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\serverwls.home = C:\Oracle \MIDDLE~1\ORACLE~1\w\server\server.>

# 2016-12-14T15:15:19.578+03:00

<14.12.2016, 3:15:19,578 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY] ExecuteThread: '3' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481717719578> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob = sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\lib\tools.jar;C:\Oracle \net.sf.antcontrib\_1.1.0.0\_1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\modules\features \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\Oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracle\MIDDLE~1\oracle\derbyclient.jar;C:\Oracl \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\w\server\server\lib\debugpatch-agent.jarjava.class.version = 52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\endorsedjava.ext.dirs = C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0\_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp\java.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\bin;C:\WINDOWS\Sun \Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER\_P~1\domains\WEBL\_D~1\bin;;C: \Oracle\MIDDLE~1\ORACLE~1\wserver\server\native\win\x64:C:\Oracle\MIDDLE~1\ORACLE~1\wserver\server\server\native\win\x64:C:\Oracle\MIDDLE~1\ORACLE~1\wserver\server\native\win\x64:C:\Oracle\NIDDLE~1\ORACLE~1\wserver\native\nati \MIDDLE~1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C: \PROGRA~1\Java\JDK18~1.0\_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920\_8;C:\PROGRA~1\Java \JDK18~1.0\_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C: \Windows\System32;C:\Windows;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C: \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local \MICROS~1\WINDOW~1; java.naming.factory.initial = weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs = weblogic.jndi.factories:weblogic.corba.j2ee.naming.url:weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name = Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version = 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version = 1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial = weblogic.management.imx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass = weblogic.jiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model = 64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\resources.jar;C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\rt.jar;C: \PROGRA~1\Java\JDK18~1.0\_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\jsse.jar;C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\ce.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre \lib\jfr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered  $Compilers sun. stderr. encoding = cp866 sun. stdout. encoding = cp866 user. country = RUuser. dir = C:\Oracle \ Middleware \ Oracle \ Home$ \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data \ldapweblogic.Name = webl\_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server.>

#### 2016-12-14T15:24:40.046+03:00

<14.12.2016, 3:24:40,46 PM MSK> <Info> <JMS> <DESKTOP-K733CNK> <webl\_AdminServer> <[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <<WLS Kernel>> <> <f664bdae-1860-4dcd-bd7e-7b8c8679cc0c-00000001> <1481718280046> <[severity-value: 64] [rid: 0] [partition-id: 0] [partition-name: DOMAIN] > <BEA-040407> <Default connection factory "TopicConnectionFactory" with its JNDI name "javax.jms.TopicConnectionFactory" is started.>

### 2016-12-15T10:45:06.366+03:00

<15.12.2016, 10:45:06,366 AM MSK> < Info> < Management> < DESKTOP-K733CNK> <> < [STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481787906366> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \iava.awt.graphicseny = sun.awt.Win32GraphicsEnvironmentiava.awt.printeriob = sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\lib\tools.jar;C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle\_common\modules \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Oracle\derbyclient.jar;C:\Ora \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version = 52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\endorsedjava.ext.dirs = C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0\_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp\java.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\bin;C:\WINDOWS\Sun \Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER\_P~1\domains\WEBL\_D~1\bin;;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\server\bin;C:\Oracle \MIDDLE~1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C:\Din\Bin\*A\Din \PROGRA~1\Java\JDK18~1.0\_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920\_8;C:\PROGRA~1\Java \JDK18~1.0 1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Inte\\ICLSCL~1\;C:\PROGRA~1\Inte\\ICLSCL~1\;C: \Windows\System32;C:\Windows;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Inte\\INTEL(~1\DAL;C:\PROGRA~2\Inte\\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\Inte\\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\ \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local \MICROS~1\WINDOW~1;.java.naming.factory.initial = weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs = weblogic.jndi.factories:weblogic.corba.j2ee.naming.url:weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name = Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API

Specificationjava.specification.vendor = Oracle Corporationjava.specification.version = 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specification ava.vm.specification.vendor = Oracle Corporation ava.vm.specification.version = 1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial = weblogic.management.imx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass = weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model = 64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rts.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rt.jar;C: \PROGRA~1\Java\JDK18~1.0 1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\jsse.jar;C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\jce.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre \lib\jfr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN\_STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding = cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle\_Home \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data  $\label{logic.Name} $$ \cline{Logic.Name} = \cline$ \MIDDLE~1\ORACLE~1\wlserver\server.>

#### 2016-12-16T11:11:51.558+03:00

<16.12.2016, 11:11:51,558 AM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481875911558> <[severity-value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg = sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob = sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA-1\Java\JDK18~1.0 1\lib\tools.jar;C:\Oracle \net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.iar:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\modules\features \oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbynet.jar;C: \Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver \common\derby\lib\derby.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version = 52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\endorsedjava.ext.dirs = C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:\PROGRA~1\Java\JDK18~1.0\_1\jrejava.io.tmpdir  $= C:\label{local} $$ C:\label{local} $$ = C:\label{local} $$ C:\label{local} $$ = C:\label{local} $$ C:\label{local} $$ = C:\label{lo$ \Java\bin:C:\WINDOWS\system32:C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER P~1\domains\WEBL D~1\bin::C: \Oracle\MIDDLE~1\ORACLE~1\wiserver\server\native\win\x64;C:\Oracle\MIDDLE~1\ORACLE~1\wiserver\server\bin;C:\Oracle \MIDDLE-1\ORACLE~1\oracle\_common\modules\org.apache.ant\_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\bin;C: \PROGRA~1\Java\JDK18~1.0\_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920\_8;C:\PROGRA~1\Java \JDK18~1.0\_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C: \Windows\System32;C:\Windows:C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel \INTEL(~1\DAL;C:\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C:\PROGRA~1\INTEL(~1\IPT;C: \PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:\Users\ALEXAN~1\AppData\Local \MICROS~1\WINDOW~1; java.naming.factory.initial = weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs = weblogic.jndi.factories:weblogic.corba.j2ee.naming.url:weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.name = Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0\_111-b14java.security.policy = C:\Oracle \MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java Platform API Specification ava. specification. vendor = Oracle Corporation ava. specification. version = 1.8 java. system. class. loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor = Oracle Corporationjava.vendor.url = http:// java.oracle.com/java.vendor.url.bug = http://bugreport.sun.com/bugreport/java.version = 1.8.0\_111java.vm.info = mixed modejava.vm.name = Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version = 1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial = weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass = weblogic.iiop.PortableRemoteObiectDelegateImpliavax.rmi.CORBA.UtilClass = weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass = weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch = amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model = 64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\rt.jar;C: \PROGRA~1\Java\JDK18~1.0\_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\jsse.jar;C:\PROGRA~1\Java \JDK18~1.0\_1\jre\lib\jce.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre \lib\jfr.jar;C:\PROGRA~1\Java\JDK18~1.0\_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0\_1\jre \binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding = UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN\_STANDARDsun.jnu.encoding = Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding = cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle\_Home \user\_projects\domains\webl\_domainuser.home = C:\Users\alexanderuser.language = ruuser.name = alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle\_Home\user\_projects\domains\webl\_domain\servers\webl\_AdminServer\data \ldapweblogic.Name = webl AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\ser \MIDDLE~1\ORACLE~1\wlserver\server.>

## 2016-12-19T11:12:16.009+03:00

<19.12.2016, 11:12:16,9 AM MSK> <Info> <JMS> <DESKTOP-K733CNK> <webl\_AdminServer> <[ACTIVE] ExecuteThread: '0' for queue: 'weblogic.kernel.Default (self-tuning)'> <<WLS Kernel>> <> <f65aa0d2-f815-49ff-a14e-a3d8b163ddae-00000004> <1482135136009> <[severity-value: 64] [rid: 0] [partition-id: 0] [partition-name: DOMAIN] > <BEA-040407> <Default connection factory "TopicConnectionFactory" with its JNDI name "javax.jms.TopicConnectionFactory" is started.>