## Logs

```
2016-12-14T10:39:43.832+03:00
<14.12.2016, 10:39:43,832 AM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY]
ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481701183832> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\net.sf.antcontrib_1.1.0.0_1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.jar;C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\endorsedjava.ext.dirs =
C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:
\PROGRA~1\Java\JDK18~1.0_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER_P~1\domains
\WEBL_D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\org.apache.ant_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0_1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920_8;C:
\PROGRA~1\Java\JDK18~1.0_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\System32\wbem;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel\INTEL(~1\DAL;C:
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.l
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationjava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0 1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\jfr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle Home
\user projects\domains\webl domain\servers\webl AdminServer\data\ldapweblogic.Name =
```

```
webl AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
2016-12-14T13:52:19.479+03:00
<14.12.2016, 1:52:19,479 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY]
ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481712739479> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.iar:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.jar;C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\endorsedjava.ext.dirs =
C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:
\PROGRA~1\Java\JDK18~1.0_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0 1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER P~1\domains
\WEBL D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\org.apache.ant 1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0 1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920_8;C:
\PROGRA~1\Java\JDK18~1.0_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\System32\wbem;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel\INTEL(~1\DAL;C:
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.l
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationiava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jfr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN_STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle Home
\user projects\domains\webl domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domain\servers\webl_AdminServer\data\ldapweblogic.Name =
webl_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
```

```
2016-12-14T14:09:02.727+03:00
<14.12.2016, 2:09:02,727 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY]
ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481713742727> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0 1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\net.sf.antcontrib_1.1.0.0_1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.iar:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.iar:C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\endorsedjava.ext.dirs =
C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:
\PROGRA~1\Java\JDK18~1.0 1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER_P~1\domains
\WEBL D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\org.apache.ant 1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0 1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0 1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\w|server\server\native\win\x64\oci920 8;C:
\PROGRA~1\Java\JDK18~1.0_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\System32\wbem;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel\INTEL(~1\DAL;C:
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.i
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationjava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\fr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN_STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowyde.home = C:\Oracle\Middleware\Oracle Home
\user projects\domains\webl domain\servers\webl AdminServer\data\ldapweblogic.Name =
webl_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
```

2016-12-14T15:15:19.578+03:00

```
<14.12.2016. 3:15:19.578 PM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <ISTANDBYI
ExecuteThread: '3' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481717719578> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.jar;C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\endorsedjava.ext.dirs =
C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:
\PROGRA~1\Java\JDK18~1.0 1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0 1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER_P~1\domains
\WEBL_D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\org.apache.ant_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0_1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0 1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\w|server\server\native\win\x64\oci920 8;C:
\PROGRA~1\Java\JDK18~1.0 1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\label{lem:c:windows} $$\sum_{c:\mathbb{Z}\in\mathbb{Z}}\mathbb{C}^1.0\;C:\mathbb{C}^2.
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.l
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationjava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\fr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN_STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle_Home
\user projects\domain\webl domain\servers\webl AdminServer\data\ldapweblogic.Name =
webl_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
2016-12-14T15:24:40.046+03:00
<14.12.2016, 3:24:40,46 PM MSK> <Info> <JMS> <DESKTOP-K733CNK> <webl_AdminServer>
<[STANDBY] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <<WLS Kernel>>
```

```
<> <f664bdae-1860-4dcd-bd7e-7b8c8679cc0c-00000001> <1481718280046> <[severity-value:</p>
64] [rid: 0] [partition-id: 0] [partition-name: DOMAIN] > <BEA-040407> <Default connection factory
"TopicConnectionFactory" with its JNDI name "javax.jms.TopicConnectionFactory" is started.>
2016-12-15T10:45:06.366+03:00
<15.12.2016, 10:45:06,366 AM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY]
ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481787906366> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0\_1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.iar:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.jar;C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\endorsedjava.ext.dirs =
 C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\ext; C:\WINDOWS\Sun\Java\lib\extjava.home = C: \label{eq:condition} 
\PROGRA~1\Java\JDK18~1.0 1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER P~1\domains
\WEBL D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\org.apache.ant_1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0_1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920_8;C:
\PROGRA~1\Java\JDK18~1.0 1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\System32\wbem;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel\INTEL(~1\DAL;C:
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.indi.factories:weblogic.corba.j2ee.naming.url;weblogic.indi.factories:weblogic.corba.j2ee.naming.urljava.runtime.
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationjava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\fr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN_STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domain\servers\webl_AdminServer\data\ldapweblogic.Name =
```

```
webl AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
2016-12-16T11:11:51.558+03:00
<16.12.2016, 11:11:51,558 AM MSK> <Info> <Management> <DESKTOP-K733CNK> <> <[STANDBY]
ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)'> <> <> <1481875911558> <[severity-
value: 64] [partition-id: 0] [partition-name: DOMAIN] > <BEA-141187> <Java system properties are
defined as follows: awt.toolkit = sun.awt.windows.WToolkitfile.encoding = Cp1251file.encoding.pkg =
sun.iofile.separator = \java.awt.graphicsenv = sun.awt.Win32GraphicsEnvironmentjava.awt.printerjob =
sun.awt.windows.WPrinterJobjava.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\lib\tools.jar;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.jar;C:\Oracle\MIDDLE~1\ORACLE~1\oracle_common
\modules\net.sf.antcontrib 1.1.0.0 1-0b3\lib\ant-contrib.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\modules\features\oracle.wls.common.nodemanager.iar:C:\Oracle\MIDDLE~1\ORACLE~1\wlserver
\common\derby\lib\derbynet.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby
\lib\derbyclient.jar;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\common\derby\lib\derby.jar;C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\debugpatch-agent.jarjava.class.version =
52.0java.endorsed.dirs = C:\PROGRA~1\Java\JDK18~1.0 1\jre\lib\endorsedjava.ext.dirs =
C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\extjava.home = C:
\PROGRA~1\Java\JDK18~1.0_1\jrejava.io.tmpdir = C:\Users\ALEXAN~1\AppData\Local\Temp
\java.library.path = C:\PROGRA~1\Java\JDK18~1.0 1\bin;C:\WINDOWS\Sun\Java\bin;C:
\WINDOWS\system32;C:\WINDOWS;C:\Oracle\MIDDLE~1\ORACLE~1\USER P~1\domains
\WEBL D~1\bin;;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64;C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server\bin;C:\Oracle\MIDDLE~1\ORACLE~1\oracle common
\modules\org.apache.ant 1.9.2\bin;C:\PROGRA~1\Java\JDK18~1.0 1\jre\bin;C:\PROGRA~1\Java
\JDK18~1.0_1\bin;C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\native\win\x64\oci920_8;C:
\PROGRA~1\Java\JDK18~1.0_1\bin;C:\PROGRA~3\Oracle\Java\javapath;C:\PROGRA~2\Intel
\ICLSCL~1\;C:\PROGRA~1\Intel\ICLSCL~1\;C:\Windows\System32;C:\Windows;C:\Windows
\System32\wbem;C:\Windows\System32\WINDOW~1\v1.0\;C:\PROGRA~2\Intel\INTEL(~1\DAL;C:
\PROGRA~1\Intel\INTEL(~1\DAL;C:\PROGRA~2\Intel\INTEL(~1\IPT;C:\PROGRA~1\Intel\INTEL(~1\IPT;C:
\PROGRA~1\TORTOI~1\bin;C:\PROGRA~1\TORTOI~2\bin;C:\PROGRA~2\GnuWin32\bin;C:
\Users\ALEXAN~1\AppData\Local\MICROS~1\WINDOW~1;.java.naming.factory.initial
= weblogic.jndi.WLInitialContextFactoryjava.naming.factory.url.pkgs =
weblogic.jndi.factories:weblogic.corba.j2ee.naming.url;weblogic.jndi.factories:weblogic.corba.j2ee.naming.urljava.runtime.l
= Java(TM) SE Runtime Environmentjava.runtime.version = 1.8.0 111-b14java.security.policy = C:
\Oracle\MIDDLE~1\ORACLE~1\wlserver\server\lib\weblogic.policyjava.specification.name = Java
Platform API Specificationjava.specification.vendor = Oracle Corporationjava.specification.version
= 1.8java.system.class.loader = com.oracle.classloader.weblogic.LaunchClassLoaderjava.vendor
= Oracle Corporationiava.vendor.url = http://java.oracle.com/java.vendor.url.bug = http://
bugreport.sun.com/bugreport/java.version = 1.8.0_111java.vm.info = mixed modejava.vm.name
= Java HotSpot(TM) 64-Bit Server VMjava.vm.specification.name = Java Virtual Machine
Specificationjava.vm.specification.vendor = Oracle Corporationjava.vm.specification.version =
1.8java.vm.vendor = Oracle Corporationjava.vm.version = 25.111-b14javax.management.builder.initial =
weblogic.management.jmx.mbeanserver.WLSMBeanServerBuilderjavax.rmi.CORBA.PortableRemoteObjectClass
= weblogic.iiop.PortableRemoteObjectDelegateImpljavax.rmi.CORBA.UtilClass =
weblogic.iiop.UtilDelegateImplorg.omg.CORBA.ORBClass =
weblogic.corba.orb.ORBorg.omg.CORBA.ORBSingletonClass = weblogic.corba.orb.ORBos.arch
= amd64os.name = Windows 10os.version = 10.0path.separator = ;sun.arch.data.model =
64sun.boot.class.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\resources.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\rt.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\sunrsasign.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\jsse.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jce.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\lib\charsets.jar;C:\PROGRA~1\Java\JDK18~1.0_1\jre\lib\jfr.jar;C:\PROGRA~1\Java
\JDK18~1.0_1\jre\classessun.boot.library.path = C:\PROGRA~1\Java\JDK18~1.0_1\jre
\binsun.cpu.endian = littlesun.cpu.isalist = amd64sun.desktop = windowssun.io.unicode.encoding =
UnicodeLittlesun.java.command = weblogic.Serversun.java.launcher = SUN_STANDARDsun.jnu.encoding
= Cp1251sun.management.compiler = HotSpot 64-Bit Tiered Compilerssun.stderr.encoding =
cp866sun.stdout.encoding = cp866user.country = RUuser.dir = C:\Oracle\Middleware\Oracle Home
\user projects\domains\webl domainuser.home = C:\Users\alexanderuser.language = ruuser.name
= alexanderuser.timezone = Europe/Moscowvde.home = C:\Oracle\Middleware\Oracle_Home
\user_projects\domains\webl_domain\servers\webl_AdminServer\data\ldapweblogic.Name =
webl_AdminServerweblogic.home = C:\Oracle\MIDDLE~1\ORACLE~1\wlserver\serverwls.home = C:\Oracle
\MIDDLE~1\ORACLE~1\wlserver\server.>
```

2016-12-19T11:12:16.009+03:00

<19.12.2016, 11:12:16,9 AM MSK> <Info> <JMS> <DESKTOP-K733CNK> <webl\_AdminServer> <[ACTIVE] ExecuteThread: '0' for queue: 'weblogic.kernel.Default (self-tuning)'> <<WLS Kernel>> <> <f65aa0d2-f815-49ff-a14e-a3d8b163ddae-00000004> <1482135136009> <[severity-value: 64] [rid: 0] [partition-name: DOMAIN] > <BEA-040407> <Default connection factory "TopicConnectionFactory" with its JNDI name "javax.jms.TopicConnectionFactory" is started.>