1:

SELECT DISTINCT country FROM Customers ORDER BY country;

'Australia'

'Austria'

'Belgium'

'Canada'

'Denmark'

'Finland'

'France'

'Germany'

'Hong Kong'

'Ireland'

'Israel'

'Italy'

'Japan'

'Netherlands'

'New Zealand'

'Norway'

'Philippines'

'Poland'

'Portugal'

'Russia'

'Singapore'

'South Africa'

'Spain'

'Sweden'

'Switzerland'

'UK'

'USA'

2:

SELECT EmployeeNumber, LastName, FirstName, Extension FROM Employees E INNER JOIN Offices O On E.officeCode = O.officeCode AND O.city = 'Boston';

'1188','Firrelli','Julie','x2173'

'1216','Patterson','Steve','x4334'

```
SELECT ProductCode, ProductName, ProductVendor, QuantityInStock, ProductLine
FROM Products
WHERE quantityInStock >= 100 AND quantityInStock <= 600;
'S18 2248','1911 Ford Town Car','Motor City Art Classics','540','Vintage Cars'
'S18 2795','1928 Mercedes-Benz SSK','Gearbox Collectibles','548','Vintage Cars'
'S32 1374','1997 BMW F650 ST','Exoto Designs','178','Motorcycles'
'S32 4289','1928 Ford Phaeton Deluxe','Highway 66 Mini Classics','136','Vintage Cars'
'S50 4713','2002 Yamaha YZR M1','Autoart Studio Design','600','Motorcycles'
'S700 3167', 'F/A 18 Hornet 1/72', 'Motor City Art Classics', '551', 'Planes'
'S72 3212', 'Pont Yacht', 'Unimax Art Galleries', '414', 'Ships'
SELECT ProductCode, ProductName, ProductVendor, BuyPrice, MSRP
FROM Products
WHERE MSRP = (SELECT MAX(MSRP)
FROM Products);
'S10_1949','1952 Alpine Renault 1300','Classic Metal Creations','98.58','214.30'
5:
SELECT ProductName, (MSRP - BuyPrice) AS Profit
FROM Products
WHERE (MSRP - BuyPrice) = (SELECT MIN((MSRP - BuyPrice))
FROM Products);
'1939 Chevrolet Deluxe Coupe', '10.62'
6:
SELECT Country, COUNT(*)
FROM Customers
GROUP BY Country
HAVING COUNT(*) = 2;
'Sweden','2'
'Denmark','2'
'Portugal','2'
'Japan','2'
'Ireland','2'
'Belgium','2'
'Austria','2'
7:
SELECT o.ProductCode, p.ProductName, COUNT(*) AS OrderCount
```

```
FROM OrderDetails o
JOIN Products p
ON o.ProductCode = p.ProductCode
GROUP BY ProductCode
HAVING COUNT(*) = 25;
'S18 1589','1965 Aston Martin DB5','25'
'S18 1749','1917 Grand Touring Sedan','25'
'S18 2248','1911 Ford Town Car','25'
'S18 2870', '1999 Indy 500 Monte Carlo SS', '25'
'S18 3685','1948 Porsche Type 356 Roadster','25'
'S18 4409','1932 Alfa Romeo 8C2300 Spider Sport','25'
'S24 1046','1970 Chevy Chevelle SS 454','25'
'S24_1628','1966 Shelby Cobra 427 S/C','25'
'S24 2766','1949 Jaguar XK 120','25'
'S24 3191','1969 Chevrolet Camaro Z28','25'
'S24 3432','2002 Chevy Corvette','25'
'S24 3969','1936 Mercedes Benz 500k Roadster','25'
8:
SELECT EmployeeNumber, CONCAT(Firstname, Lastname) AS Name
FROM Employees
WHERE ReportsTo = (SELECT EmployeeNumber
FROM Employees
WHERE firstName = 'William' AND lastName = 'Patterson')
OR ReportsTo = (SELECT EmployeeNumber
FROM Employees
WHERE firstName = 'Mary' AND lastName = 'Patterson');
'1088','WilliamPatterson'
'1102', 'GerardBondur'
'1143', 'AnthonyBow'
'1621','MamiNishi'
'1611','AndyFixter'
'1612','PeterMarsh'
'1619','TomKing'
9:
SELECT EmployeeNumber, LastName, FirstName
FROM Employees
WHERE ReportsTo is NULL;
'1002', 'Murphy', 'Diane'
```

```
10:
SELECT ProductName
FROM Products
WHERE ProductLine = 'Classic Cars'
AND ProductName LIKE '196%':
'1962 LanciaA Delta 16V'
'1968 Ford Mustang'
'1969 Corvair Monza'
'1968 Dodge Charger'
'1969 Ford Falcon'
'1969 Dodge Charger'
```

'1965 Aston Martin DB5' '1969 Dodge Super Bee'

'1966 Shelby Cobra 427 S/C'

'1969 Chevrolet Camaro Z28'

'1961 Chevrolet Impala'

11:

SELECT MONTHNAME(OrderDate), COUNT(*)

FROM Orders

WHERE YEAR(OrderDate) = 2004

GROUP BY MONTHNAME(OrderDate)

HAVING COUNT(*) = (SELECT MAX(MonthCounts.c)

FROM(SELECT MONTHNAME(OrderDate) AS n, COUNT(*) AS c

FROM Orders

WHERE YEAR(OrderDate) = 2004

GROUP BY MONTHNAME(OrderDate)) AS MonthCounts);

'November','33'

12:

SELECT LastName, FirstName FROM Employees E

LEFT OUTER JOIN Customers C

ON E.employeeNumber = C.salesRepEmployeeNumber

WHERE CustomerName is NULL

AND JobTitle='Sales Rep';

'King','Tom'

'Kato','Yoshimi'

13:

SELECT c.CustomerName

FROM Orders o RIGHT OUTER JOIN Customers c ON o.CustomerNumber = c.CustomerNumber WHERE OrderNumber is NULL AND Country = 'Switzerland'; 'BG&E Collectables' 'Precious Collectables' 14: SELECT c.CustomerName, SUM(QuantityOrdered) FROM OrderDetails od JOIN Orders o ON od.OrderNumber = o.OrderNumber JOIN Customers c ON o.CustomerNumber = c.CustomerNumber **GROUP BY CustomerName** HAVING SUM(quantityOrdered) > 1700; 'Australian Collectors, Co.','1926' 'La Rochelle Gifts','1832' 'Mini Gifts Distributors Ltd.','6366' 'Euro+ Shopping Channel', '9327' 'Muscle Machine Inc','1775' 'AV Stores, Co.','1778' 15: CREATE TABLE IF NOT EXISTS TopCustomers(CustomerNumber int NOT NULL. ContactDate DATE NOT NULL, OrderTotal decimal(9,2) NOT NULL default 0, CONSTRAINT PKTopCustomers PRIMARY KEY(CustomerNumber)); 16: **INSERT INTO TopCustomers** SELECT c.CustomerNumber, CURRENT_date(), SUM(priceEach * quantityOrdered) FROM Customers c, Orders o, OrderDetails d WHERE c.CustomerNumber = o.CustomerNumber AND o.OrderNumber = d.OrderNumber GROUP BY c.CustomerNumber HAVING SUM(priceEach * quantityOrdered) > 150000;

17:

```
SELECT*
FROM TopCustomers
ORDER BY OrderTotal desc;
'141','2022-02-23','820689.54'
'124','2022-02-23','591827.34'
'114','2022-02-23','180585.07'
'151','2022-02-23','177913.95'
'119','2022-02-23','158573.12'
'148','2022-02-23','156251.03'
'323','2022-02-23','154622.08'
18:
ALTER TABLE TopCustomers
ADD COLUMN OrderCount int AFTER OrderTotal;
19:
SET SQL SAFE UPDATES=0;
UPDATE TopCustomers
SET OrderCount = RAND()*(18);
20:
SELECT*
FROM TopCustomers
ORDER BY OrderCount desc;
'141','2022-02-23','820689.54','15'
'323','2022-02-23','154622.08','15'
'151','2022-02-23','177913.95','14'
'148','2022-02-23','156251.03','12'
'114','2022-02-23','180585.07','10'
'119','2022-02-23','158573.12','7'
'124','2022-02-23','591827.34','4'
21:
DROP TABLE IF EXISTS TopCustomers;
```