## Web-Tech Lab 07

Name-Alok Maurya Roll No.- 22mc3041

T1. Develop prototype 3 continuing with the last lab. Confirm that the app now remembers your list even after a page refresh.

## HTML Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Shopping List</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>
<div class="container">
<h1>Shopping List</h1>
<input type="text" id="itemInput" placeholder="Add new item">
<button onclick="addItem()">Add Item</button>
ul id="itemList">
</div>
<script src="script.js"></script>
</body>
</html>
CSS code:
.container {
max-width: 600px;
margin: 50px auto;
padding: 0 20px;
h1 {
text-align: center;
```


```
input[type="text"] {
width: 70%;
padding: 8px;
margin-bottom: 10px;
button {
padding: 8px 15px;
background-color: #4CAF50;
color: white;
border: none;
cursor: pointer;
button:hover {
background-color: #45a049;
}
ul {
list-style-type: none;
padding: 0;
li {
margin-bottom: 5px;
padding: 8px;
background-color: #f2f2f2;
border-radius: 5px;
}
Javascript Code:
script .js
// Function to add item to the list
function addItem() {
var itemInput = document.getElementById('itemInput');
```

```
var itemValue = itemInput.value.trim();
if (itemValue !== '') {
var itemList = document.getElementById('itemList'); var
listItem = document.createElement('li');
listItem.textContent = itemValue;
 itemList.appendChild(listItem);
 saveListToStorage(); // Save list to localStorage
itemInput.value = '';
 } else {
alert('Please enter a valid item!');
}
// Function to save the list to localStorage
function saveListToStorage() {
var itemList = document.getElementById('itemList');
var items = [];
// Get all list items
 for (var i = 0; i < itemList.children.length; i++) {</pre>
items.push(itemList.children[i].textContent); }
// Save items to localStorage
 localStorage.setItem('shoppingList', JSON.stringify(items)); }
// Function to load the list from localStorage
function loadListFromStorage() {
 var itemList = document.getElementById('itemList'); var
storedItems = localStorage.getItem('shoppingList');
if (storedItems) {
var items = JSON.parse(storedItems);
// Add items to the list
items.forEach(function(item) {
var listItem = document.createElement('li');
listItem.textContent = item;
itemList.appendChild(listItem);
 });
```

```
}
}
// Load list from localStorage when the page loads
window.addEventListener('load', loadListFromStorage);
model.js
var shoppingListModel = {
 items: [],
 addItem: function(item) {
this.items.push(item);
}
} ;
controller.js
var shoppingListController = {
addItem: function() {
 var itemInput = document.getElementById('itemInput'); var
itemValue = itemInput.value.trim();
if (itemValue !== '') {
 shoppingListModel.addItem(itemValue);
itemInput.value = '';
 shoppingListView.displayItems();
 } else {
 alert('Please enter a valid item!'); }
 },
init: function() {
this.setupEventListeners();
 shoppingListView.displayItems();
},
 setupEventListeners: function() {
 var addButton = document.guerySelector('button');
addButton.addEventListener('click', this.addItem);
itemInput = document.getElementById('itemInput');
itemInput.addEventListener('keypress', function(event) {
```

```
if (event.key === 'Enter') {
 shoppingListController.addItem();
});
};
shoppingListController.init();
view.js
var shoppingListView = {
 displayItems: function() {
var itemList = document.getElementById('itemList');
itemList.innerHTML = '';
 shoppingListModel.items.forEach(function(item) {    var
listItem = document.createElement('li');
listItem.textContent = item;
 itemList.appendChild(listItem);
 });
 }
};
```

## **OUTPUT:-**



T2. Create a local storage that saves the number of times you have accessed the page and displays it.

HTML code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Page Access Counter</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>
<h1>Page Access Counter</h1>
You have accessed this page <span id="accessCount"></span> times.
<button id="incrementButton">Increment Access Count</button> <script</pre>
src="script.js"></script>
</body>
</html>
CSS Code:-
body {
font-family: Arial, sans-serif;
margin: 0;
padding: 0;
text-align: center;
h1 {
margin-top: 50px;
p {
font-size: 18px;
Javascript Code:-
function updateAccessCount() {
if (typeof(Storage) !== "undefined") {
if (localStorage.pageAccessCount) {
localStorage.pageAccessCount =
```

```
Number(localStorage.pageAccessCount) + 1;
 } else {
localStorage.pageAccessCount = 1;
document.getElementById("accessCount").innerText =
localStorage.pageAccessCount;
 } else {
document.getElementById("accessCount").innerText = "Sorry, your
browser does not support web storage...";
function initializeAccessCount() {
if (typeof(Storage) !== "undefined") {
if (!localStorage.pageAccessCount) {
localStorage.pageAccessCount = 0;
document.getElementById("accessCount").innerText =
localStorage.pageAccessCount;
} else {
document.getElementById("accessCount").innerText = "Sorry, your
browser does not support web storage...";
window.onload = initializeAccessCount;
document.getElementById("incrementButton").addEventListener("click",
updateAccessCount);
OUTPUT:-
```

