ENVIRONMENT SCIENCE, WASTE AND DISASTER MANAGEMENT

Waste Management

Dr. Arundhati

Department Of Civil Engineering

Chandigarh University

Gharuan, Mohali, Punjab








Course Outcomes

CO Number	Title
CO1	Understand different dimensions of environmental studies; problems related to environmental degradation & the remedial steps taken to address them.
CO2	Understand the different types of disasters that occur in nature consequently learning to develop preparedness and remedial techniques.
CO3	Understand the diverse problems associated with solid waste, as well as waste segregation and effective management techniques.
CO4	Critically analyzing the roles and identities as citizens, consumers, and environmental actors in a complex, interconnected world.
CO5	Create awareness about environmental issues and carry out outreach activities.




SOLID WASTE

- Solid waste refers to any unwanted or discarded material that is not liquid or gas.
- It encompasses a wide range of materials generated from various sources, including residential, commercial, industrial, and agricultural activities.
- Understanding solid waste is crucial due to its environmental and health impacts, as well as its management challenges.





CLASSIFICATION OF SOLID WASTE





(Akram et al., 2021)

SOLID WASTE MANAGEMENT

Solid waste management (SWM) refers to the systematic control of the generation, collection, treatment, disposal, and monitoring of solid waste. It aims to minimize the adverse effects of waste on human health and the environment while maximizing resource recovery and sustainability.

Goals of Solid Waste Management

Minimize Waste: Promote waste prevention and reduction at the source through reuse, recycling, and responsible consumption.

Maximize Resource Recovery: Extract and utilize valuable resources from waste materials through recycling and recovery technologies.

Ensure Environmental Protection: Safeguard ecosystems, water resources, and air quality from the adverse impacts of improper waste management practices.

Promote Sustainability: Foster sustainable development by integrating economic, environmental, and social considerations into waste management strategies.

Ensure Public Health and Safety: Prevent disease transmission, minimize exposure to hazardous substances, and enhance overall community well-being.

FUNCTIONAL ELEMENTS OF SOLID WASTE MANAGEMENT SYSTEM



Generation:

Waste originates from various sources such as households, businesses, and industries, reflecting consumption patterns and production activities in society.



Storage:

Waste is temporarily held in containers or designated areas to await collection, ensuring it does not pose immediate health or environmental risks before being transported to treatment or disposal facilities.



Collection:

Waste is systematically gathered from homes, businesses, and public areas by municipal or private waste management services using scheduled routes and collection methods.




Transfer and Transport:

Waste is transferred from local collection points to larger transfer stations or directly transported to treatment facilities or disposal sites via trucks, trains, or specialized transport systems.



Treatment and Processing:


Waste undergoes various treatments depending on its type, including recycling, composting, incineration, aiming to minimize environmental impact and recover valuable resources where possible.



Disposal:

Waste that cannot be recycled, composted, or processed further is disposed of in landfill sites or through other approved methods, ensuring safe containment and minimal environmental impact.

FUNCTIONAL ELEMENTS OF SOLID WASTE MANAGEMENT SYSTEM



(Govani et al., 2021)

WASTE



Municipal Solid Waste



Industrial Waste

Physical Treatment

- Refuse Derived Fuel (RDF)


Shredding→Separation →Drying→Pelletizing



Fuel Recovery

Biological Treatment

- Compost




- Methane Fermentation



Thermal Treatment

- Incineration




- Carbonization



- Hydrothermal treatment




Various technologies can be applied to treat waste. Incineration is one of representative methods for waste treatments. As recycling methods replacing incineration, there are RDF production, composting, carbonization, and so on.





Final Disposal (Landfill)



Landfill is necessary because residue such as ash finally remains after waste treatment. It takes more than several decades for landfill stabilization. We study how to estimate the stabilization degree of landfill, investigate the behavior of hazardous material in landfill, and seek landfill management methods to accelerate landfill stabilization.



Evaluation of waste treatment system



It is necessary to evaluate waste treatment from an overall view including environmental, economic, and social aspects. We also estimate residents' consciousness and satisfaction on waste treatment facilities.

https://www.eng.hokudai.ac.jp/labo/waste/english/index_page_id=2.ht

FACTORS AFFECTING WASTE GENERATION RATE

Population Growth and Urbanization:	• Increasing population density and urbanization generally lead to higher waste generation rates due to higher consumption levels and increased economic activities.
Economic Development and Consumption Patterns:	• Higher levels of economic development often correlate with increased consumption of goods and services, resulting in more waste generation, especially in affluent societies.
Technological Advancements:	• Technological changes affect waste generation through innovations in product design, packaging materials, and manufacturing processes, which can either increase or decrease waste production.
Legislation and Waste Management Policies:	• Stringent regulations and policies can influence waste generation rates by promoting waste reduction, recycling, and responsible disposal practices.
Consumer Awareness and Behavior:	• Public awareness campaigns, education, and individual behavior play a crucial role in waste generation. Practices such as recycling and composting can reduce waste volumes.
Seasonal and Temporal Variations:	• Factors such as holidays, festivals, and seasonal variations in economic activity can lead to fluctuations in waste generation rates.
Demographic Factors:	• Characteristics such as age demographics, household size, and income levels can influence consumption patterns and thereby affect waste generation rates.

OBJECTIVES OF WASTE SEPARATION/SEGREGATION

Facilitate Recycling: Separating recyclable materials such as paper, plastics, metals, and glass allows for efficient recycling processes. Recycling conserves natural resources, reduces energy consumption, and minimizes environmental impacts associated with extraction and production of raw materials.

Educate and Raise Awareness: Waste separation initiatives provide opportunities to educate individuals and communities about the importance of waste reduction, recycling, and environmental stewardship. It encourages sustainable behavior among residents, businesses, and institutions, fostering a culture of environmental responsibility.

Support Compliance with Regulations: Many jurisdictions have regulations mandating waste separation and recycling. Adhering to these regulations ensures legal compliance and helps municipalities or businesses avoid penalties while promoting environmentally responsible practices.

Enhance Environmental Protection: Effective waste segregation helps prevent contamination of soil, water, and air by hazardous substances present in mixed waste. It minimizes environmental risks associated with improper disposal practices, such as leaching of chemicals from landfills or emissions from incineration.



Reduce Landfill Waste: Separating waste into recyclable, compostable, and non-recyclable categories reduces the amount of waste sent to landfills or incinerators. This helps extend the lifespan of landfill sites, mitigates environmental pollution, and lowers greenhouse gas emissions from waste decomposition.

Promote Resource Recovery: Segregating waste enables the recovery of valuable resources and materials from discarded items. Materials like metals, plastics, and organic waste can be recovered and reused, contributing to a circular economy where waste serves as a resource.

Improve Waste Management Efficiency: Proper segregation streamlines waste management processes, making it easier and more cost-effective to handle, transport, treat, and dispose of different types of waste. This efficiency reduces operational costs for waste management authorities and promotes sustainable waste practices.

WASTE STORAGE

Waste storage is an essential component of solid waste management systems, serving as an interim stage between waste generation and collection, treatment, or disposal. Proper waste storage practices are critical for minimizing environmental impacts, promoting public health and safety, and facilitating efficient waste management operations.

Objectives of Waste Storage

Temporary Holding: Waste storage provides a temporary holding area for waste generated by households, businesses, and institutions until it can be collected for further processing or disposal.

Facilitate Collection: Properly stored waste ensures that collection services can be carried out efficiently and safely, without creating obstructions or health hazards for collection personnel.

Prevent Environmental Contamination: Secure storage prevents littering, reduces the risk of illegal dumping, and minimizes the potential for pollutants to enter soil, water bodies, or the air.

Health and Safety: Adequate storage minimizes health risks associated with exposure to waste, such as odors, pests, and disease transmission.

TYPES OF WASTE STORAGE

Source Storage

- **Bins:** Small containers typically used for household or small-scale waste collection. They come in various sizes and materials.
- **Cans:** Metal or plastic containers, often used for storing household waste temporarily before collection.
- **Bags:** Used for collecting and containing waste, particularly for easy handling and disposal. Commonly used for both solid and liquid wastes.

Central Storage


- **Skips:** Large open containers used on construction sites or for large-scale waste collection. They are typically used for bulky or heavy materials.
- **Tankers:** Used for storing and transporting liquid or semi-liquid waste. Often used for industrial or hazardous waste.
- **Containers:** Large, often covered containers used for storing bulk waste, including recyclables, until it can be processed or disposed of.
- **Transfer Stations:** Facilities where waste is temporarily held before being transferred to larger vehicles for transportation to disposal sites. They serve as intermediaries between collection points and disposal facilities.

BEST PRACTICES FOR WASTE STORAGE:

Containment:
Waste should be stored in appropriate containers such as bins, bags, or dumpsters that are durable, leak-proof, and resistant to weather conditions.

Location: Storage areas should be designated in suitable locations away from sensitive areas (e.g., water sources, residential areas) and accessible for collection vehicles.

Maintenance:
Regular cleaning and maintenance of storage containers and areas help prevent odors, contamination, and the attraction of pests.



Sealing and Covering:
Containers should be securely sealed or covered to prevent odors, pests, and the scattering of waste by wind.

Separation of Waste Streams:
Separate containers or designated areas should be used for different types of waste (e.g., recyclables, hazardous waste) to facilitate sorting and recycling efforts.

Compliance:
Ensure compliance with local regulations and guidelines governing waste storage, including maximum storage durations and permissible storage methods.

CHALLENGES IN WASTE STORAGE

Space Constraints: Limited space in urban areas may pose challenges for storing waste, requiring efficient use of available storage facilities or frequent collection services.

Emergency Preparedness: Contingency plans should be in place for handling unexpected events such as spills, fires, or natural disasters affecting waste storage facilities.

Odor and Pest Control: Proper management practices are essential to control odors and prevent pests, particularly in warm climates or areas with high waste volumes.

Public Perception: Effective waste storage practices can influence public perceptions of cleanliness and environmental responsibility within communities.

WASTE COLLECTION

Waste collection is a fundamental aspect of solid waste management systems, encompassing the systematic gathering and transportation of waste from its point of generation to designated treatment, recycling, or disposal facilities. The process involves several key elements and considerations:

Route Planning and Scheduling:

- Waste collection routes are planned to ensure efficient coverage of residential, commercial, and industrial areas.
- Schedules are established based on factors such as waste generation rates, population density, and logistical considerations.

Collection Methods:

- Curbside Collection: Common in residential areas where waste is placed in bins or bags at the curb for collection by waste management vehicles.
- Container Collection: Industrial waste, collected or either dumpsters or using specialized commercial collection vehicles.

Equipment and Vehicles:

- Collection vehicles vary based on the type and volume of waste being collected (e.g., compactor trucks for compactable waste, hook lift trucks for containers).
- Equipment may include hydraulic lift mechanisms, compactors, and specialized bins or containers to facilitate efficient waste

Segregation and Sorting:

- Waste may be segregated at the point of collection into different streams (e.g., recyclables, organic waste, non-recyclables) to facilitate subsequent processing or recycling.


Health and Safety Considerations:


- Collection personnel follow safety protocols to minimize risks associated with handling waste, including personal protective equipment (PPE) and training on safe handling practices.
- Vehicle maintenance and sanitation practices help ensure operational safety and hygiene.


Community Engagement and Education:

- Public awareness campaigns educate residents and businesses on waste segregation, proper disposal practices, and the importance of reducing waste generation.

WASTE COLLECTION VEHICLES











Small-scale collection and muscle -powered vehicles: These can be small rickshaws, carts or wagons pulled by people or animals, and are less expensive, easier to build and maintain compared to other vehicles. They are suitable for densely populated areas with narrow lanes, and squatter settlements, where there is relatively low volume of waste generated. Some drawbacks of these collection vehicles include limited travel range of the vehicles and weather exposure that affect humans and animals.

WASTE COLLECTION VEHICLES

Non-compactor Trucks





Non-compactor trucks: Non-compactor trucks are efficient and cost effective in small cities and in areas where wastes tend to be very dense and have little potential for compaction. When these trucks are used for waste collection, they need a dumping system to easily discharge the waste. It is generally required to cover the trucks in order to prevent residue flying off or rain soaking the wastes. Controlling and operating cost is a deciding factor, when collection routes are long and relatively sparsely populated.

WASTE COLLECTION VEHICLES


Compactor trucks: A compactor truck allows waste containers to be emptied into the vehicle from the rear, front or sides and inhibits vectors (of disease) from reaching the waste during collection and transport. It works poorly when waste stream is very dense, wet, collected materials are gritty or abrasive, or when the roads are dusty. **The advantages of the compactor collection vehicle include the following:**

- Containers are uniform, large, covered, and relatively visually inoffensive;
- Waste is set out in containers so that the crew can pick them up quickly;
- Health risks to the collectors and odour on the streets are minimized, and waste is relatively inaccessible to the waste pickers.

Compactor Truck




The success of waste management depends on the level of segregation at source.



TRANSFER STATION

Transfer stations are intermediate facilities where waste collected from various sources (e.g., households, businesses) is **temporarily stored, consolidated, and transferred to larger vehicles** for transport to treatment or disposal facilities. Key aspects of waste transfer include:



Function: Transfer stations serve as hubs for consolidating waste from smaller collection vehicles (e.g., garbage trucks) into larger transport vehicles (e.g., transfer trailers or railcars).

Location: Transfer stations are strategically located to optimize waste collection routes and minimize travel distances to treatment or disposal facilities.

Sorting and Processing: Some transfer stations may include facilities for sorting recyclable materials or separating hazardous waste from non-hazardous waste before transfer.

Equipment: Transfer stations are equipped with loading bays, compactors, and other equipment to facilitate efficient handling and transfer of waste between vehicles.

ADVANTAGES OF TRANSFER STATIONS

Efficient Waste Management

- **Optimized Collection:** Transfer stations allow for larger trucks to collect waste from smaller collection vehicles, reducing the number of trips to disposal sites.
- **Cost Efficiency:** By consolidating waste, the cost of transporting waste to distant disposal sites is reduced.

Environmental Benefits

- **Reduced Emissions:** Fewer trips by smaller vehicles lead to decreased fuel consumption and reduced greenhouse gas emissions.
- **Improved Site Management:** Transfer stations can be equipped with better facilities for sorting and handling waste, leading to less environmental impact at the disposal site.

Flexibility in Disposal

- **Multiple Disposal Options:** Transfer stations can redirect waste to various disposal methods, such as landfills, incinerators, or recycling facilities.
- **Waste Diversion:** They can facilitate the separation of recyclables and hazardous materials from general waste.

Improved Logistics

- **Strategic Locations:** Positioned close to waste generation points, transfer stations reduce the travel time and distance for waste collection trucks.
- **Space Efficiency:** They allow for more effective use of space in urban areas where direct landfill use might not be feasible.

ADVANTAGES OF TRANSFER STATIONS

Enhanced Public Health and Safety

- **Controlled Waste Handling:** Transfer stations can be designed to minimize odors, pests, and contamination risks.
- **Regulated Operations:** They often follow stricter environmental and safety regulations compared to

Economic Benefits

- **Job Creation:** Construction and operation of transfer stations can provide local employment opportunities.
- **Revenue Generation:** Some transfer stations charge tipping fees for waste disposal, creating a source of

Infrastructure Support

- **Interim Storage:** They provide a temporary holding area for waste during peak collection times or emergencies.
- **Maintenance Hub:** Transfer stations can serve as maintenance centers for waste collection vehicles, ensuring they are in good working condition.


Community Convenience

- **Localized Drop-off Points:** Residents can drop off waste at transfer stations, making waste disposal more accessible.
- **Public Awareness:** They often serve as centers for community education on waste management and recycling practices.


Data Collection and Management

- **Monitoring:** Transfer stations can track the amount and types of waste, helping municipalities plan and improve waste management strategies.


IMPACT OF IMPROPER HANDLING OF SOLID WASTE




IMPACT OF IMPROPER HANDLING OF SOLID WASTE



IMPACT OF IMPROPER HANDLING OF SOLID WASTE



IMPACT OF IMPROPER HANDLING OF SOLID WASTE




OPEN DUMPING

Open dumping refers to the **uncontrolled and unregulated disposal** of waste in non-engineered sites. This practice is prevalent in many developing regions and poses severe environmental, health, and social challenges.

Characteristics

- No liners or covers.
- Lack of leachate management.
- Absence of controls for pests, odor, and emissions.
- No formal recycling or waste segregation processes.
- Often located in informal or unplanned areas.





Municipal Solid Waste




Healthcare Waste



Construction and Demolition waste



Used tires



Waste of Electric and Electronic Equipment



Used batteries and other hazardous waste

Waste fractions unmanaged



Open dumping



Open burning


Environmental and Health issues




Informal recycling



Disease vectors and spread of infectious pathologies



Marine Litter



Water, soil and air pollution




Global Warming

(Ferronato & Torretta, 2019)

ENGINEERED LANDFILLS

An engineered landfill is a carefully designed and managed waste disposal site that utilizes modern technology to **control leachate, gas emissions, and other environmental hazards**. These landfills are constructed to protect **soil, air, and water from pollution** and to manage waste efficiently over its lifecycle



Objectives

Containment: Prevent waste from directly contaminating soil, water, and air.

Control: Manage leachate, gases, and other by-products safely.

Reduction of Impact: Minimize the environmental footprint of waste disposal.

Safe Closure: Ensure that after closure, the landfill does not pose ongoing risks.

ENGINEERED LANDFILLS-COMPONENTS AND STRUCTURE

Base Liner System:

- **Materials:** Clay or synthetic materials (HDPE) to create an impermeable barrier.
- **Function:** Prevent leachate from seeping into the ground and contaminating groundwater.

Leachate Collection System:

- **Components:** Network of pipes and drainage layers above the liner.
- **Function:** Collect and remove leachate to prevent it from pooling at the base and leaking out.

Gas Collection System:

- **Components:** Wells and piping systems throughout the landfill.
- **Function:** Capture and safely vent or use gases (like methane) produced by decomposing waste.

Daily and Final Covers:

- **Daily Cover:** A layer of soil or other materials placed over the waste daily to reduce odor, pests, and exposure.
- **Final Cover:** Multi-layered cap applied after the landfill is closed, including soil, synthetic liners, and vegetation.
- **Function:** Minimize infiltration of water, control gas emissions,

Stormwater Management:


- **Components:** Channels, ponds, and treatment systems.
- **Function:** Control and treat runoff to prevent contamination of local water bodies.

Monitoring Systems:

- **Components:** Wells for groundwater, sensors for gas, and surface water sampling points.
- **Function:** Monitor environmental impact and ensure compliance with safety standards.



ENGINEERED LANDFILLS



(Pillai et al.,

ENGINEERED LANDFILLS

Advantages

- **Environmental Protection:** Significantly reduces pollution compared to open dumping.
- **Energy Recovery:** Landfill gas can be used for electricity or heating.
- **Waste Containment:** Properly isolates waste from the environment.
- **Controlled Operations:** Easier to manage and monitor than informal dumps.

Disadvantages


- **High Initial Costs:** Significant investment needed for construction and technology.
- **Operational Complexity:** Requires skilled management and continuous monitoring.
- **Potential Risks:** Despite safeguards, failures in liners or systems can lead to contamination.

INCINERATION

Incineration is the thermal treatment of waste at high temperatures, resulting in the combustion of substances in waste materials. It converts waste into ash, flue gas, and heat, often used for energy production.

Objectives:

- **Volume Reduction:** Drastically reduce the volume and mass of waste.
- **Energy Recovery:** Utilize the heat generated from combustion for electricity or heat.
- **Disposal of Hazardous Waste:** Safely treat and destroy hazardous or toxic waste components.
- **Minimize Landfill Use:** Reduce the need for landfill space by converting waste into smaller, less harmful residues.



(Tong and Hu, 2022)

INCINERATION PROCESS

Waste Preparation:

- **Segregation:** Separation of non-combustible or recyclable materials from the waste stream.
- **Shredding:** Breaking down large waste items to ensure uniform burning.
- **Drying:** Removing moisture to improve combustion efficiency.

Combustion:

- **Primary Combustion:** Waste is fed into the incinerator and burned at high temperatures (850°C to 1,100°C).
- **Secondary Combustion:** Gases produced in the primary stage are burned again to reduce pollutants and ensure

Energy Recovery:

- **Heat Recovery:** Capturing the heat from combustion to produce steam.
- **Electricity Generation:** Using steam to drive turbines that generate electricity.

Flue Gas Treatment:

- **Particulate Removal:** Filtering out ash and particulates using electrostatic precipitators or bag filters.
- **Gas Cleaning:** Neutralizing acidic gases and removing harmful pollutants like dioxins and heavy metals.

Ash Handling:

- **Bottom Ash:** The non-combustible residue collected at the bottom of the incinerator.
- **Fly Ash:** Fine particles carried by the flue gas and captured by air pollution control devices.

Emissions Monitoring:

- **Continuous Monitoring:** Tracking and controlling emissions of pollutants such as CO2, NOx, SO2, and dioxins.

INCINERATION

Advantages

Volume Reduction: Incineration reduces the volume of waste significantly, often by 90% or more, which decreases the amount of space required for disposal.

Energy Recovery: Modern incineration facilities can generate electricity or heat from the waste burned, thereby offsetting the need for other fossil fuels and reducing greenhouse gas emissions.

Waste to Energy: It converts waste into energy, contributing to the diversification of energy sources and potentially reducing dependency on finite resources.

Destroying Hazardous Waste: Incineration can effectively destroy hazardous substances, reducing their environmental and health impacts compared to landfilling.

Controlled Environment: Unlike open burning or dumping, incinerators operate under controlled conditions, minimizing air and water pollution when equipped with proper emission controls.

INCINERATION

Disadvantages

Air Pollution: Incineration releases pollutants such as particulates, heavy metals, and dioxins into the atmosphere, even with advanced emission control technologies.

Ash Disposal: The residual ash from incineration may contain heavy metals and other toxic materials, requiring careful handling and disposal in specialized landfills.

Cost: Building and operating incineration facilities can be expensive compared to other waste management options like landfilling.

Potential for Toxic Emissions: While modern incinerators have controls, incomplete combustion can lead to the release of
toxic chemicals, posing health risks to nearby communities.

Impact on Recycling: Incineration may reduce incentives for recycling and waste reduction efforts if it is seen as a primary disposal method rather than a last resort.


Public Perception: Incinerators often face opposition from communities due to concerns about emissions, health impacts, and
environmental justice issues related to facility locations.

COMPOSTING

Composting is the biological decomposition of organic materials, such as food scraps, yard waste, and agricultural residues, by microorganisms under controlled conditions.

It results in compost, a nutrient-rich soil amendment.





Objectives

- **Organic Waste Reduction:** Divert organic materials from landfills and reduce methane emissions.
- **Soil Enrichment:** Produce compost to enhance soil structure, fertility, and moisture retention.
- **Nutrient Recycling:** Return essential nutrients to the soil, promoting healthy plant growth.

COMPOSTING PROCESS

Preparation

- **Collection:** Gather organic waste like kitchen scraps, leaves, grass clippings, and manure.
- **Shredding:** Cut larger materials into smaller pieces to speed up decomposition.

Composting Stages

- **Initial Decomposition:** Microorganisms break down organic matter, generating heat (up to 70°C).
- **Active Composting:** Rapid breakdown of materials, frequent turning to aerate the pile.
- **Curing Phase:** Slower decomposition, further breakdown of resistant materials, and stabilization.


Essential Factors

- **Carbon to Nitrogen Ratio:** Ideal ratio is 25-30:1 for efficient decomposition.
- **Moisture Content:** Maintain 40-60% moisture to support microbial activity.
- **Aeration:** Regularly turn the pile to provide oxygen and avoid anaerobic conditions.
- **Temperature:** Maintain 50-60°C to kill pathogens and weed seeds.


Compost Maturity

- **Indicators:** Dark, crumbly texture, earthy smell, reduced volume, and no recognizable original materials.
- **Testing:** Measure temperature stability, pH (6-8), and the absence of ammonia smell.

The Composting Process



How it Works:



(Please note, it takes on average 6 weeks for new materials to be completely composted.)

COMPARATIVE DETAILS: OPEN DUMPING, ENGINEERED LANDFILL, INCINERATION, COMPOSTING, AND VERMICOMPOSTING

Feature	Open Dumping	Engineered Landfill	Incineration	Composting
Definition	Uncontrolled disposal of waste in open areas.	A scientifically designed landfill to manage waste.	Burning of waste at high temperatures to reduce volume.	Biological decomposition of organic waste by microbes.
Environmental Impact	High; can lead to pollution of air, soil, and water.	Lower; designed to contain leachate and methane.	Moderate; can release pollutants if not properly managed.	Low; produces nutrient-rich compost.
Land Requirement	Large areas; can be unsightly and spread disease.	Moderate; requires proper location and design.	Minimal; reduces waste volume significantly.	Moderate; requires space for composting area.
Operational Cost	Low; minimal infrastructure needed.	Moderate; requires initial investment and maintenance.	High; requires advanced technology and energy.	Low; minimal costs after initial setup.
Waste Types Managed	Mixed waste without segregation.	Mixed waste, with segregation for better efficiency.	Mostly non-recyclable waste.	Organic waste such as food scraps and yard waste.
Scalability	High; can be done in any area without planning.	High; can manage large volumes of waste systematically.	High; suitable for large-scale waste management.	Variable; scalable from small to large depending on space.
Health Impact	High; can cause diseases due to pests and pathogens.	Low; designed to minimize health risks.	Moderate; can emit harmful gases if not managed.	Low; natural process with minimal health risks.
Advantages	Easy and low cost to implement.	Reduces environmental contamination, manages large volumes.	Reduces waste volume significantly, can generate energy.	Produces nutrient-rich soil amendment, reduces landfill waste.
Disadvantages	High environmental and health risks, unsightly.	Requires significant investment and careful management.	High cost, potential air pollution, ash disposal issues.	Requires time and space, not suitable for all waste types.

Relative Merits of Disposal Options

Disposal Option → ↓Sustainability Indicator	Non-engineered Disposal	Sanitary Landfill	Composting	Incineration
Volume reduction	x	x	x	√
Expensive	x	√	√	√
Long term maintenance	√	√	x	x
By product recovery	x	√	√	√
Adaptability to all wastes	√	√	x	x
Adverse environmental effect	√	√	x	√

Frequently Asked Questions

- Give the source and type-based classification of solid waste.
- Explain the functional elements of the SWM system.
- Discuss the merits and demerits of various waste disposal options.
- Enlist various advantages of the transfer station.
- Discuss various impacts of improper handling of solid waste.
- Which disposal methods are most environmentally friendly?
- What environmental concerns are associated with landfills?
- What is composting and how does it help in waste management?

Which of the followings requires long term maintenance a) Landfill b) composting c) Incineration d) Open Dumping

1. a , b
2. a, c
3. b, c
4. d, a



Which of the following best describes a transfer station in waste management?

1. A facility where waste is permanently disposed of in landfills.

2. A location where waste is temporarily stored before being transported to its final
destination.

3. A facility that converts waste into energy through incineration.

4. A site where recyclable materials are sorted and processed for reuse.



Which of the followings results in volume reduction a) Landfill b) composting c) Incineration d) Open Dumping

1. a
2. b
3. c
4. d



What type of waste consists of materials like paper, food scraps, and yard waste?

1. Industrial waste
2. Biodegradable waste
3. Non-biodegradable waste
4. Radioactive waste



References

- Akram, S. V., Singh, R., Gehlot, A., Rashid, M., AlGhamdi, A. S., Alshamrani, S. S., & Prashar, D. (2021). Role of wireless aided technologies in the solid waste management: A comprehensive review. Sustainability, 13(23), 13104.
- https://www.aboutcivil.org/types-of-solid-wastes
- https://www.eng.hokudai.ac.jp/labo/waste/english/index_page_id=2.html
- https://ec.europa.eu/echo/files/evaluation/watsan2005/annex_files/WEDC/es/ES07CD.pdf
- https://mohua.gov.in/upload/uploadfiles/files/Part2.pdf
- Govani, J., Singh, E., Kumar, A., Zacharia, M., & Kumar, S. (2021). New generation technologies for solid waste management. In Current developments in biotechnology and bioengineering (pp. 77-106). Elsevier.
- Pillai, A. G., & Gali, M. L. (2023). Engineering benefits of replacing natural sand with manufactured sand in landfill construction. Scientific Reports, 13(1), 6444.
- Tong, L., & Hu, Q. (2022). Physicochemical properties of municipal solid waste incineration fly ash. In Low carbon stabilization and
solidification of hazardous wastes (pp. 129-139). Elsevier.
- Ferronato, N., & Torretta, V. (2019). Waste mismanagement in developing countries: A review of global issues. International journal of environmental research and public health, 16(6), 1060.

Video Links

- Watch Video on Plastic Pollution: **URL** - https://youtu.be/Yomf5pBN8dY?si=Q8Cp8ZPuE0PWapfZ
- Watch Video on Incineration: **URL** - https://youtu.be/J2HTEJhns_c?si=7d5yjTng5LBJK1Qa

CHANDIGARH UNIVERSITY

Discover. Learn. Empower.

THANKS

