

ISO Uncoated Yellowish

Das ECI-Offsetprofil **ISOuncoatedyellowish. icc** basiert auf der Charakterisierungsdatei "**FOGRA30L.txt"** und gilt für die folgenden Druckbedingungen gemäß internationalem Standard ISO 12647-2:2004:

Akzidenzoffset, Papiertyp 5, ungestrichen gelblich Offset, Positivkopie, Tonwertzunahmekurven C (CMY) und D (K), weiße Messunterlage.

Die Profilberechnung erfolgte im Heidelberg PrintOpen 4.0.5.2 mit den folgenden Einstellungen:

Schwarz-Länge 9 Schwarz-Breite 5 max. Flächendeckung 320% max. Schwarz 100%

Die "Gamut-Mapping"-Option "mehr Kontrast in dunklen Farben" war ausgeschaltet.

The ECI offset profile **ISOuncoatedyellowish.** icc is based on the characterization data set "FOGRA3oL.txt" applicable to the following reference printing condition according to the international standard ISO 12647-2:2004:

Commercial and specialty offset, paper type 5, uncoated yellowish paper, positive plates, tone value increase curves C (CMY) and D (K), white backing.

The profile was created using the Heidelberg PrintOpen 4.0.5.2 with the following settings:

Black length9Black width5total dot area320%maximum Black100%

The "Gamut-Mapping" option "More contrast in dark colors" was switched off.