

Висока школа струковних студија за информационе и комуникационе технологије

Web programiranje – PHP2

Документација за сајт  
<http://awesomesocks.byethost10.com/>  
[https://github.com/alokin95/Socks\\_PHP\\_OOP](https://github.com/alokin95/Socks_PHP_OOP)

Никола Митровић 147-14

Интернет технологије

Фебруар 2018. год.  
Београд

# 1. Увод

## 1.1 Коришћени програмски језици

HTML, CSS, PHP, JAVASCRIPT, JQUERY, AJAX. Користио сам и MySQL базу података. Цео код је писан у Visual Studio Code.

## 1.2 Опис функционалности

Admin

email: [admin@gmail.com](mailto:admin@gmail.com)

password: masnocebe

Korisnik

email: [carapan@gmail.com](mailto:carapan@gmail.com)

password: masnocebe

### Динамички мени

Налази се у header-у сваке стране, линкови се позивају из базе.

### Логовање и заштита сесијама

Неауторизовани корисник може да прегледа производе (/products), њихове слике, детаље о њима да види њихове оцене, коментаре које су ауторизовани корисници поставили. (/details)

Ауторизовани корисник може да убацује производе у корпу, да брише из корпе, (/account) да гласа за сваки производ посебно, да оставља коментаре на сваком производу посебно. Админ може све што и ауторизовани корисник плус што може да управља садржајем сајта. (/panel)

### Анкета

Сваки улоговани корисник може да гласа на производима (/details). Сваки глас се уписује у посебне табеле у бази. У једној се табели чувају идентификатор корисника и идентификатор производа како корисник не може поново да гласа на истом производу, а у другој укупан број гласова и вредност гласова како би се приказала просечна оцена производа. Резултати анкете се шаљу ајаксом, и ајакс одмах враћа нову оцену производа на страницу.

## Регистрација и логовање

Постоје странице за регистрацију и логовање (/login, /register).Када неко покуша да се региструје, регуларним изразима се проверава тачност унетих података, и на клијенту и на серверу (Js, PHP). Подаци ново регистрованих корисника се чувају у посебну табелу у бази.

Сваки регистровани корисник може да се улогује са подацима које је унео при регистрацији. Логовањем добија привилегије које су наведене горе. Шифра се проферава функцијом password\_hash. Ако је уловани корисник добио улогу админа отвара му се посебан линк за админ панел који га води на страницу где може да едитује, додаје, брише податке у табелама које не утичу на нормалан рад сајта.

## Ајакс

Ајакс се користи за филтрирање производа по полу кликом на radio button(/products). Користи се такође за брисање производа из корисникове корпе(/account), за уписивање и исписивање гласања за сваки производ (/details).

## Админ панел


Админ добија на коришћење странице која може да манипулише свим табелама из базе. Табеле су урађене као carousel, администратор бира табелу кликом на дугме које је у врху, одмах испод навигације.

## 1.3 Template

Header

Main

Footer



```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<link rel="icon" href="assets/img/other/favicon.svg" type="image/gif" sizes="16x16">
```

```
<meta name="description" content="Buy socks. Great socks for sale for men, women and kids.">
```

```
<meta name="keywords" content="Socks, shop, ecommerce, buy, sell, comment, products, trail, mountain, blister">
```

```
<meta name="author" content="Nikola Mitrovic">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<link href="https://fonts.googleapis.com/css?family=Roboto:700" rel="stylesheet">
```

```
<link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
```

```
<link rel='stylesheet' type='text/css' href='/assets/css/main.css'>
```

```
<title>Socks Awesome</title>
```

```
</head>
```

```

<body>
<header class='flex-row'>
  <div class='logo'>
    <a href="index"><img src='assets/img/other/logo.jpg' width="180px" height="100px"></a>
  </div>
  <nav>
    <ul>
      <?php

        $get_nav = "SELECT * FROM nav";

        $nav = $conn->execute($get_nav);

        while ($n = mysqli_fetch_object($nav)){
          echo "<li><a href='". $n->link. "'>". $n->title. "</a></li>";
        }
      ?>
    </ul>
  </nav>
  <div class='cart flex-row'>
    <?php
    if (isset($_SESSION['role']) && $_SESSION['role']==1){ ?>
      <a href='panel'>
        <i class="material-icons" style="font-size:36px">person</i>
        <p>ADMIN PANEL</p>
      </a>

      <?php }else { ?>
        <a href='login'>

```

```
<i class="material-icons" style="font-size:36px">person</i>
```

```
</a>
```

```
<?php } ?>
```

```
<a href='account'>
```

```
<i class="material-icons" style="font-size:36px">shopping_cart</i>
```

```
</a>
```

```
<?php if (isset($_SESSION['email'])):?>
```

```
<a href='logout.php'><i class="material-icons" style="font-size:36px">close</i></a>
```

```
<?php endif; ?>
```

```
</div>
```

```
</header>
```

```
<main>
```

```
<footer>
```

```
<a href="/documentation.pdf" download>Documentation</a>
```

```
<a href="about">About author</a>
```

```
</footer>
```

```
</main>
```

```
</body>
```


```
<script src="/assets/js/script.js"></script>
```

```
</html>
```


## 1.4 Није коришћен туђи CSS код

## 2. Организација

### 2.1 Организациона шема




### 2.2 Странице




views/home.template.php

На овој страници се, осим динамичког менија који је приказан на свакој страни, налазе првих пет производа из базе.




views/product.template.php

На овој страни се излиставају производи по категоријама и полу из базе. Са леве стране се налазе дугмићи преко којих се ајаксом филтрира пол (Мушки, женски, унисекс).








views/details.template.php




На овој страни се из базе приказују подаци производа на који је кликнут. Ако је корисник улогован даје му се могућност да гласа (ајакс), дода производ у своја колица и да остави коментар на тај одређени производ.



views/login.template.php

Са леве стране је форма за логовање, са десне је линк ка страни за регистрацију.



HomeTrailMountainRoad

## Create New Customer Account

First name: \*

Last name: \*





Password: \*

E-mail: \*


Register

views/register.template.php

Страна за регистрацију корисника. Све се проверава регуларним изразима, клијентски и серверски.

HomeTrailMountainRoad

This is your cart! Get back to [shopping!](#)



Spectrum Trail Midweight Crew

\$15

Remove

views/account.template.php

Ово је страница коју уловани корисник види када у корпу убаци један производ. Производ може да обрише. То се извршава уз помоћ ајакса.

[User table](#)[Product table](#)[Image table](#)[Comment table](#)[Cart table](#)

## Cart table

Delete cart		
CartID	UserID	Delete
1	1	<input type="checkbox"/>
2	2	<input type="checkbox"/>
		Delete

Edit cart		
ID	CartID	UserID
Pick CartID ▾	<input type="text"/>	<input type="text"/>
		Update

Add cart		
CartID	UserID	
<input type="text"/>	<input type="text"/>	
		Add

[Documentation](#) [About author](#)

views/admin/admin.template.php

Страница коју администратор види. Кликом на плаве линкове са црним словима му се приказује захтевана табела. Могуће је брисање, додавање и мењање података из табеле.



Никола Митровић, рођен 14. јуна 1995. године. Завршио машинско-електротехничку школу, смер Електротехничар рачунара у Смедеревској Паланци. Тренутно студент Високе ИЦТ школе, смер Интернет Технологије у Београду.

views/about.template.php

### 3. Кодови

Важно: сајт је рађен као нека врста Custom MVC-а. Постоји фолдер `controllers` који садржи фајлове. Ти фајлови позивају одговарајуће фајлове из фолдера `models`(у фолдеру `models` се налазе класе које служе за комуникацију са одговарајућом табелом из базе, затим се у контролерима прави инстанца те позване класе, позива нека функција из модела и резултати се делегирају у неки од фајлова у фолдеру `views`. Ту је и фолдер `admin` у којем се налазе контролери за админ панел, као и фолдер `ajax` који се бави ајакс захтевима. Окачио сам на првој страни линк ка `github` репозиторијуму где се налази цео код тако да се лакше може испратити.

**core/Route.php**

```
<?php
```

```
class Route {

    private $routes = [

        'GET' => [],

        'POST' => []

    ];

    public function get($uri, $controller) {

        $this->routes['GET'][$uri] = $controller;

    }

    public function post($uri, $controller) {
```

```

        $this->routes['POST'][$Suri] = $controller;

    }

    public function require($Suri, $request){

        if (array_key_exists($Suri, $this->routes[$request])) {

            return $this->routes[$request][$Suri];

        }

        else {

            return $this->routes['GET'][""];

        }

    }

}

```

### **core/Connection.php**

```
<?php
```

```

class Connection {

    private $conn;

    public function __construct() {

        $this->conn = mysqli_connect("localhost", "root", "", "socks1");

    }

```

```
public function getConnection() {  
  
    return $this->conn;  
  
}  
  
public function execute($query) {  
  
    $result = mysqli_query($this->conn, $query);  
  
    return $result;  
  
}  
}
```

### **core/bootstrap.php**

```
<?php  
  
// $config = require_once 'config.php';  
  
require_once 'Connection.php';  
  
$conn = new Connection();  
  
require_once 'Route.php';  
  
function view($template, $data = '1') {
```

```
return 'views/'.$template.'.template.php';
```

```
}
```

## **/index.php**

```
<?php
```

```
session_start();
```

```
require_once 'core/bootstrap.php';
```

```
require_once 'views/partials/header.php';
```

```
$router = new Route;
```

```
//GET ROUTES
```

```
$router->get('', 'controllers/home.php');
```

```
$router->get('index', 'controllers/home.php');
```

```
$router->get('products', 'controllers/products.php');
```

```
$router->get('details', 'controllers/details.php');
```

```
$router->get('logout', 'controllers/home.php');
```

```
$router->get('account', 'controllers/cart_show.php');
```

```
$router->get('register', 'views/register.template.php');
```

```
$router->get('login', 'views/login.template.php');
```

```
$router->get('about', 'views/about.template.php');
```

```
//POST ROUTES
```

```
$router->post('products', 'controllers/comment_add.php');
```

```
$router->post('account', 'controllers/cart_insert.php');
```

```
$router->post('register', 'controllers/register.php');
```



```
$router->post('index','controllers/login.php');
```

```
//ADMIN ROUTES
```

```
$router->get('panel', 'admin/admin_index.php');
```

```
$router->post('cart', 'admin/admin_cart.php');
```

```
$router->post('user', 'admin/admin_user.php');
```

```
$router->post('product', 'admin/admin_product.php');
```

```
$router->post('image', 'admin/admin_image.php');
```

```
$router->post('comment', 'admin/admin_comment.php');
```

```
$uri = trim(parse_url($_SERVER['REQUEST_URI'], PHP_URL_PATH),'/');
```

```
$method = $_SERVER['REQUEST_METHOD'];
```

```
require $router->require($uri, $method);
```

```
require_once 'views/partials/footer.php';
```

### **controllers/cart\_insert.php**

```
<?php
```

```
require_once 'classes/Cart.php';
```

```
if (!isset($_SESSION['cart'])){
```

```
    echo "You must login first";
```

```
}
```

```
else {
```

```
    $cart_session = $_SESSION['cart'];
```

```
$cart = new Cart;
```

```
$cart->insert($cart_session, $_POST['productid'], $_POST['quantity']);
```

```
$result = $cart->show($cart_session);
```

```
require_once view('account', $result);  
}
```

### **controllers/cart\_show.php**

```
<?php
```

```
if (!isset($_SESSION['cart'])) {
```

```
    Header("Location:login");
```

```
}
```

```
else {
```

```
    require_once 'classes/Cart.php';
```

```
$cart = new Cart;
```

```
$result = $cart->show();
```

```
require_once view('account', $result);  
}
```

## **controllers/comment\_add.php**

<?php

```
require_once 'classes/Comment.php';
```

```
if (isset($_POST['review'])){
```

```
    $userid = $_SESSION['userid'];
```

```
    $heading = $_POST['heading'];
```

```
    $content = $_POST['content'];
```

```
    $productid = $_POST['productid'];
```

```
    $comm = new Comment;
```

```
    $comm->addComment($heading, $content, $userid, $productid);
```

```
}
```

```
require_once view('home');
```

## **controllers/details.php**

<?php

```
if(empty($_REQUEST['productid']))
```

```
{
```

```
    $_GET['productid'] = 1;
```

```
}
```

```
require_once 'classes/Product.php';
```

```
require_once 'classes/Comment.php';
```

```
require_once 'classes/Rating.php';
```

```
$detailsPage = new Product();
```

```
$comm = new Comment();
```

```
$rating = new Rating();
```

```
$details['comment'] = $comm->showComment();
```

```
$details['product'] = $detailsPage->getInfo();
```

```
$productid = $_GET['productid'];
```

```
$details['ratings'] = $rating->getRating($productid);
```

```
$result = extract($details);
```

```
require_once view('details', $result);
```

## **controllers/home.php**

```
<?php
```

```
require_once 'classes/Product.php';
```

```
$product = new Product;
```

```
$row = $product->top();
```

```
require_once view('home', $row);
```

### **controllers/login.php**

```
<?php
```

```
require_once 'classes/User.php';
```

```
if (isset($_POST['login'])) {
```

```
    $user = new User;
```

```
    $result = $user->login();
```

```
    if ($result) {
```

```
        Header('Location:/index');
```

```
    }
```

```
    Header('Location:/login');
```

```
}
```

### **controllers/products.php**

```
<?php
```

```
if(empty($_REQUEST['category']))
```

```
{
```

```
    $_GET['category'] = 1;
```

```
}
```

```
require_once 'classes/Product.php';
```

```
$product = new Product();
```

```
$result = $product->getProducts();
```

```
require view('products', $result);
```

### **controllers/register.php**

```
<?php
```

```
require_once 'classes/User.php';
```

```
if (isset($_POST['register'])) {
```

```
    $user = new User;
```

```
    $user->register();
```

```
    //require_once 'views/register.template.php';
```

```
    require_once view('register');
```

```
}
```

### **classes/Cart.php**

```
<?php
```

```
class Cart extends Connection {
```

```
    private $session;
```

```
    public function __construct() {
```

```
        parent::__construct();
```

```
        $this->session = $_SESSION['cart'] ?? null;
```

```
    }
```

```
    public function getAll(){
```

```
        $sql = "SELECT * FROM cart";
```

```
        return $this->execute($sql);
```

```
    }
```

```
    public function singleCart($id){
```

```
        $sql = "SELECT * FROM cart WHERE cartid=".$id;
```

```
        return $this->execute($sql);
```

```
    }
```

```
    public function delete(){
```

```
$delete = implode(' ', $_POST['for-delete-cart']);
```

```
$sql = "DELETE FROM cart WHERE cartid in ($delete)";
```

```
$this->execute($sql);
```

```
}
```

```
public function insertCart(){
```

```
    $cartid = $_POST['cartid'];
```

```
    $userid = $_POST['userid'];
```

```
    $sql = "INSERT INTO cart VALUES('$cartid', '$userid')";
```

```
    $this->execute($sql);
```

```
}
```

```
public function show() {
```

```
    // $this->session = $session;
```

```
    // $sql = "SELECT * FROM user INNER JOIN cart ON user.userid = cart.userid INNER JOIN  
    cart_items ON cart.cartid = cart_items.cartid INNER JOIN product ON cart_items.productid =  
    product.productid INNER JOIN image ON image.imageid = product.imageid WHERE user.email =".  
    $this->session."";
```

```
    $sql = "SELECT * FROM `cart_items` INNER JOIN product ON  
    cart_items.productid=product.productid INNER JOIN image ON image.imageid=product.imageid  
    WHERE cart_items.cartid = ".$this->session."";
```



```
$result = $this->execute($sql);
```

```
return $result;
```

```
}
```

```
public function insert($session, $productid, $quantity){
```

```
// $this->session = $session;
```

```
$insert_cart = "INSERT INTO cart_items VALUES (',$session', '$productid', '$quantity')";
```

```
$inserted = $this->execute($insert_cart);
```

```
}
```

```
public function update(){
```

```
$cartid = $_POST['cartid'];
```

```
$updated_cartid = $_POST['update-cartid'];
```

```
$userid = $_POST['update-userid'];
```

```
$sql = "UPDATE cart SET cartid='$updated_cartid', userid='$userid' WHERE cartid='$cartid'";
```

```
return $this->execute($sql);
```

```
}
```

```
public function removeFromCart($id) {
```

```
$sql = "DELETE FROM cart_items WHERE cartid='$this->session' AND id='$id'";
```

```
$this->execute($sql);
```

```
return $this->show();
```

```
}
```

```
}
```

### **classes/Comment.php**

```
<?php
```

```
class Comment extends Connection {
```

```
    private $productid;
```

```
    public function __construct(){
```

```
        parent::__construct();
```

```
        $this->productid = $_GET['productid'] ?? 1;
```

```
    }
```

```
    public function addComment($heading, $content, $userid, $productid){
```

```
        $date = date('Y-m-d H:i:s');
```

```
$insert_comment = "INSERT INTO comment VALUES(',$heading', '$content', '$date', '$userid', '$productid')";
```

```
$this->execute($insert_comment);
```

```
}
```

```
public function showComment(){
```

```
$sql = "SELECT * FROM comment INNER JOIN user ON comment.userid = user.userid WHERE productid = ".$this->productid;
```

```
$result = $this->execute($sql);
```

```
return $result;
```

```
}
```

```
public function getAll(){
```

```
$sql = "SELECT * FROM comment";
```

```
return $this->execute($sql);
```

```
}
```

```
public function delete() {
```

```
$delete = implode(' , ', $_POST['for-delete-comment']);
```

```
$sql = "DELETE FROM comment WHERE commentid in ($delete)";
```

```
$this->execute($sql);  
}
```

```
public function getSingle($id) {
```

```
$sql = "SELECT * FROM comment WHERE commentid=".$id;
```

```
return $this->execute($sql);  
}
```

```
public function update() {
```

```
$id = $_POST['commentid'];  
$head = $_POST['update-heading'];  
$content = $_POST['update-content'];  
$date = $_POST['update-date'];  
$user = $_POST['update-c-userid'];  
$product = $_POST['update-c-productid'];
```

```
$sql = "UPDATE comment SET heading='$head', content='$content', date_created='$date',  
userid='$user', productid='$product' WHERE commentid='$id'";
```

```
$this->execute($sql);  
}
```

```
public function insert(){
```

```
$head = $_POST['heading'];  
$content = $_POST['content'];
```

```
$user = $_POST['comment-userid'];
```

```
$product = $_POST['comment-productid'];
```

```
$date = date('Y-m-d H:i:s');
```

```
$sql = "INSERT INTO comment VALUES(, '$head', '$content', '$date', '$user', '$product')";
```

```
$this->execute($sql);
```

```
}
```

```
}
```

### **classes/Image.php**

```
<?php
```

```
class Image extends Connection {
```

```
    public function __construct() {
```

```
        parent::__construct();
```

```
    }
```

```
    public function single($id) {
```

```
        $imageid = $_POST['imageid'];
```

```
        $sql = "SELECT * FROM image WHERE imageid ='$imageid'";
```

```
return $this->execute($sql);
```

```
}
```

```
public function getAll() {
```

```
    $sql = "SELECT * FROM image";
```

```
    return $this->execute($sql);
```

```
}
```

```
public function insert() {
```

```
    $salt = $_POST['alt'];
```

```
    $image=$_FILES['src']['name'];
```

```
        $tmp=$_FILES['src']['tmp_name'];
```

```
        $file=$_FILES['src']['type'];
```

```
    $path = "assets/img/products/".$image;
```

```
    if (move_uploaded_file($tmp, $path)){
```

```
        $sql = "INSERT INTO image VALUES (',$path', '$salt')";
```

```
        $this->execute($sql);
```

```
    }
```

```
}
```

```
public function update() {
```

```
$id = $_POST['imageid'];
```

```
$src = $_POST['update-src'];
```

```
$alt = $_POST['update-alt'];
```

```
$sql = "UPDATE image SET src='$src', alt='$alt' WHERE imageid='$id'";
```

```
$this->execute($sql);
```

```
}
```

```
public function delete() {
```

```
$delete = implode(' ', $_POST['for-delete-image']);
```

```
$sql = "DELETE FROM image WHERE imageid IN ($delete)";
```

```
$this->execute($sql);
```

```
}
```

```
}
```

## **classes/Product.php**

```
<?php
```

```
class Product extends Connection{
```

```
private $categoryid;
```

```
private $productid;
```

```
public function __construct() {
```

```
    parent::__construct();
```

```
    $this->categoryid = $_GET['category'] ?? 1;
```

```
    $this->id = $_GET['productid'] ?? 1;
```

```
}
```

```
public function single($id) {
```

```
    $sql = "SELECT * FROM product WHERE productid=".$id;
```

```
    return $this->execute($sql);
```

```
}
```

```
public function getAll(){
```

```
    $sql = "SELECT * FROM product";
```

```
    return $this->execute($sql);
```

```
}
```

```
public function top(){
```

```
    $sql = "SELECT * FROM product JOIN image ON product.imageid=image.imageid LIMIT 5";
```

```
    return $this->execute($sql);
```



```
}
```

```
public function getProducts() {
```

```
    $sql = "SELECT * FROM product p JOIN category c ON p.categoryid = c.categoryid JOIN image i  
ON p.imageid = i.imageid WHERE p.categoryid = ".$this->categoryid;
```

```
    $result = $this->execute($sql);
```

```
    return $result;
```

```
}
```

```
public function getProductByGender($gender){
```

```
    $sql = "SELECT * FROM product p JOIN category c ON p.categoryid = c.categoryid JOIN image i  
ON p.imageid = i.imageid WHERE p.genderid = '$gender'";
```

```
    $result = $this->execute($sql);
```

```
    return $result;
```

```
}
```

```
public function getInfo() {
```

```
    $sql = "SELECT productid AS id, p.name as productname, description as productdescription, price  
as productprice, p.categoryid as catid, genderid as genderid, p.imageid as imgid, src, alt FROM product  
p JOIN category c ON p.categoryid = c.categoryid JOIN image i ON p.imageid = i.imageid WHERE  
productid = ".$this->id;
```

```
$result = $this->execute($sql);
```

```
$r = mysqli_fetch_object($result);
```

```
return $r;
```

```
}
```

```
public function insert(){
```

```
    $name = $_POST['product'];
```

```
    $desc = $_POST['desc'];
```

```
    $price = $_POST['price'];
```

```
    $cat = $_POST['cat'];
```

```
    $gender = $_POST['gender'];
```

```
    $image = $_POST['image'];
```

```
    $sql = "INSERT INTO product VALUES (',$name', '$desc', '$price', '$cat', '$gender', '$image')";
```

```
    $inserted = $this->execute($sql);
```

```
    $last_id = mysqli_insert_id($this->getConnection());
```

```
    if ($inserted) {
```

```
        $add_rating = "INSERT INTO rating VALUES ('', '', '$last_id')";
```

```
        $this->execute($add_rating);
```

```
}
```

```
}
```

```
public function delete() {
```

```
    $delete = implode(', ', $_POST['for-delete-product']);
```

```
    $sql = "DELETE FROM product WHERE productid IN ($delete)";
```

```
    $this->execute($sql);
```

```
}
```

```
public function update() {
```

```
    $id = $_POST['productid'];
```

```
    $name = $_POST['update-name'];
```

```
    $desc = $_POST['update-desc'];
```

```
    $price = $_POST['update-price'];
```

```
    $cat = $_POST['update-cat'];
```

```
    $gender = $_POST['update-gender'];
```

```
    $image = $_POST['update-image'];
```

```
    $sql = "UPDATE product SET name='$name', description='$desc', price='$price', categoryid='$cat',  
genderid='$gender', imageid='$image' WHERE productid='$id'";
```

```
    $this->execute($sql);
```

```
}
```

```
}
```

### **classes/Rating.php**

```
<?php
```

```
class Rating extends Connection {
```

```
    public function __construct(){
```

```
        parent::__construct();
```

```
    }
```

```
    public function getRating($productid){
```

```
        $sql = "SELECT ROUND(sum/number_of_votes, 1) as rating FROM rating WHERE  
productid='$productid'";
```

```
        $result = $this->execute($sql);
```

```
        return mysqli_fetch_object($result);
```

```
    }
```

```
    public function checkVoted($userid, $productid) {
```

```
        $sql = "SELECT * FROM rating_log WHERE userid='$userid' AND productid='$productid'";
```

```
return $this->execute($sql);
```

```
}
```

```
public function vote($userid, $productid, $value) {
```

```
    $check_voted = $this->checkVoted($userid, $productid);
```

```
    if (mysqli_num_rows($check_voted)>0){
```

```
        $output = "You already voted";
```

```
    }
```

```
    else {
```

```
        $vote = "UPDATE rating SET number_of_votes = number_of_votes+1, sum = sum+'$value'
WHERE productid = '$productid'";
```

```
        if ($this->execute($vote)) {
```

```
            $vote_log = "INSERT INTO rating_log VALUES (',$productid', '$userid')";
```

```
            $this->execute($vote_log);
```

```
            $output = $this->getRating($productid);
```

```
        }
```

```
    }
```

```
    return $output;
```

```
}  
}
```

## **classes/User.php**

```
<?php
```

```
class User extends Connection{
```

```
    private $first;
```

```
    private $last;
```

```
    private $pass;
```

```
    private $email;
```

```
    private $session;
```

```
    public function __construct() {
```

```
        parent::__construct();
```

```
    }
```

```
    public function getAll(){
```

```
        $sql = "SELECT * FROM user";
```

```
        return $this->execute($sql);
```

```
    }
```

```
    public function update(){
```

```
$id = $_POST['userid'];
```

```
$first = $_POST['update-first'];
```

```
$last = $_POST['update-last'];
```

```
$email = $_POST['update-email'];
```

```
$pass = password_hash($_POST['update-password'], PASSWORD_DEFAULT);
```

```
$role = $_POST['update-roleid'];
```

```
$sql = "UPDATE user SET first_name='$first', last_name='$last', email='$email',  
password='$pass',roleid='$role' WHERE userid='$id'";
```

```
$this->execute($sql);
```

```
}
```

```
public function insert() {
```

```
$first = $_POST['firstname'];
```

```
$last = $_POST['lastname'];
```

```
$email = $_POST['email'];
```

```
$pass = password_hash($_POST['password'], PASSWORD_DEFAULT);
```

```
$role = $_POST['roleid'];
```

```
$sql = "INSERT INTO user VALUES ('','$first','$last','$pass','$email','$role)";
```

```
$inserted = $this->execute($sql);
```

```
$last_id = mysqli_insert_id($this->getConnection());
```

```
if ($inserted) {
```

```
$cart_sql = "INSERT INTO cart VALUES (',$last_id)";
```

```
$this->execute($cart_sql);
```

```
}
```

```
}
```

```
public function getUser($id) {
```

```
$sql = "SELECT * FROM user WHERE userid=" . $id;
```

```
return $this->execute($sql);
```

```
}
```

```
public function delete(){
```

```
$delete = implode(' ', $_POST['for-delete-user']);
```

```
$sql = "DELETE FROM user WHERE userid in ($delete)";
```

```
$this->execute($sql);
```

```
}
```

```
public function login(){
```

```
$this->email = $_POST['email'];;
```

```
$this->pass = $_POST['password'];;
```



```
$sql = "SELECT * FROM user INNER JOIN cart ON user.userid=cart.userid WHERE email =  
'$this->email'";
```

```
$result = $this->execute($sql);
```

```
if (mysqli_num_rows($result) == 1){
```

```
    $user = mysqli_fetch_object($result);
```

```
    $hashed_pass = $user->password;
```

```
    if (password_verify($this->pass , $hashed_pass)){
```

```
        $_SESSION['email'] = $user->email;
```

```
        $_SESSION['role'] = $user->roleid;
```

```
        $_SESSION['cart'] = $user->cartid;
```

```
        $_SESSION['userid'] = $user->userid;
```

```
        return $result;
```

```
    }
```

```
    else {
```

```
        Header("location:login");
```

```
    }
```

```
}
```

```
}
```

```
public function register() {

    $this->first = $_POST['firstName'];
    $this->last = $_POST['lastName'];
    $this->pass = password_hash($_POST['password'], PASSWORD_DEFAULT);
    $this->email = $_POST['email'];

    $regMail = "/^\w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/";
    $regName="/^[A-Za-z]{4,15}$/";

    $errors = [];

    if(!preg_match($regName ,$this->first ))
    {
        $errors[]="First name is in bad format";
    }

    if(!preg_match($regName ,$this->last ))
    {
        $errors[]="Last name is in bad format";
    }

    if(!preg_match($regMail ,$this->email ))
    {
        $errors[]="Email is in bad format";
    }

    if (empty($this->pass)){
        $errors[] ="Password is empty";
    }
}
```

```
if (count($errors)>0) {  
    // Header:("location:register");  
    foreach ($errors as $e){  
        echo $e."<br/>";  
    }  
  
}
```

```
}  
else {
```

```
$check_existing = "SELECT * FROM user WHERE email ='$this->email'";
```

```
$checked = $this->execute($check_existing);
```

```
if (mysqli_num_rows($checked)>0){  
    echo "Email already in use";  
}  
else {
```

```
    $register = "INSERT INTO user VALUES ('','$this->first','$this->last','$this->pass','$this->email','2')";
```

```
$registered = $this->execute($register);
```

```
$last_id = mysqli_insert_id($this->getConnection());
```

```
if ($registered) {
```

```
    $cart_sql = "INSERT INTO cart VALUES ('','$last_id')";
```

```
    $this->execute($cart_sql);
```

```
}
```

```
}
```

```
}
```

```
}
```

```
// public function showCart($session) {
```

```
// $this->session = $session;
```

```
// $sql = "SELECT * FROM user INNER JOIN cart ON user.userid = cart.userid INNER JOIN  
cart_items ON cart.cartid = cart_items.cartid INNER JOIN product ON cart_items.productid =  
product.productid INNER JOIN image ON image.imageid = product.imageid WHERE user.email =".  
$this->session."";
```

```
// $result = $this->execute($sql);
```

```
// return $result;
```

```
// }
```

```
}
```

**admin/admin\_cart.php**

```
<?php
```

```
require_once 'classes/Cart.php';
```

```
$cart = new Cart;
```

```
if (isset($_POST['cart-delete'])){
```

```
$cart->delete();
```

```
}
```

```
if (isset($_POST['cart-insert'])){
```

```
$cart->insertCart();
```

```
}
```

```
if (isset($_POST['cart-update'])) {
```

```
$cart->update();
```

```
}
```

```
Header("Location:/panel");
```

```
admin/admin_comment.php
```

```
<?php
```

```
require_once 'classes/Comment.php';
```

```
$comment = new Comment;
```

```
if (isset($_POST['comment-delete'])){
```

```
$comment->delete();
```

```
}
```

```
if (isset($_POST['comment-update'])) {
```

```
    $comment->update();
```

```
}
```

```
if (isset($_POST['comment-insert'])){
```

```
    $comment->insert();
```

```
}
```

```
Header("Location:panel");
```

## **admin/admin\_image.php**

```
<?php
```

```
require_once 'classes/Image.php';
```

```
$image = new Image;
```

```
if (isset($_POST['image-delete'])){
```

```
    $image->delete();
```

```
}
```

```
if (isset($_POST['image-update'])) {
```

```
$image->update();
```

```
}
```

```
if (isset($_POST['image-insert'])){
```

```
$image->insert();
```

```
}
```

```
Header("Location:panel");
```

### **admin/admin\_index.php**

```
<?php
```

```
if ($_SESSION['role']!=1){
```

```
    header("Location:index");
```

```
}
```

```
require 'classes/Cart.php';
```

```
require 'classes/User.php';
```

```
require 'classes/Product.php';
```

```
require 'classes/Image.php';
```

```
require 'classes/Comment.php';
```

```
//CART
```

```
$cart = new Cart;
```

```
$result = $cart->getAll();
```

```
$data['cart'] = [];
```

```
while ($row = mysqli_fetch_object($result)) {  
    $data['cart'][] = $row;  
}
```

```
//USER
```

```
$user = new User;
```

```
$result = $user->getAll();
```

```
$data['user'] = [];
```

```
while ($row = mysqli_fetch_object($result)){  
    $data['user'][] = $row;  
}
```

```
//PRODUCT
```

```
$product = new Product;
```

```
$result = $product->getAll();
```

```
$data['product'] = [];
```

```
while ($row = mysqli_fetch_object($result)){  
    $data['product'][] = $row;  
}
```



```
//IMAGE
```

```
$image = new Image;
```

```
$result = $image->getAll();
```

```
$data['image'] = [];
```

```
while ($row = mysqli_fetch_object($result)) {  
    $data['image'][] = $row;  
}
```

```
//COMMENT
```

```
$comment = new Comment;
```

```
$result = $comment->getAll();
```

```
$data['comment'] = [];
```

```
while ($row = mysqli_fetch_object($result)) {  
    $data['comments'][] = $row;  
}
```

```
require view('admin/admin', extract($data));
```

```
//header("Refresh:0");
```

## **admin/admin\_product.php**

<?php

```
require_once 'classes/Product.php';
```

```
$product = new Product;
```

```
if (isset($_POST['product-delete'])){
```

```
    $product->delete();
```

```
}
```

```
if (isset($_POST['product-update'])) {
```

```
    $product->update();
```

```
}
```

```
if (isset($_POST['product-insert'])){
```

```
    $product->insert();
```

```
}
```

```
Header("Location:panel");
```

## **admin/admin\_user.php**

<?php

```
require_once "classes/User.php";
```

```
$user = new User;
```

```
if (isset($_POST['user-delete'])){
```

```
    $user->delete();
```

```
}
```

```
if (isset($_POST['user-update'])){
```

```
    $user->update();
```

```
}
```

```
if (isset($_POST['user-insert'])){
```

```
    $user->insert();
```

```
}
```

```
Header("Location:panel");
```

### **ajax/cart\_update.php**

```
<?php
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Cart.php');
```

```
$cart = new Cart;
```

```
$id = $_POST['cartid'];  
$result = $cart->singleCart($id);  
  
$output = [];  
  
while ($row = mysqli_fetch_object($result)){  
    $output[] = $row;  
}  
  
echo json_encode($output);
```

### **ajax/comment\_update.php**

<?php

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');  
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Comment.php');  
  
$comment = new Comment;  
$id = $_POST['value'];  
$result = $comment->getSingle($id);  
  
$output = [];  
  
while ($row = mysqli_fetch_object($result)){  
    $output[] = $row;  
}  
  
echo json_encode($output);
```

### **ajax/gender.php**

<?php

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Product.php');
// require __DIR__ . "/classes/Product.php";
// require __DIR__ . "/core/bootstrap.php";
```

```
$product = new Product;
```

```
$gender = $_POST['gender'];
```

```
$result = $product->getProductByGender($gender);;
```

```
$output=[];
```

```
while ($r = mysqli_fetch_object($result)){
```

```
    $output[]=$r;
```

```
}
```

```
echo json_encode($output);
```

### **ajax/image\_update.php**

<?php

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Image.php');
```

```
$image = new Image;
```

```
$id = $_POST['imageid'];
```

```
$result = $image->single($id);
```

```
$output = [];
```

```
while ($row = mysqli_fetch_object($result)){  
    $output[] = $row;  
}
```

```
echo json_encode($output);
```

### **ajax/item\_remove.php**

```
<?php
```

```
session_start();
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Cart.php');
```

```
$productid = $_POST['productid'];
```

```
$cart = new Cart;
```

```
$result = $cart->removeFromCart($productid);
```

```
$output = [];
```

```
while ($row = mysqli_fetch_object($result)) {  
    $output [] = $row;  
}
```

```
echo json_encode($output);
```

### **ajax/product\_update.php**

```
<?php
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Product.php');

$product = new Product;
$id = $_POST['productid'];
$result = $product->single($id);

$output = [];

while ($row = mysqli_fetch_object($result)){
    $output[] = $row;
}

echo json_encode($output);
```

**ajax/rating.php**

```
<?php
session_start();

require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/Rating.php');

$rate = new Rating;

$userid = $_SESSION['userid'];

$productid = $_POST['productid'];
$vote_value = $_POST['value'];

$result = $rate->vote($userid, $productid, $vote_value);

echo json_encode($result);
```

## **ajax/user\_update.php**

```
<?php
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/core/bootstrap.php');
```

```
require_once(realpath($_SERVER["DOCUMENT_ROOT"]) .'/classes/User.php');
```

```
$user = new User;
```

```
$id = $_POST['userid'];
```

```
$result = $user->getUser($id);
```

```
$output = [];
```

```
while ($row = mysqli_fetch_object($result)){
```

```
    $output[] = $row;
```

```
}
```

```
echo json_encode($output);
```

## **views**

### **views/partials/header.php**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<link rel="icon" href="assets/img/other/favicon.svg" type="image/gif" sizes="16x16">
```

```
<meta name="description" content="Buy socks. Great socks for sale for men, women and kids.">
```

```
<meta name="keywords" content="Socks, shop, ecommerce, buy, sell, comment, products, trail, mountain, blister">
```

```
<meta name="author" content="Nikola Mitrovic">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```



```

<link href="https://fonts.googleapis.com/css?family=Roboto:700" rel="stylesheet">
<link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.4/jquery.min.js"></script>
<link rel='stylesheet' type='text/css' href='/assets/css/main.css'>
<title>Socks Awesome</title>
</head>

<body>
<header class='flex-row'>
<div class='logo'>
<a href="index"><img src='assets/img/other/logo.jpg' width="180px" height="100px"></a>
</div>
<nav>
<ul>
<?php

$GET_nav = "SELECT * FROM nav";

$nav = $conn->execute($GET_nav);

while ($n = mysqli_fetch_object($nav)){
    echo "<li><a href='".$n->link."'>".$n->title."</a></li>";
}
?>
</ul>
</nav>
<div class='cart flex-row'>
<?php
if (isset($_SESSION['role']) && $_SESSION['role']==1){ ?>

```

```
<a href='panel'>
  <i class="material-icons" style="font-size:36px">person</i>
  <p>ADMIN PANEL</p>
</a>
```

```
<?php }else { ?>
  <a href='login'>
    <i class="material-icons" style="font-size:36px">person</i>
  </a>
<?php } ?>
<a href='account'>
  <i class="material-icons" style="font-size:36px">shopping_cart</i>
</a>
```

```
<?php if (isset($_SESSION['email'])):?>
```

```
<a href='logout.php'><i class="material-icons" style="font-size:36px">close</i></a>
```

```
<?php endif; ?>
```

```
</div>
```

```
</header>
```

```
<main>
```

## **views/about.template.php**

```
<div class='author'>
```

```
<img src='assets/img/other/ja.jpg' width="300px" height="300px">
```

```
<p>
```

Никола Митровић, рођен 14. јуна 1995. године. Завршио машинско-електротехничку школу, смер Електротехничар рачунара у Смедеревској Паланци. Тренутно студент Високе ИЦТ школе, смер Интернет Технологије у Београду.

</p>

</div>

## views/account.template.php

<section id='items'>

<h3> This is your cart! Get back to <a href="products?category=1">shopping!</a></h3>

<?php

```
// if (!isset($_SESSION['email'])) {
```

```
//   Header("Location:index");
```

```
// }
```

```
while ($row = mysqli_fetch_object($result)) :?>
```

```
<div class='item flex-row'>
```

```
<div class='item-left'>
```

```
<img src='<?=$row->src?>' alt='<?=$row->alt?>'>
```

```
</div>
```

```
<div class='item-mid'><?=$row->name?><br/>
```

```
$<?=$row->price?>
```

```
</div>
```

```
<div class='item-right'>
```

```
<button class='delete' value='<?=$row->id?>'>Remove</button>
```

```
</div>
```

```
</div>
```

```
<?php endwhile; ?>
```

</section>

## views/details.template.php

```
<div class='flex-row product-details'>
```

```
<div class='product-image'>
```

```
<?= "<img src='/' . $product->src.'" alt=''. $product->alt.'">";?>
```

```
<div class="rating">
```

```
<?php if (!isset($_SESSION['email'])) {
```

```
    echo "Please login to vote";
```

```
} else {
```

```
?>
```

```
<button class='vote' id='<?=$product->id?>' value='5'>☆</button>
```

```
<button class='vote' id='<?=$product->id?>' value='4'>☆</button>
```

```
<button class='vote' id='<?=$product->id?>' value='3'>☆</button>
```

```
<button class='vote' id='<?=$product->id?>' value='2'>☆</button>
```

```
<button class='vote' id='<?=$product->id?>' value='1'>☆</button>
```

```
<?php } ?>
```

```
</div>
```

```
<p>Users rating:&nbsp;&nbsp;&nbsp;<span  
id='user-rating'><?=$ratings->rating?></span>&nbsp;/&nbsp;&nbsp;&nbsp;5.0</p><br/><span id='denied'></span>
```

```
</div>
```

```
<div class='product-description'>
```

```
<h1>Description:</h1>
```

```
<?= "<p>". $product->productdescription."</p>";?>
```

```
</div>
```

```
<div class='product-right'>
```

```
<?= "<h1>" . $product->productname. "</h1>";?>
```

```
<hr>
```

```
<form method='POST' action='/account' id='add'>
```

```
<?= "<h1>$" . $product->productprice. "</h1>";?>
```

```
<input type="number" min='1' max='5' value='1' name='quantity'>
```

```
<br/>
```

```
<input type='hidden' name='price' id='price' value='<?=$product->productprice?' readonly>
```

```
<input type='hidden' name='productid' id='productid' value='<?=$product->id?' readonly>
```

```
<?php if (!isset($_SESSION['userid'])) { ?>
```

```
<a href='login'>Login to add to cart</a>
```

```
<?php ;} else {?>
```

```
<button name='add'>Add to cart</button>
```

```
<?php } ?>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<div class="flex-row more">
```

```
<?php if(!isset($_SESSION['userid'])) {?>
```

```
<a href="/login">Login to leave a review</a>
```

```
<?php } else {?>
```

```
<form action='/products' method="POST" class='review'>
```

```
<label for='heading'>Heading:</label>
```

```
<br/>
```

```
<input type='text' id='heading' name='heading' required/>
```

```
<br/>
```

```
<label for='content'>Review:</label>
```

<br/>

<textarea rows="4" cols="50" name='content' id='content' required></textarea>

<br/>

<input type='hidden' name='productid' value='<?=\$product->id?>' readonly>

<button type='submit' name='review'>Send</button>

</form>

<?php } ?>

<div class='comments'>

<?php while (\$comm = mysqli\_fetch\_object(\$comment)):?>

<div class='comment'>

<span>

<?=\$comm->first\_name ." ". \$comm->last\_name ." ". \$comm->date\_created?>

</span>

<p>

<?=\$comm->heading?>

</p>

<p>

<?=\$comm->content?>

</p>

</div>

<?php endwhile; ?>

</div>

</div>

## **views/home.template.php**

<section class='cover'>

<div class='hero'>

<h1>Conquer Every<br/> Trail</h1>

<p>

Grab a pair of our socks to help you keep going step<br/> after step! Every pair of toesocks provides blister<br/> protection, total foot utilization and moisture<br/> management.

</p>

<a href='products?category=1'><button class='shop-now-btn'>Shop now</button></a>

</div>

</section>

<section class='arrivals flex-row'>

<?php while (\$r = mysqli\_fetch\_object(\$row)) :?>

<div class='arrival'>

<a href="details?productid=<?=\$r->productid?"><img src='<?=\$r->src?' alt='<?=\$r->alt?'></a>

</div>

<?php endwhile;?>

</section>

<section class='trail'>

<div class='trail-bg'>

</div>

<div class='trail-socks' id='trailSocks'>

</div>

<div class='trail-text' id='trailText'>

<h1 class='trail-heading'>To the trail</h1>

<p>

Tackle the trails blister-free while keeping dirt and debris out so you can keep going mile after mile.

</p>

<a href='products?category=1'><button class='shop-now-btn'>Shop now</button></a>

</div>

</section>

```
<section class='mountain'>
```

```
  <div class='mountain-bg'>
```

```
  </div>
```

```
  <div class='mountain-socks' id='mountainSocks'>
```

```
  </div>
```

```
  <div class='mnt-text' id='mountainText'>
```

```
    <h1>To the mountain</h1>
```

```
    <p>
```

Support for every adventure, big or small—not to mention protection from unpredictable elements and terrain.

```
    </p>
```

```
    <a href='products?category=2'><button class='shop-now-btn'>Shop now</button></a>
```

```
  </div>
```

```
</section>
```

```
<section class='road'>
```

```
  <div class='road-bg'>
```

```
  </div>
```

```
  <div class='road-socks' id='roadSocks'>
```

```
  </div>
```

```
  <div class='trail-text' id='roadText'>
```

```
    <h1 class='road-heading'>To the road</h1>
```

```
    <p>
```

Take your run to the next level with our patented five-toe advantage and experience blister-free comfort.

```
    </p>
```

```
    <a href='products?category=3'><button class='shop-now-btn'>Shop now</button></a>
```

```
  </div>
```

```
</section>
```

```
<section class='shop-now flex-row'>
```

```
  <div class='shop-now-text'>
```



<h2>Compare product lines</h2>

<h1>Find Your Sock</h1>

<a href='products?category=1'><button class='btn-white'>Shop now</button></a>

</div>

</section>

<section class='benefits'>

<div class='left'>

<h1>Discover the benefits</h1>

<div class='benefits-buttons flex-row'>

<div class='benefit-btn util-btn dark' id='util'>

</div>

<div class='benefit-btn blister-btn' id='blister'>

</div>

<div class='benefit-btn manage-btn' id='manage'>

</div>

</div>

</div>

<div class='benefit-bg util fade'>

<div class='description'>

<h1>Total Foot Utilization</h1>

<p>

Injinji toesocks keep your toes separated, supporting proper alignment and toe splay. This distributes your weight evenly on your foot, keeping it fully engaged in any athletic activity.

</p>

</div>

</div>

<div class='benefit-bg blister fade'>

<div class='description'>

<h1>Blister Prevention</h1>

<p>

With each toe protected, skin-on-skin friction is completely eliminated, making those painful blisters and hot spots a thing of the past.

</p>

</div>

</div>

<div class='benefit-bg manage fade'>

<div class='description'>

<h1>Moisture Management</h1>

<p>

Keeping your toes individually wrapped in sweat-wicking material means your toes and feet are drier and therefore more comfortable than in a traditional sock.

</p>

</div>

</div>

</section>

## views/login.template.php

<?php

if (isset(\$\_SESSION['cart'])){

Header("location:/account");

}

?>

<div class='login'>

<h1> Customer Login</h1>

<h3>Registered Customers</h3>

<h5>If you have an account, sign in with your email address.</h5>

```

<form method='POST' action="/index">
    <input type='text' name='email' id='email' placeholder='Enter your name'/><br/>
    <input type='password' name='password' id='password' placeholder="Enter your password"/><br/>
    <button type="submit" id="register" class='register-btn' name='login'>Sign In</button>
</form>
</div>
<div class='new-customer'>
    <h2>New customer</h2>
    <p>Creating an account has many benefits: check out faster, keep more than one address, track orders
    and more.</p>

    <a href="/register"><button class='register-btn login-btn'>Create an account</button></a>
</div>

```

### views/product.template.php

```

<?php

// $categoryid = $_GET['category'] ?? 1;

// $get_products = "SELECT * FROM product p JOIN category c ON p.categoryid = c.categoryid
JOIN image i ON p.imageid = i.imageid WHERE p.categoryid = ".$categoryid;

// $products = mysqli_query($conn, $get_products);
?>

<div class='shop-cover'>

</div>
<section class='products-content flex-row'>
    <div class='filter'>
        <h5>Filter <br/> options</h5>

```

```

<hr>
<p>Gender</p>
<form action="#">
<p>
  <input type="radio" id="unisex" value='1' name="radio-filter">
  <label for="unisex">Unisex</label>
</p>
<p>
  <input type="radio" value='2' id="female" name="radio-filter" checked>
  <label for="female" >Female</label>
</p>
<p>
  <input type="radio" value='3' id="male" name="radio-filter">
  <label for="male">Male</label>
</p>
</form>
</div>
<div class='products'>
  <?php while ($row = mysqli_fetch_object($result)) : ?>

  <div class='product'>
    <a href='details?productid=<?=$row->productid?>'>
      <img src='<?=$row->src?>' alt='<?=$row->alt?>'>
      <div class='product-name'>
        <?=$row->name ?>
      </div>
    </a>
    <p>$<?=$row->price?></p>
  </div>
  <?php endwhile; ?>

```

```
</div>
</section>
```

### **views/register.template.php**

```
<section class="register">
  <h1>Create New Customer Account</h1>
  <form id='insert' method='POST' action="/register">
    <p>First name: </p>
    <input type='text' name='firstName' id='firstName' onBlur="first();"/><br/>
    <p>Last name: </p>
    <input type='text' name='lastName' id='lastName' onBlur="last();"/><br/>
    <p>Password: </p>
    <input type='password' name='password' id='password' required/><br/>
    <p>E-mail: </p>
    <input type='text' name='email' id='email' onBlur="mail();"/><br/>
    <button type="submit" id="register" class='register-btn' name='register'>Register</button>
  </form>
</section>
```

### **views/admin/admin.template.php**

```
<div style="text-align:center">
  <span onclick="showAdminTable(1)" class='show-table'>User table</span>
  <span onclick="showAdminTable(3)" class='show-table'>Product table</span>
  <span onclick="showAdminTable(4)" class='show-table'>Image table</span>
  <span onclick="showAdminTable(5)" class='show-table'>Comment table</span>
  <span onclick="showAdminTable(2)" class='show-table'>Cart table</span>
</div>
```

```
<?php
```

```
require_once view('admin/user');  
require_once view('admin/cart');  
require_once view('admin/product');  
require_once view('admin/image');  
require_once view('admin/comment');
```

**views/admin/cart.template.php**

**views/admin/comment.template.php**

**views/admin/image.template.php**

**views/admin/cart.template.php**

Углавном је исто осим што се мењају ID и Name атрибути

```
<!-- DELETE -->
```

```
<div class='admin-table'>
```

```
<h1>Cart table</h1>
```

```
<div class='flex-row'>
```

```
<form action="cart" method="POST">
```

```
<table>
```

```
<tr>
```

```
<th colspan='3'>Delete cart</th>
```

```
</tr>
```

```
<tr>
```

```
<th>CartID</th>
```

```
<th>UserID</th>
```

```
<th>Delete</th>
```

```
</tr>
```

```

<?php foreach ($cart as $row) :?>
<tr>
    <td>
        <?=$row->cartid?>
    </td>
    <td>
        <?=$row->userid?>
    </td>
    <td>
        <input type='checkbox' name='for-delete-cart[]' value='<?=$row->cartid?>'>
    </td>
</tr>
<?php endforeach;?>
<tr>
    <td colspan='3'>
        <button type='submit' name='cart-delete'>Delete</button>
    </td>
</tr>
</table>
</form>

```

```

<!-- EDIT -->

```

```

<form action="cart" method="POST">

```

```

<table>
<tr>
    <th colspan='3'>Edit cart</th>
</tr>
<tr>
    <th>ID</th>

```

```

<th>CartID</th>
<th>UserID</th>
</tr>
<tr>
<td>
<select id='update-cart' name='cartid'>
<option value='0'>Pick CartID</option>
<?php foreach ($cart as $row):?>
<option value='<?=$row->cartid?'>
<?=$row->cartid?>
</option>
<?php endforeach;?>
</select>
</td>
<td>
<input type='text' name='update-cartid' id='update-cartid' required readonly>
</td>
<td>
<input type='text' name='update-userid' id='update-userid' required>
</td>
<td>
<button type='submit' name='cart-update'>Update</button>
</td>
</tr>
</table>

</form>

<!-- ADD -->
<form action="cart" method="POST">

```



```

<table>

  <tr>
    <th colspan='2'>Add cart</th>
  </tr>

  <tr>
    <th>CartID</th>
    <th>UserID</th>
  </tr>

  <tr>
    <td>
      <input type='text' name='cartid' required>
    </td>
    <td>
      <input type='text' name='userid' required>
    </td>
    <td>
      <button type='submit' name='cart-insert'>Add</button>
    </td>
  </tr>
</table>
</form>
</div>
</div>

```

## assets/js/script.js

```
// showAdminTable(1);
```

```
// AJAX FOR DELETING ITEMS FROM CART
```

```
$(document).ready(function () {
```

```

$('#items').on('click', '.delete', function () {
    var productid = this.value;
    if (confirm("Do you want to remove this item from your cart?")) {
        $.ajax({
            type: "POST",
            url: 'ajax/item_remove.php',
            data: {
                productid: productid
            },
            success: function (response) {
                //
                var result = JSON.parse(response);
                var output = "";
                if (result.length > 0) {
                    $.each(result, function (key, value) {
                        output += `<div class='item flex-row'>
                            <div class='item-left'>
                                <img src='${value['src']}' alt='${value['alt']}'>
                            </div>
                            <div class='item-mid'>${value['name']}<br/>
                                ${value['price']}
                            </div>
                            <div class='item-right'>
                                <button class='delete' value='${value['id']}'>Remove</button>
                            </div>
                        </div>`;
                    });
                    $("#items").html(output);
                }
            }
        })
    } else {

```

```

        output = "You have no items in your cart";
        $("#items").html(output);
    }

}

})

}

})

})

//AJAX CART END


//AJAX FOR COMMENT EDIT
$("#update-comment").on('change', function(){
    var id = this.id;
    var value = this.value;
    $.ajax({
        url: 'ajax/comment_update.php',
        type: 'POST',
        data: {
            id:id,
            value: value
        },
        success: function(response){
            var data = JSON.parse(response);
            $("#update-heading").val(data[0]['heading']);
            $("#update-content").val(data[0]['content']);
            $("#update-date").val(data[0]['date_created']);
            $("#update-c-userid").val(data[0]['userid']);
            $("#update-c-productid").val(data[0]['productid']);
        }
    });

```

```
    })  
  })  
  //END
```

```
  //AJAX FOR RATING  
  $(".vote").on('click', function(){  
    var value = this.value;  
    var productid = this.id;  
    $.ajax({  
      url: "ajax/rating.php",  
      type: "POST",  
      data : {  
        value: value,  
        productid: productid  
      },  
      success: function(response){  
        var data = JSON.parse(response);  
        if (jQuery.type(data)=='string'){  
          $("#denied").html(data);  
        }  
        else {  
          $("#user-rating").html(data['rating']);  
        }  
      }  
    })  
  })  
  //END
```

```
  //AJAX FOR GENDER FILTER
```

```

$('[name=radio-filter]').on('click', function () {
    var gender = $(this).val();
    $.ajax({
        type: "POST",
        url: "ajax/gender.php",
        data: {
            gender: gender
        },
        success: function (response) {

            var products = JSON.parse(response);
            $(".products").empty();
            var text = "";
            if (products.length < 1) {
                text = `<h1>No products found for selected gender</h1>`;
                $(".products").append(text);
            }
            $.each(products, function (key, value) {

                text = `<div class='product'><a href='details?productid=${products[key]['productid']}'><img
src='/${products[key]['src']}' alt='${products[key]['alt']}'><div class='product-name'>${products[key]
['name']}</div></a><p>${products[key]['price']}</p></div>`;
                $(".products").append(text);
            })
        }
    })
})

// END

//EDIT CART AJAX//

```

```
$("#update-cart").on("change", function () {  
    var cartid = this.value;  
    $.ajax({  
        url: "ajax/cart_update.php",  
        data: {  
            cartid: cartid  
        },  
        type: "POST",  
        success: function (response) {  
  
            var result = JSON.parse(response);  
  
            $("#update-userid").val(result[0]['userid']);  
            $("#update-cartid").val(result[0]['cartid']);  
        }  
    })  
})
```

//END

//EDIT USER AJAX

```
$("#update-user").on('change', function () {  
    var userid = this.value;  
    $.ajax({  
        url: 'ajax/user_update.php',  
        type: "POST",  
        data: {  
            userid: userid  
        },  
        success: function (response) {
```

```
var result = JSON.parse(response);
$("#update-first").val(result[0]['first_name']);
$("#update-last").val(result[0]['last_name']);
$("#update-email").val(result[0]['email']);
$("#update-password").val(result[0]['password']);
$("#update-roleid").val(result[0]['roleid']);
}
})

})
```

//END

//EDIT PRODUCT AJAX

```
$("#update-product").on('change', function () {
    var productid = this.value;
    $.ajax({
        url: "ajax/product_update.php",
        method: "POST",
        data: {
            productid: productid
        },
        success: function (response) {
            var result = JSON.parse(response);
            $("#update-name").val(result[0]['name']);
            $("#update-desc").val(result[0]['description']);
            $("#update-price").val(result[0]['price']);
            $("#update-cat").val(result[0]['categoryid']);
            $("#update-gender").val(result[0]['genderid']);
            $("#update-image").val(result[0]['imageid']);
```

```
    }  
  })  
})
```

```
//END
```

```
//EDIT IMAGE AJAX
```

```
$("#update-images").on('change', function () {  
  var imageid = this.value;  
  $.ajax({  
    url: "ajax/image_update.php",  
    type: "POST",  
    data: {  
      imageid: imageid  
    },  
    success: function (response) {  
      var result = JSON.parse(response);  
      $("#update-src").val(result[0]['src']);  
      $("#update-alt").val(result[0]['alt']);  
    }  
  })  
})  
//EDIT
```

```
//CHANGE BENEFITS ON CLICK
```

```
showBenefits(1);
```

```
function showBenefits(n) {
```

```
  let benefits = document.getElementsByClassName('benefit-bg');
```



```
for (let i = 0; i < benefits.length; i++) {

    benefits[i].style.display = 'none';

}
benefits[n - 1].style.display = 'block';

}
//END

//ADD LISTENERS
addListeners();

function addListeners() {
    document.getElementById('util').addEventListener('click', function () {

        showBenefits(1);

        addDark(this, 'dark');

        removeManageAndBlister();

    });
    document.getElementById('blister').addEventListener('click', function () {

        showBenefits(2);

        addDark(this, 'dark1');
```

```
removeUtilAndManage();

});

document.getElementById('manage').addEventListener('click', function () {

    showBenefits(3);

    addDark(this, 'dark2');

    removeUtilAndBlister();
});

window.addEventListener('scroll', function () {
    scroll();
})
}
//ADD DARKENED BACKGROUNDS TO BENEFITS BUTTONS
function addDark(element, className) {

    let lista = element.classList;

    if (!lista.contains(className)) {

        element.classList.add(className);

    }
}
//END

//REMOVING DARK BACKGROUND FROM NON-CLICKED BUTTONS
```

```
function removeManageAndBlister() {  
  
    let btnBlister = document.getElementById('blister');  
    let btnManage = document.getElementById('manage');  
  
    btnBlister.classList.remove('dark1');  
    btnManage.classList.remove('dark2');  
}
```

```
function removeUtilAndBlister() {  
  
    let btnUtil = document.getElementById('util');  
    let btnBlister = document.getElementById('blister');  
  
    btnUtil.classList.remove('dark');  
    btnBlister.classList.remove('dark1');  
}
```

```
function removeUtilAndManage() {  
  
    let btnUtil = document.getElementById('util');  
    let btnManage = document.getElementById('manage');  
  
    btnUtil.classList.remove('dark');  
    btnManage.classList.remove('dark2');  
}
```

```
//SLIDE IN / OUT WHEN SCROLLING  
function scrollFirst(posY) {
```

```
if (posY > 850) {
```

```
    document.getElementById("trailText").classList.add('slideToRight');
```

```
    document.getElementById("trailSocks").classList.add('slideToLeft');
```

```
}
```

```
}
```

```
function scrollSecond(posY) {
```

```
    if (posY > 1300) {
```

```
        document.getElementById("mountainText").classList.add('slideToLeft');
```

```
        document.getElementById("mountainSocks").classList.add('slideToRight');
```

```
    }
```

```
}
```

```
function scrollThird(posY) {
```

```
    if (posY > 1800) {
```

```
        document.getElementById("roadText").classList.add('slideToRight');
```

```
        document.getElementById("roadSocks").classList.add('slideToLeft');
```

```
    }
```

```
}
```

```
function scroll() {  
  
    let posY = window.scrollY || window.scrollTop || document.getElementsByTagName("html")  
[0].scrollTop;  
  
    scrollFirst(posY);  
    scrollSecond(posY);  
    scrollThird(posY);  
  
}
```

```
function showAdminTable(n) {  
  
    let tables = document.getElementsByClassName('admin-table');  
  
    for (let i = 0; i < tables.length; i++) {  
  
        tables[i].style.display = 'none';  
  
    }  
    tables[n - 1].style.display = 'block';  
  
}
```

```
function first() {  
    var regName = /^[A-Za-z]{4,15}$/;  
    var first = document.getElementById('firstName');
```

```
if(!regName.test(first)) {  
    first.style.borderColor='red';  
}  
else {  
    first.style.borderColor='green';  
}  
}
```

```
function last() {  
    var regName = /^[A-Za-z]{4,15}$/;  
    var last = document.getElementById('lastName');  
    if(!regName.test(last)) {  
        last.style.borderColor='red';  
    }  
    else {  
        last.style.borderColor='green';  
    }  
}
```

```
function mail(){  
    var mail = document.getElementById('email');  
    var regMail = /^[w+@[a-zA-Z_]+?\.[a-zA-Z]{2,3}$/;  
    if(!regMail.test(mail)) {  
        mail.style.borderColor='red';  
    }  
    else {  
        mail.style.borderColor='green';  
    }  
}
```

## main.css

```
* {  
  font-family: 'Roboto', sans-serif;  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}
```

```
.flex-row {  
  display: flex;  
  justify-content: space-between;  
}
```

```
header {  
  box-shadow: 0 0 15px 0 #817e81;  
  position: fixed;  
  background-color: white;  
  z-index: 2;  
  width: 100%;  
}
```

```
.logo {  
  flex: 1;  
  text-align: center;  
}
```

```
nav {  
  flex: 3;  
}
```

```
nav ul {  
  list-style: none;  
}
```

```
nav ul li {  
  display: inline-block;  
  padding: 30px 50px;  
}
```

```
nav a {  
  text-decoration: none;  
  color: #333;  
  font-weight: bold;  
  font-size: 20px;  
}
```

```
.cart {  
  flex: 1;  
  text-align: center;  
  padding: 30px 50px;  
  justify-content: space-around;  
}
```

```
.cart a {  
  text-decoration: none;  
  color: #333;  
}
```

```
main {  
  position: relative;
```



```
top: 105px;
min-height: 400px;
background-color: #FFFFFF;
}
```

```
.author {
  min-height: 300px;
  padding: 8% 15%;
  color: #333;
  text-align: center;
}
```

```
.author img {
  max-width: 100%;
  height: auto;
}
```

```
footer {
  width: 100%;
  height: 50px;
  background-color: #333;
  color: white;
  text-align: center;
}
```

```
footer a {
  text-decoration: none;
  color: white;
  margin-right: 20px;
```

```
}
```

```
.cover {  
  min-height: 691px;  
  background-image: url('../img/other/cover.jpg');  
  background-repeat: no-repeat;  
  background-size: cover;  
  background-position: 70% 50%;  
  padding: 10%;  
}
```

```
.hero {  
  width: 80%;  
  margin-left: 4%;  
}
```

```
.hero h1 {  
  font-size: 68px;  
  font-weight: bold;  
}
```

```
.hero p {  
  margin-top: 40px;  
  color: white;  
  font-weight: bold;  
  letter-spacing: 2px;  
  font-size: 18px;  
  line-height: 30px  
}
```

```
.shop-now-btn {  
  padding: 15px;  
  position: absolute;  
  border-radius: 25px;  
  width: 130px;  
  margin-top: 20px;  
  border: 2px solid black;  
  font-weight: bold;  
  background-color: transparent;  
  cursor: pointer;  
  line-height: 25px;  
}
```

```
.hero button:hover {  
  background-color: black;  
  color: white;  
}
```

```
.arrivals {  
  min-height: 500px;  
  padding: 10%;  
  /*background-color: rgb(241, 241, 241);*/  
  background-color: white;  
}
```

```
.arrivals a {  
  text-decoration: none;  
  color: #333;  
}
```

```
.arrivals a:hover {  
  opacity: 0.8;  
}
```

```
.arrival {  
  flex-basis: 20%;  
}
```

```
.arrivals p {  
  position: relative;  
  left: -100px;  
  width: 200px;  
  transition: left 1s;  
}
```

```
.trail {  
  height: 500px;  
  background-color: rgb(241, 241, 241);  
}
```

```
.trail-bg {  
  position: absolute;  
  width: 100%;  
  height: 500px;  
  background-image: url('../img/sections/trail-bg.png');  
  background-position: right;  
  background-repeat: no-repeat;  
}
```

```
.trail-socks {
```

```
height: 500px;
width: 50%;
float: right;
position: relative;
background-image: url('../img/sections/trail-fg.png');
background-repeat: no-repeat;
background-position: right;
opacity: 0;
visibility: hidden;
}
```

```
.trail-text {
  max-width: 33%;
  margin-left: 13%;
  padding-top: 130px;
  opacity: 0;
  visibility: hidden;
}
```

```
.trail-text h1,
.mnt-text h1 {
  font-size: 48px;
  display: inline;
  color: #333;
}
```

```
.trail-heading::after {
  background-color: #fe5a7d;
  content: "";
  display: block;
```

```
height: 2px;
margin-top: 17px;
width: 170px;
}
```

```
.trail-text p,
.mnt-text p {
margin-top: 15px;
letter-spacing: 2px;
font-size: 15px;
line-height: 30px;
color: #333;
}
```

```
.trail-text button:hover {
background-color: #fe5a7d;
color: white;
border-color: #fe5a7d;
cursor: pointer;
}
```

```
.mountain {
height: 500px;
background-color: white;
}
```

```
.mountain-bg {
width: 100%;
height: 500px;
position: absolute;
```

```
background-image: url('../img/sections/mnt-bg.png');
background-position: left;
background-repeat: no-repeat;
}
```

```
.mountain-socks {
  width: 50%;
  height: 500px;
  position: relative;
  float: left;
  background-image: url('../img/sections/mnt-fg.png');
  background-repeat: no-repeat;
  background-position: left;
  opacity: 0;
  visibility: hidden;
}
```

```
.mnt-text {
  float: right;
  max-width: 33%;
  padding-top: 130px;
  margin-right: 13%;
  opacity: 0;
  visibility: hidden;
}
```

```
.mnt-text h1::after {
  background-color: #41cbb0;
  content: "";
  display: block;
```

```
height: 2px;
margin-top: 17px;
width: 170px;
}
```

```
.mnt-text button:hover {
background-color: #41cbb0;
border-color: #41cbb0;
color: white;
cursor: pointer;
}
```

```
.road {
height: 500px;
background-color: rgb(241, 241, 241);
}
```

```
.road-bg {
height: 500px;
width: 100%;
position: absolute;
background-image: url('../img/sections/road-bg.png');
background-repeat: no-repeat;
background-position: right;
}
```

```
.road-socks {
background-image: url('../img/sections/road-fg.png');
position: relative;
width: 50%;
```



```
height: 500px;
float: right;
background-repeat: no-repeat;
background-position: right;
opacity: 0;
visibility: hidden;
}
```

```
.road-heading::after {
background-color: #FD8E00;
content: "";
display: block;
height: 2px;
margin-top: 17px;
width: 170px;
}
```

```
.road-socks button:hover {
background-color: #FD8E00;
border-color: #FD8E00;
color: white;
cursor: pointer;
}
```

```
.shop-now {
width: 100%;
min-height: 400px;
background-image: url('../img/sections/shop-now.jpg');
background-position: center;
background-repeat: no-repeat;
```

```
color: white;
}
```

```
.shop-now-text {
  flex-basis: 33%;
  text-align: center;
  margin: auto;
}
```

```
.shop-now-text h1 {
  margin-top: 10px;
  font-size: 3em;
}
```

```
.btn-white {
  color: white;
  padding: 15px;
  border-radius: 25%;
  width: 50%;
  margin-top: 20px;
  border: 2px solid white;
  font-weight: bold;
  background-color: transparent;
  cursor: pointer;
}
```

```
.btn-white:hover {
  border-color: white;
  color: black;
  background-color: white;
}
```

```
}
```

```
.benefits {  
  min-height: 700px;  
  width: 100%;  
  position: relative;  
}
```

```
.left {  
  position: absolute;  
  color: #333;  
  font-size: 25px;  
  margin-top: 10%;  
  margin-left: 12%;  
  z-index: 1;  
}
```

```
.benefits-buttons {  
  min-height: 110px;  
  width: 100%;  
  position: absolute;  
}
```

```
.benefit-btn {  
  flex-basis: 30%;  
  background-repeat: no-repeat;  
  background-position: center;  
  background-size: contain;  
  cursor: pointer;  
}
```

```
.util-btn {  
  background-image: url('../img/benefits/util.png');  
}
```

```
.blister-btn {  
  background-image: url('../img/benefits/blister.png');  
}
```

```
.manage-btn {  
  background-image: url('../img/benefits/manage.png');  
}
```

```
.dark {  
  background-image: url('../img/benefits/util-bg.png');  
}
```

```
.dark1 {  
  background-image: url('../img/benefits/blister-bg.png');  
}
```

```
.dark2 {  
  background-image: url('../img/benefits/manage-bg.png');  
}
```

```
.benefit-bg {  
  background-position: right;  
  background-size: contain;  
  width: 100%;  
  min-height: 700px;
```

```
background-repeat: no-repeat;
display: none;
/*opacity: 0.5;
/*transition: opacity 2s;
/* animation-name: fade;
animation-duration: 0.5s;*/
}
```

```
.description {
margin-left: 12%;
margin-top: 21%;
width: 30%;
line-height: 2;
}
```

```
.description h1 {
position: relative;
top: 20px;
color: #333;
}
```

```
.description p {
font-weight: bold;
margin-top: 40px;
font-size: 16px;
color: #747779;
}
```

```
.util {
background-image: url('../img/benefits/1.png');
```

```
background-color: #DEEDF4;  
position: absolute;  
}
```

```
.blister {  
background-image: url('../img/benefits/2.png');  
background-color: #D8C9C5;  
position: absolute;  
}
```

```
.manage {  
background-image: url('../img/benefits/3.png');  
background-color: #EAECEA;  
position: absolute;  
}
```

```
.shop-cover {  
min-height: 400px;  
background-image: url('../img/sections/shop-cover.jpg');  
background-repeat: no-repeat;  
background-size: cover;  
background-position: 70% 50%;  
padding: 10%;  
}
```

```
.products-content {  
min-height: 800px;  
width: 100%;  
padding: 2%;  
background-color: #F6F7F8;
```

```
}
```

```
.filter {  
  margin-top: 50px;  
  flex: 1;  
  background-color: white;  
}
```

```
.filter p {  
  margin: 50px;  
  color: #333;  
}
```

```
.filter h5 {  
  margin: 40px;  
  color: #333;  
  font-size: 20px;  
}
```

```
.filter hr {  
  width: 90%;  
}
```

```
[type="radio"]:checked,  
[type="radio"]:not(:checked) {  
  position: absolute;  
  left: -9999px;  
}
```

```
[type="radio"]:checked+label,
```

```
[type="radio"]:not(:checked)+label {  
    position: relative;  
    padding-left: 28px;  
    cursor: pointer;  
    line-height: 20px;  
    display: inline-block;  
    color: #666;  
}
```

```
[type="radio"]:checked+label:before,  
[type="radio"]:not(:checked)+label:before {  
    content: " ";  
    position: absolute;  
    left: 0;  
    top: 0;  
    width: 18px;  
    height: 18px;  
    border: 1px solid #ddd;  
    border-radius: 100%;  
    background: #fff;  
}
```

```
[type="radio"]:checked+label:after,  
[type="radio"]:not(:checked)+label:after {  
    content: " ";  
    width: 12px;  
    height: 12px;  
    background: #333;  
    position: absolute;  
    top: 4px;
```



```
left: 4px;
border-radius: 100%;
-webkit-transition: all 0.2s ease;
transition: all 0.2s ease;
}
```

```
[type="radio"]:not(:checked)+label:after {
  opacity: 0;
  -webkit-transform: scale(0);
  transform: scale(0);
}
```

```
[type="radio"]:checked+label:after {
  opacity: 1;
  -webkit-transform: scale(1);
  transform: scale(1);
}
```

```
.products {
  text-align: center;
  flex: 5;
  margin-top: 50px;
}
```

```
.products h1 {
  margin-top: 200px;
}
```

```
.products img {
  max-width: 100%;
}
```

```
height: auto;  
}
```

```
.product {  
width: 33%;  
min-height: 350px;  
display: inline-block;  
}
```

```
.product img:hover {  
opacity: 0.8;  
}
```

```
.product a {  
text-decoration: none;  
color: #333;  
}
```

```
.product a:hover {  
opacity: 0.6;  
}
```

```
.product-name {  
width: 100%;  
position: relative;  
bottom: 10px;  
}
```

```
.product-details {  
color: #333;
```

```
    min-height: 550px;
}
```

```
.product-image {
    /* position: relative;
    top: 50px; */
    flex: 1;
    text-align: center;
    height: 415px;
}
```

```
.product-image img {
    margin-top: 70px;
    max-width: 100%;
    height: auto;
}
```

```
.product-right {
    margin-top: 40px;
    /* position: relative;
    top: 10px; */
    flex: 1;
    min-height: 415px;
    text-align: center;
    font-size: 21px;
}
```

```
.product-right input{
    border: 1px solid black;
    height: 30px;
```

```
width: 50%;  
border-radius: 25px;  
color: black;  
padding: 0 29px;  
margin: 10px auto;  
}
```

```
.product-right h1 {  
width: 230px;  
margin: 0 auto;  
}
```

```
.rating {  
direction: rtl;  
text-align: center;  
}
```

```
.rating > button {  
display: inline-block;  
position: relative;  
width: 1.1em;  
}
```

```
.rating > button:hover:before,  
.rating > button:hover ~ button:before {  
content: "\2605";  
position: absolute;  
}
```

```
.rating button {  
background-color: transparent;  
border: none;
```

```
font-size: 50px;  
color: #2E8B57;  
cursor: pointer;  
}
```

```
.product-right a{  
font-size: 28px;  
height: 50px;  
flex: 1;  
margin: 100px;  
text-decoration: none;  
font-style: italic;  
color: #337AC0;  
}
```

```
.product-right button {  
border: none;  
color: white;  
text-decoration: none;  
width: 40%;  
margin-top: 10px;  
height: 80px;  
font-size: 34px;  
background-color: #e31e26;  
cursor: pointer;  
}
```

```
.product-right button:hover {  
opacity: 0.8;  
}
```

```
.more {  
  background-color: #F6F7F8;  
  color: #333;  
  justify-content: space-around;  
}
```

```
.product-description {  
  flex: 1;  
  text-align: left;  
  /* margin: 0 auto; */  
  padding-top: 100px;  
  line-height: 2em;  
  color: #333;  
}
```

```
.product-description h1 {  
  margin: 20px 0px 30px 0;  
}
```

```
.more input {  
  border: 1px solid #c7c7c7;  
  height: 50px;  
  width: 50%;  
  color: #798189;  
  padding: 0 20px;  
  margin: 10px auto;  
}
```

```
.more textarea {
```

```
border: 1px solid #c7c7c7;
width: 50%;
color: #798189;
padding: 0 20px;
margin: 10px auto;
}
```

```
.review {
  flex: 1;
  text-align: center;
  padding: 20px;
}
```

```
.review button {
  border: none;
  color: white;
  text-decoration: none;
  width: 20%;
  margin-top: 10px;
  height: 40px;
  font-size: 25px;
  background-color: #e31e26;
  cursor: pointer;
}
```

```
.comments {
  flex: 1;
  padding: 20px;
}
```

```
.more a {  
  font-size: 36px;  
  height: 50px;  
  flex: 1;  
  margin: 100px;  
  text-decoration: none;  
  font-style: italic;  
  color: #337AC0;  
}
```

```
.comment {  
  width: 400px;  
  min-height: 200px;  
  margin: auto;  
  margin-bottom: 10px;  
  background-color: #F6E6FF;  
  padding: 20px;  
}
```

```
.comment span {  
  color: seagreen;  
}
```

```
.comment p:first-of-type {  
  font-style: italic;  
}
```

```
.comment p {  
  margin-top: 10px  
}
```



```
#items {  
  padding: 10%;  
  min-height: 700px;  
  width: 100%;  
  background-color: #F6F7F8;  
}
```

```
.item:first-of-type {  
  border-top: 1px solid black;  
}
```

```
.item {  
  width: 60%;  
  height: 80px;  
  margin: 0 auto;  
  border-bottom: 1px solid black;  
}
```

```
.cart-buttons {  
  min-height: 700px;  
  width: 50%;  
  margin: 0 auto;  
  background-color: #F6F7F8;  
  text-align: center;  
}
```

```
.cart-buttons button {  
  border: none;  
  background-color: royalblue;
```

```
cursor: pointer;  
width: 150px;  
height: 35px;  
}
```

```
.item-left {  
  flex: 1;  
  height: 100%;  
}
```

```
.item-mid {  
  height: 100%;  
  flex: 2;  
  margin-top: 40%;  
  text-align: center;  
}
```

```
.item-right {  
  flex: 1;  
  height: 100%;  
  text-align: center;  
  margin-top: 30%;  
}
```

```
.item-right button {  
  border: 1px solid black;  
  height: 30px;  
  width: 50%;  
  border-radius: 25px;  
  background-color: white;
```

```
margin: auto;
cursor: pointer;
}
```

```
.item img {
  max-width: 100%;
  height: 100%;
}
```

```
.product-right hr {
  width: 50%;
  margin: 20px auto;
}
```

```
.register {
  min-height: 700px;
  width: 100%;
  padding-top: 5%;
  background-color: #F6F7F8;
  text-align: center;
}
```

```
.register p::after {
  content: "*";
  color: red;
}
```

```
.register h1 {
  font-size: 48px;
  margin-bottom: 20px;
```

```
}
```

```
#insert {  
  width: 60%;  
  margin: 0 auto;  
}
```

```
.register input,  
.login input {  
  border: 1px solid #c7c7c7;  
  height: 50px;  
  width: 80%;  
  border-radius: 25px;  
  color: #798189;  
  padding: 0 29px;  
  margin: 10px auto;  
}
```

```
.login {  
  color: #3b3b3b;  
  width: 50%;  
  min-height: 500px;  
  float: left;  
  text-align: center;  
  padding: 5%;  
  background-color: #F6F7F8;  
}
```

```
.new-customer {  
  width: 50%;
```

```
min-height: 500px;
padding: 10%;
float: right;
background-color: #F6F7F8;
color: #3b3b3b;
}
```

```
.new-customer p {
margin-top: 20px;
margin-bottom: 20px;
font-size: 12px;
}
```

```
.register-btn:hover {
color: white;
background-color: black;
}
```

```
.register-btn {
border: 1px solid black;
height: 50px;
width: 50%;
border-radius: 25px;
background-color: white;
padding: 0 29px;
margin: 10px auto;
}
```

```
.login-btn {
margin-top: 20px;
```

```
}
```

```
.login h1 {  
  font-size: 48px;  
  margin: 0px;  
}
```

```
.login h3 {  
  margin: 10px;  
}
```

```
.login h5 {  
  margin: 10px;  
}
```

```
.register-btn {  
  font-weight: bold;  
  cursor: pointer;  
  color: black;  
}
```

```
.admin-table {  
  display: none;  
  height: auto;  
  margin: 0 auto;  
  text-align: center;  
}
```

```
.admin-table table {  
  padding: 30px;
```

```
}
```

```
.admin-table button {  
  height: 50px;  
  width: 100px;  
  background-color: transparent;  
  cursor: pointer;  
}
```

```
.admin-table h1 {  
  width: 400px;  
  margin: 0 auto;  
  text-align: center;  
  padding-top: 80px;  
}
```

```
.admin-table input {  
  border: 1px solid black;  
  height: 30px;  
  width: 80%;  
  border-radius: 25px;  
  color: black;  
  padding: 0 29px;  
  margin: 10px auto;  
}
```

```
.show-table {  
  border: none;  
  position: relative;  
  top: 70px;
```

```
margin: 0px 25px;
font-size: 15px;
background-color: #337AC0;
cursor: pointer;
}
```

```
table {
  text-align: center;
}
```

```
td {
  border-bottom: 1px solid #337AC0;
  min-width: 100px;
}
```

```
th {
  background-color: #337AC0;
  color: white;
}
```

```
tr {
  height: 50px;
}
```

```
tr:hover {
  background-color: #f5f5f5;
}
```

```
table img {
  max-width: 10%;
}
```



```
height: 10%;  
}
```

```
/*ANIMATIONS*/
```

```
/*BENEFITS FADE*/
```

```
.fade {  
  animation-name: fade;  
  animation-duration: 0.5s;  
  opacity: 1;  
}
```

```
@keyframes fade {  
  from {  
    opacity: 0;  
  }  
  to {  
    opacity: 1;  
  }  
}
```

```
/*BENEFITS END*/
```

```
/*SLIDE RIGHT*/
```

```
.slideToRight {  
  animation-name: slideToRight;  
  animation-duration: 1s;  
  opacity: 1;
```

```
visibility: visible;
}
```

```
@keyframes slideToRight {
  0% {
    opacity: 0;
    -webkit-transform: translateX(-70%);
  }
  100% {
    opacity: 1;
    -webkit-transform: translateX(0%);
  }
}
```

```
/*SLIDE RIGHT END*/
```

```
/*SLIDE TO LEFT*/
```

```
.slideToLeft {
  animation-name: slideToLeft;
  animation-duration: 1s;
  opacity: 1;
  visibility: visible;
}
```

```
@keyframes slideToLeft {
  0% {
    opacity: 0;
    -webkit-transform: translateX(70%);
  }
}
```

```
100% {  
  opacity: 1;  
  -webkit-transform: translateX(0%);  
}  
}
```

```
/*SLIDE LEFT END*/
```

## 4. Дизајн базе

