

DOCUMENT APPROVAL SYSTEM

Office Document Clearance & Approval Workflow

<p>https://www.google.com/?zx=178341490595
3</p>

Tables and rules

1. Actors

[illegible]

```
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:196px">
<p style="line-height:1.38"><strong><span style="overflow:hidden"><span style="overflow-
wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span
style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-
weight:400"><span style="font-style:normal"><span style="text-
decoration:none">Description</span></span></span></span></span></span></span></strong></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:199px">
<p style="line-height:1.38"><strong><span style="overflow:hidden"><span style="overflow-
wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span
style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-
weight:400"><span style="font-style:normal"><span style="text-decoration:none">Primary
Responsibilities</span></span></span></span></span></span></span></strong></p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:198px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">Employee</span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:196px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-decoration:none">Document
```


[illegible]

family:Arial,sans-serif">Senior Approver</p></td>	
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:196px"> <p style="line-height:1.38">Final authority</p></td> <td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px"> <p style="line-height:1.38">Final approval, override decisions</p></td> </tr> <tr><td> <td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"> <p style="line-height:1.38">Compliance Officer</p></td> <td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:196px"> <p style="line-height:1.38"><span style="font- </td></tr>	<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"> <p style="line-height:1.38">Compliance Officer</p></td> <td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:196px"> <p style="line-height:1.38"><span style="font-
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"> <p style="line-height:1.38">Compliance Officer</p></td> <td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:196px"> <p style="line-height:1.38"><span style="font-	

family:Arial,sans-serif">Audit stakeholder</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px">

<p style="line-height:1.38">Review audit trails and reports</p></td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px">

<p style="line-height:1.38">System Administrator</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:196px">

<p style="line-height:1.38">System owner</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px">

<p style="line-height:1.38"><span style="font-

family:Arial,sans-serif">Manage users, workflows and configurations</p>
</td>
</tr>
</tbody>
</table>
</div>

<h1 style="line-height:1.38; margin-top:32px; margin-bottom:8px">2. Primary Use Cases</h1>

<div>
<table style="border:none; border-collapse:collapse" width="592">
<colgroup>
<col width="195" />
<col width="198" />
<col width="199" />
</colgroup>
<tbody>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:195px">
<p style="line-height:1.38">Use Case ID</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px">
<p style="line-height:1.38"><span style="font-

family:Arial,sans-serif">Use Case</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px"><p style="line-height:1.38">Summary</p></td></tr><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:195px"><p style="line-height:1.38">UC-001</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"><p style="line-height:1.38">Create Document</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px"><p style="line-height:1.38"><span style="font-

family:Arial,sans-serif">Employee creates document request</p></td></tr><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:195px"><p style="line-height:1.38">UC-002</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"><p style="line-height:1.38">Submit Document</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px"><p style="line-height:1.38">Submit draft into workflow</p></td></tr><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:195px"></td></tr></table>
--

UC-003

Review Document

Reviewer reviews request

UC-004

Request Additional Info

Reviewer requests clarification

UC-005

Approve Document

Approver approves stage

UC-006

Reject Document

Approver rejects request

top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:195px"> <p style="line-height:1.38">UC-007</p>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:198px"> <p style="line-height:1.38">Audit Document</p>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:199px"> <p style="line-height:1.38">Compliance officer reviews history</p>

3. State Definitions

```
<table style="border:none; border-collapse:collapse" width="593">
<colgroup>
<col width="221" />
<col width="180" />
<col width="192" />
</colgroup>
<tbody>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span style="font-style:normal"><span style="text-decoration:none">State</span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span style="font-style:normal"><span style="text-decoration:none">Meaning</span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span style="font-style:normal"><span style="text-decoration:none">Owner</span></span></span></span></span></span></span></p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
```

top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px"> <p style="line-height:1.38">DRAFT</p></td> <td> border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px"> <p style="line-height:1.38">Created but not submitted</p></td> <td> border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px"> <p style="line-height:1.38">Employee</p></td> </td></td>	border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px"> <p style="line-height:1.38">Created but not submitted</p></td> <td> border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px"> <p style="line-height:1.38">Employee</p></td> </td>	border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px"> <p style="line-height:1.38">Employee</p></td>
</tr>		
<tr>		
border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px"> <p style="line-height:1.38">SUBMITTED</p></td> <td colspan="2"></td></td>	</td>	

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">

<p style="line-height:1.38">Submitted to workflow</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">

<p style="line-height:1.38">System</p></td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">UNDER_REVIEW</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">

<p style="line-height:1.38">Being reviewed</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">

<p style="line-height:1.38">Reviewer/Approver</p>

</td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">ADDITIONAL_INFO_REQUESTED</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">

<p style="line-height:1.38">Waiting for clarification</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">

<p style="line-height:1.38"><span

style="font-style:normal">Employee</p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38">RESUBMITTED</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">
<p style="line-height:1.38">Clarification submitted</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">
<p style="line-height:1.38">Employee</p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">APPROVED</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:180px">
<p style="line-height:1.38">Workflow completed successfully</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">
<p style="line-height:1.38">System</p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38">REJECTED</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-


```
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:192px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span style="font-style:normal"><span style="text-decoration:none">System</span></span></span></span></span></span></span></span></p>
</td>
</tr>
</tbody>
</table>
</div>
```

```
<h1 style="line-height:1.38; margin-top:32px; margin-bottom:8px"><span style="font-size:23pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:700"><span style="font-style:normal"><span style="text-decoration:none">4. State Transition Rules</span></span></span></span></span></span></h1>
```

```
<div>
<table style="border:none; border-collapse:collapse" width="593">
<colgroup>
<col width="221" />
<col width="72" />
<col width="221" />
<col width="79" />
</colgroup>
<tbody>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span style="font-style:normal"><span style="text-decoration:none">Current State</span></span></span></span></span></span></span></p>
```

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px">

<p style="line-height:1.38">Action</p>
</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">Next
State</p>
</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px">

<p style="line-height:1.38">Allowed
Role</p>
</td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">DRAFT</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px">

<p style="line-height:1.38">Submit</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">SUBMITTED</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px">

<p style="line-height:1.38">Employee</p></td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38"><span style="text-

decoration:none">SUBMITTED</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px">
<p style="line-height:1.38">Assign</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38">UNDER_REVIEW</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px">
<p style="line-height:1.38">System</p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">
<p style="line-height:1.38"><span style="font-

family:Arial,sans-serif">UNDER_REVIEW</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px">

<p style="line-height:1.38">Request Info</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">ADDITIONAL_INFO_REQUESTED</p></td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px">

<p style="line-height:1.38">Reviewer</p></td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">ADDITIONAL_INFO_REQUESTED</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px">

<p style="line-height:1.38">Respond</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px">

<p style="line-height:1.38">RESUBMITTED</p>

</td>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px">

<p style="line-height:1.38">Employee</p>

</td>

</tr>

<tr>

<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-

[illegible]

```
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:221px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">UNDER_REVIEW</span></span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:72px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">Reject</span></span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:221px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">REJECTED</span></span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:79px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
```

style="font-style:normal">Approver</p></td></tr><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px"><p style="line-height:1.38">APPROVED</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:72px"><p style="line-height:1.38">Archive</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:221px"><p style="line-height:1.38">ARCHIVED</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:79px"><p style="line-height:1.38"><span style="overflow-wrap:break-

word">System</p></td></tr></tbody></table></div>

<h1 style="line-height:1.38; margin-top:32px; margin-bottom:8px">5. Core Data Model</h1>

<div><table style="border:none; border-collapse:collapse" width="592"><colgroup><col width="149" /><col width="141" /><col width="153" /><col width="149" /></colgroup><tbody><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:149px"><p style="line-height:1.38">Entity</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:141px">

Primary Key

Important Fields

Relationships

User

document_id

number,status,type

User

--

decoration:none">Attachment</p>
>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:141px">
<p style="line-height:1.38">attachment_id</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:153px">
<p style="line-height:1.38">file_name,path</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:149px">
<p style="line-height:1.38">Document</p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:149px">
<p style="line-height:1.38"><span style="overflow-wrap:break-

word">WorkflowInstance</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:141px"><p style="line-height:1.38">workflow_id</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:153px"><p style="line-height:1.38">status,current_stage</p></td><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000; width:149px"><p style="line-height:1.38">Document</p></td></tr><tr><td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-


```
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:149px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">AuditLog</span></span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:141px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">audit_id</span></span></span></span></span></span></span></span></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:153px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">action,timestamp</span></span></span></span></span></span></span></spa
n></p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:149px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
```

```
decoration:none">Document,User</span></span></span></span></span></span></span>
></p>
</td>
</tr>
<tr>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:149px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">Notification</span></span></span></span></span></span></span></p>
>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:141px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">notification_id</span></span></span></span></span></span></span></span>
</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:153px">
<p style="line-height:1.38"><span style="overflow:hidden"><span style="overflow-wrap:break-
word"><span style="font-size:11pt; font-variant:normal; white-space:pre-wrap"><span style="font-
family:Arial,sans-serif"><span style="color:#000000"><span style="font-weight:400"><span
style="font-style:normal"><span style="text-
decoration:none">channel,status</span></span></span></span></span></span></span></span>
</p>
</td>
<td style="border-bottom:1px solid #000000; vertical-align:top; padding:0px 7px 0px 7px; border-
top:1px solid #000000; border-right:1px solid #000000; border-left:1px solid #000000;
width:149px">
```

<p style="line-height:1.38">U_{ser}</p>

</td>

</tr>

</tbody>

</table>

</div>

<h1 style="line-height:1.38; margin-top:32px; margin-bottom:8px">6. Business Rules</h1>

<p style="line-height:1.38; margin-bottom:13px">BR-001: Document number must be unique.</p>

<p style="line-height:1.38; margin-bottom:13px"><u>BR-002: Only document owner may submit a draft.</u></p>

<p style="line-height:1.38; margin-bottom:13px">BR-003: Approved documents cannot be modified.</p>

<p style="line-height:1.38; margin-bottom:13px"><span

style="color:#000000">BR-004: Audit records are immutable.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-005: Workflow stage SLA must be tracked.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-006: Additional document requests pause SLA timer.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-007: Only configured approvers can approve.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-008: Internal notes are not visible to request owner.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-009: Rejected documents cannot re-enter workflow without resubmission.</p>

<p style="line-height:1.38; margin-bottom:13px">BR-010: Every state transition must generate an audit

event.</p>

<p> </p>

<p> </p>

<p>We need to hire the freshers for 2026 batch</p>

Generated by Document Approval System

Version : 1