AI US ML US DL

Deeplearning DL machine ML

Smart application that can perform its don task without human intervention

= x Self driving car

* Robols

learn, analyze, visualize &

Jewlop Predictive modely from

date. I also forecasting

date. 4 also forecesting model if time series data give.

* Recommendation Septem

* Recommendation Septem

* Email & Pour Pillering


* Email & Pour Pillering

* (b) Clausification Application

(b) Clausification Application

Meural Metwork

Screen clinning taken: 01-09-2024 07:22 I



What Is Machine Learning?

Machine Learning is the science (and art) of programming computers so they can learn from data.

Here is a slightly more general definition:

[Machine Learning is the] field of study that gives computers the ability to learn without being explicitly programmed.

-Arthur Samuel, 1959

And a more engineering-oriented one:

A computer program is said to learn from experience E with respect to some task T and some performance measure P, if its performance on T, as measured by P, improves with experience E.

-Tom Mitchell, 1997

D Supervised Machine learning > classification

Regression

1) Supervised	Machine learning L. Res	1 ~= 3 si ~
2 Unsperviced 3 Semi superv 4 Reinforcomm	machine learning is sad machine learning I bearning	rej
D Suparvised	ML —	
a) classific	off Lian Independent Jealures	dependent for
No. of her played	pland her study	Pass/fail
8	2 4	fail
7	`S \$- 6	Jail Pare
4	OP - Pars fa	id
Ragrovana		OP I have
Size of house	Mo. of rooms	hice of not

AI-ML-July-2024 Page 3

Size of house Me. of rooms 120 Sqft 200 sqft 3 300 Saft 350 S9ft

11P -> model -> of c Price

Exam -> K- Heavest Meighhors

-> Linear Regression

-) logistic Regressia

-> support vector machine (SVM)


- Degisian Trees & Random breet

2 Unsupervised mc

The training date is unlabeled

Customer segmentation

 $/ 140 \rightarrow 0/P$



er o clustering

- K Means
- -) DBSCALL
- -> Hierarchical cluster Analysi (HCK)
- 3 Anomaly detection

 -> One = class SVM

 -> bolation terrent

(3) Semisupervised ML

3) Semisupervised ML

It is combination of supervised & unsupervised ML.

ag Google Photos.

Reinforcement learning

Reinforcement Learning

Reinforcement Learning is a very different beast. The learning system, called an agent in this context, can observe the environment, select and perform actions, and get rewards in return (or penalties in the form of negative rewards, as in Figure 1-12). It must then learn by itself what is the best strategy, called a policy, to get the most reward over time. A policy defines what action the agent should choose when it is in a given situation.

