



Performance

Metrics			=
First Contentful Paint	1.5 s	First Meaningful Paint	1.5 s
Speed Index	1.5 s	First CPU Idle	1.5 s
Time to Interactive	1.5 s	Max Potential First Input Delay	20 ms
View Trace			

Values are estimated and may vary. The performance score is based only on these metrics.



Opportunities — These suggestions can help your page load faster. They don't <u>directly affect</u> the Performance score.

Opportunity

Estimated Savings

Beliminate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical

JS/styles. <u>Learn more</u>.

Show 3rd party resources (2)

Size

Potential Savings

URL	Size	Potential Savings
/css?family=Open+Sans&display=swap (fonts.googleapis.com)	1 KB	790 ms
/icon?family=Material+Icons (fonts.googleapis.com)	0 KB	790 ms

Diagnostics — More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

▲ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more.

Show 3rd party resources (1)

URL Potential Savings
...v48/flUhRq6tz....woff2 (fonts.gstatic.com) 10 ms

Avoid chaining critical requests - 2 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. <u>Learn more</u>.

Maximum critical path latency: 110 ms

Initial Navigation

/ASSIGNMENT%207/colors-VICKITRUONG.html (127.0.0.1)

/css?family=Open+Sans&display=swap (fonts.googleapis.com) - 40 ms, 0.63 KB

/icon?family=Material+Icons (fonts.googleapis.com) - 40 ms, 0.46 KB

...v48/flUhRq6tz....woff2 (fonts.gstatic.com) - 10 ms, 118.95 KB

Keep request counts low and transfer sizes small - 4 requests • 129 KB

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.

Resource Type	Requests	Transfer Size
Total	4	129 KB
Font	1	119 KB
Document	1	9 KB
Stylesheet	2	1 KB
Image	0	0 KB
Media	0	0 KB
Script	0	0 KB

Resource Type	Requests		Transfer Si
Other	0		0 KI
Third-party	3		120 KI
sed audits (20)			
Properly size images			
Serve images that are appropriately-sized to save cellul	ular data and improve load time. Learn n	nore.	
Defer offscreen images			
Consider lazy-loading offscreen and hidden images affinteractive. <u>Learn more</u> .	ter all critical resources have finished loa	iding to lower time	to
Minify CSS			
Minifying CSS files can reduce network payload sizes.	<u>Learn more</u> .		
Minify JavaScript			
Minifying JavaScript files can reduce payload sizes and	d script parse time. <u>Learn more</u> .		
Remove unused CSS			
Remove dead rules from stylesheets and defer the loa unnecessary bytes consumed by network activity. Lea	_	content to reduce	
Efficiently encode images			
Optimized images load faster and consume less cellula	ar data. <u>Learn more</u> .		
Serve images in next-gen formats			
Image formats like JPEG 2000, JPEG XR, and WebP of faster downloads and less data consumption. Learn m		NG or JPEG, which	means
Enable text compression — Potential savings of 16	КВ		
Text-based resources should be served with compress more.	sion (gzip, deflate or brotli) to minimize to	otal network bytes.	<u>Learn</u>
		Show 3rd party re	esources (
URL		Size	Poten Savir
/ASSIGNMENT%207/colors-VICKITRUONG.html (12	7.0.0.1)	18 KB	16 K
Preconnect to required origins			
Consider adding `preconnect` or `dns-prefetch` resource origins. Learn more.	ce hints to establish early connections to	important third-pa	ırty

Server response times are low (7	TTFB) — Root document took 0 ms	^
Time To First Byte identifies the ti	ime at which your server sends a response. Learn more.	
Avoid multiple page redirects		^
Redirects introduce additional de	elays before the page can be loaded. Learn more.	
Preload key requests		^
Consider using ` <link more.<="" rel="preload:" td=""/> <td>>` to prioritize fetching resources that are currently requested</td> <td>later in page load. <u>Learn</u></td>	>` to prioritize fetching resources that are currently requested	later in page load. <u>Learn</u>
Use video formats for animated	content	^
•	vering animated content. Consider using MPEG4/WebM video ead of GIF to save network bytes. Learn more	os for animations and
Avoids enormous network paylo	pads — Total size was 129 KB	^
Large network payloads cost use	ers real money and are highly correlated with long load times.	Learn more.
		Show 3rd-party resources (3)
URL		Size
v48/flUhRq6tzwoff2 (fonts.	gstatic.com)	119 KB
/ASSIGNMENT%207/colors-VIC	CKITRUONG.html (127.0.0.1)	9 KB
/css?family=Open+Sans&displa	y=swap (fonts.googleapis.com)	1 KB
/icon?family=Material+Icons (for	nts.googleapis.com)	0 KB
Uses efficient cache policy on s	tatic assets - 0 resources found	^
A long cache lifetime can speed u	up repeat visits to your page. Learn more.	
Avoids an excessive DOM size	- 76 elements	^
A large DOM will increase memor	ry usage, cause longer style calculations, and produce costly	layout reflows. Learn more.
Statistic	Element	Value
Total DOM Elements		76
Maximum DOM Depth	 	6
Maximum Child Elements	<h2 id="subtitle01"></h2>	9
User Timing marks and measure	es	^
Consider instrumenting your app experiences. <u>Learn more</u> .	with the User Timing API to measure your app's real-world pe	erformance during key user
JavaScript execution time - 0.	.0 s	^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>.

Show 3rd-party resources (0)

URL	Total CPU Time	Script Evaluation	Script Parse
Other	381 ms	17 ms	3 ms

Minimizes main-thread work - 0.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>

Category	Time Spent
Other	219 ms
Style & Layout	97 ms
Script Evaluation	31 ms
Parse HTML & CSS	26 ms
Script Parsing & Compilation	17 ms
Garbage Collection	10 ms
Rendering	9 ms
Minimize third-party usage	^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn more</u>.



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Contrast — These are opportunities to improve the legibility of your content.

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn more.

	_		
Failin	α H	l۵m	ante
ı aıııı	ᄱᆫ		CHIC

i.material-icons

h6

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Document doesn't have a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more</u>.

Failing Elements

html

Internationalization and localization — These are opportunities to improve the interpretation of your content by users in different locales.

<html> element does not have a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. <u>Learn more</u>.

Failing Elements

html

Additional items to manually check (11) — These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibility review</u>.

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.

Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn more.

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn more.

User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region with	nout accidentally trapping their focus. Learn more.
Custom controls have associated labels	^
Custom interactive controls have associated labels, pro	ovided by aria-label or aria-labelledby. <u>Learn more</u> .
Custom controls have ARIA roles	
Custom interactive controls have appropriate ARIA role	es. Learn more.
Visual order on the page follows DOM order	
DOM order matches the visual order, improving navigation	tion for acciptive technology. Learn more
Offscreen content is hidden from assistive technology	
Offscreen content is hidden with display: none or aria-h	nidden=true. <u>Learn more</u> .
Headings don't skip levels	^
Headings are used to create an outline for the page and	d heading levels are not skipped. <u>Learn more</u> .
HTML5 landmark elements are used to improve navig	ation
Landmark elements (<main>, <nav>, etc.) are used to i Learn more.</nav></main>	mprove the keyboard navigation of the page for assistive technology.
Passed audits (1)	^
Passed audits (1) [id] attributes on the page are unique	
[id] attributes on the page are unique	
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of	other instances from being overlooked by assistive technologies.
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more.	other instances from being overlooked by assistive technologies.
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique	other instances from being overlooked by assistive technologies.
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique Access keys let users quickly focus a part of the page.	other instances from being overlooked by assistive technologies. For proper navigation, each access key must be unique. Learn
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique Access keys let users quickly focus a part of the page. more. [aria-*] attributes match their roles	other instances from being overlooked by assistive technologies. For proper navigation, each access key must be unique. Learn
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique Access keys let users quickly focus a part of the page. more. [aria-*] attributes match their roles Each ARIA `role` supports a specific subset of `aria-*` at	other instances from being overlooked by assistive technologies. For proper navigation, each access key must be unique. Learn tributes. Mismatching these invalidates the `aria-*` attributes. Learn
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique Access keys let users quickly focus a part of the page. more. [aria-*] attributes match their roles Each ARIA `role` supports a specific subset of `aria-*` at more. [role]s have all required [aria-*] attributes	other instances from being overlooked by assistive technologies. For proper navigation, each access key must be unique. Learn tributes. Mismatching these invalidates the `aria-*` attributes. Learn
[id] attributes on the page are unique The value of an id attribute must be unique to prevent of Learn more. Not applicable (31) [accesskey] values are unique Access keys let users quickly focus a part of the page. more. [aria-*] attributes match their roles Each ARIA `role` supports a specific subset of `aria-*` at more. [role]s have all required [aria-*] attributes Some ARIA roles have required attributes that describes	other instances from being overlooked by assistive technologies. For proper navigation, each access key must be unique. Learn tributes. Mismatching these invalidates the `aria-*` attributes. Learn

[role]s are contained by their required parent element Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more. [role] values are valid ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more. [aria-*] attributes have valid values Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more. [aria-*] attributes are valid and not misspelled Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more. <audio> elements contain a <track> element with [kind="captions"] Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. Learn more. Buttons have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more. The page contains a heading, skip link, or landmark region Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more. <dl>'s contain only properly-ordered <dt> and <dd> groups, <script> or <template> elements. When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more. Definition list items are wrapped in <dl> elements Definition list items (<dt>`and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn more. <frame> or <iframe> elements have a title Screen reader users rely on frame titles to describe the contents of frames. Learn more. <html> element has a valid value for its [lang] attribute Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. <input type="image"> elements have [alt] text When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more.

Form elements have associated labels Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more. Presentational elements avoid using , <caption> or the [summary] attribute. A table being used for layout purposes should not include data elements, such as the thor caption elements or the summary attribute, because this can create a confusing experience for screen reader users. Learn more. Links have a discernible name Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more. Lists contain only elements and script supporting elements (<script> and <template>). Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more. List items (<1i>) are contained within or parent elements Screen readers require list items ('') to be contained within a parent '' or '' to be announced properly. Learn more. The document does not use <meta http-equiv="refresh"> Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more. [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more. <object> elements have [alt] text Screen readers cannot translate non-text content. Adding alt text to '<object>' elements helps screen readers convey meaning to users. Learn more. No element has a [tabindex] value greater than 0 A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more. Cells in a element that use the [headers] attribute refer to table cells within the same table. Screen readers have features to make navigating tables easier. Ensuring `` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more. > elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more.

[lang] attributes have a valid value

Specifying a valid BCP 47 language on	elements helps ensure th	nat text is pronounced	correctly by a screer	ı reader. <u>Learn</u>
more.				

<video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.

<video> elements contain a <track> element with [kind="description"]

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. <u>Learn more</u>.



Best Practices

A	Does not use HTTP/2 for all of its resources — 1 request not served via HTTP/2	^		
	HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. <u>Learn more</u> .			
	Show 3rd-party resource			
	URL Protocol			
	/ASSIGNMENT%207/colors-VICKITRUONG.html (127.0.0.1) http/1.1			
Pa	essed audits (14)	^		
	Avoids Application Cache	^		
	Application Cache is deprecated. <u>Learn more</u> .			
	Uses HTTPS	^		
	All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite HTTP/2 and many new web platform APIs. <u>Learn more</u> .	e for		
	Uses passive listeners to improve scrolling performance	^		
	Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn	more.		
	Avoids document.write()	^		
	For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tenseconds. <u>Learn more</u> .	s of		
	Links to cross-origin destinations are safe	_		

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. Learn more.

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. <u>Learn more</u>.

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more.

Avoids front-end JavaScript libraries with known security vulnerabilities

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. Learn more.

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. Learn more.

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. <u>Learn more</u>.

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. Learn more.

Allows users to paste into password fields

Preventing password pasting undermines good security policy. Learn more.

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. Learn more.



SFO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. <u>Learn more</u>.

Mobile Friendly — Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. <u>Learn more</u>.

Does not have a <meta name="viewport"> tag with width or initial-scale No `<meta name="viewport">` tag found Add a `<meta name="viewport">` tag to optimize your app for mobile screens. Learn more. Content Best Practices - Format your HTML in a way that enables crawlers to better understand your app's content. Document doesn't have a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. Failing Elements html Document does not have a meta description Meta descriptions may be included in search results to concisely summarize page content. Learn more. Additional items to manually check (1) - Run these additional validators on your site to check additional SEO best practices. Structured data is valid Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more. Passed audits (5) Page has successful HTTP status code Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more. Links have descriptive text Descriptive link text helps search engines understand your content. Learn more. Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more. Document has a valid hreflang hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more. Document avoids plugins Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more.

Not applicable (5)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. <u>Learn more</u>.

Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. <u>Learn more</u>.

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. Learn more.

Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. <u>Learn more</u>.

Tap targets are sized appropriately

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. <u>Learn more</u>.



Progressive Web App

These checks validate the aspects of a Progressive Web App. Learn more.

Fast and reliable

Page load is fast enough on mobile networks

A fast page load over a cellular network ensures a good mobile user experience. Learn more.

▲ Current page does not respond with a 200 when offline

If you're building a Progressive Web App, consider using a service worker so that your app can work offline. Learn more.

▲ start url does not respond with a 200 when offline No usable web app manifest found on page.

A service worker enables your web app to be reliable in unpredictable network conditions. Learn more.

Installable

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. <u>Learn more</u>.

▲ Does not register a service worker that controls page and start_url

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. <u>Learn more</u>.

▲ Web app manifest does not meet the installability requirements Failures: No manifest was fetched.

Browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. <u>Learn more</u>.

PWA Optimized

▲ Does not redirect HTTP traffic to HTTPS

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u>.

▲ Is not configured for a custom splash screen Failures: No manifest was fetched.

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. <u>Learn</u> more.

Does not set a theme color for the address bar.

Failures: No manifest was fetched, No `<meta name="theme-color"> `tag found.

The browser address bar can be themed to match your site. Learn more.

Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. Learn more.

Does not have a <meta name="viewport"> tag with width or initial-scale

No `<meta name="viewport">` tag found

Add a '<meta name="viewport"> tag to optimize your app for mobile screens. Learn more.

Contains some content when JavaScript is not available

Your app should display some content when JavaScript is disabled, even if it's just a warning to the user that JavaScript is required to use the app. <u>Learn more</u>.

▲ Does not provide a valid apple-touch-icon

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. <u>Learn More</u>.

automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

Site works cross-browser

To reach the most number of users, sites should work across every major browser. Learn more.

Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. <u>Learn more</u>.

Each page has a URL

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. Learn more.

Runtime Settings

URL http://127.0.0.1:57992/ASSIGNMENT%207/colors-VICKITRUONG.html

Fetch time Feb 18, 2020, 11:09 AM PST

Device Emulated Desktop

Network throttling 150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)

CPU throttling 4x slowdown (Simulated)

User agent (host) Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML,

like Gecko) Chrome/79.0.3945.130 Safari/537.36

User agent (network) Mozilla/5.0 (Macintosh; Intel Mac OS X 10_13_6) AppleWebKit/537.36 (KHTML,

like Gecko) Chrome/74.0.3694.0 Safari/537.36 Chrome-Lighthouse

CPU/Memory Power 1474

Generated by Lighthouse 5.5.0 | File an issue