

CERTIFICATION OF COMPLIANCE

SECTION 1

Certificate Number: 2012-6350-8STE-1202

Item Number: 6350-8

Item Description: Bowl/Stegosaurus

SECTION 2

US Regulation (s): CPSIA Sec. 103 tracking label
CPSIA Sec. 108 phthalates
CFR Title 16 mechanical & physical
1500.48 sharp point
1500.49 sharp edge
CFR Title 16 - 1500.3 flammability on solids
16 CFR 1303 total lead in surface coating
CPSIA Sec. 101 total lead in surface coating
CPSIA Sec. 101 total lead in substrates
FDA 21CFR Part 177.1460 formaldehyde
Model Toxics in Packaging
Bisphenol A content
EU Regulation (s): REACH Annex XVII cadmium
REACH Annex XVII organotin
REACH 1907/2006 information on safe use
EEC 2002/72/EC specific migration melamine
EEC 2007/19/EC overall migration
EN14372 migration on feeding utensils
EN14372 formaldehyde release



SECTION 3

U.S. Importer: Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803


Chief Operating Officer

SECTION 4

Record Maintenance: Karen Noles
Chief Operating Officer
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803
Email: Karen@CrocodileCreek.com

SECTION 5

Date/Place Manufacture: February 2012
Dong Guan City, Guangdong China

SECTION 6

Date of testing: February 2011/February 2012
HKGH0111462301/HKGH01277488/
HKGH01277508

SECTION 7

Third Party ID: Intertek Testing Svcs. Hong Kong Ltd.
2/F, Garment Centre, 576 Castle Peak Rd.
Kowloon, Hong Kong