

## CERTIFICATION OF COMPLIANCE

### SECTION 1

Certificate Number: 2013-2825-4PRI-1302

Item Number: 2825-4

Item Description: Placemat / Princess Palace

### SECTION 2

US Regulation (s): 16 CFR mechanical and physical  
16 CFR 1500.3 flammability  
16 CFR 1303 total lead in surface coating  
CPSIA Sec. 101 total lead in substrates  
CPSIA Sec. 101 total lead in surface coating

Canada Regulation(s): CCPSA SOR/2011/-17 mechanical & physical  
CCPSA SOR/2011/-17 Sec. 21  
CCPSA SOR/2011/-17 Sec. 23 toxic elements  
CCPCL contact with mouth

EU Regulation (s): EN71-1:2011 mechanical & physical  
EN71 Part 2:2011 flammability  
EN71-3:1994 toxic elements  
REACH Cadmium



### SECTION 3

U.S. Importer: Crocodile Creek  
1648 E. Lawson St.  
Durham, NC 27703 USA  
Phone: 919-598-8152  
Fax: 919-598-6803

### SECTION 4

Record Maintenance: Karen Noles  
Chief Operating Officer  
Crocodile Creek  
1648 E. Lawson St.  
Durham, NC 27703 USA  
Phone: 919-598-8152  
Fax: 919-598-6803  
Email: Karen@CrocodileCreek.com

  
Chief Operating Officer

### SECTION 5

Date/Place Manufacture: January 2013  
Zhejiang Province, China

### SECTION 6

Date of testing: January 2013  
SZHH00759033 /SZHH00758912

### SECTION 7

Third Party ID: Intertek Testing Services Shenzhen Ltd.  
7/F., Shekou Technology Main Building  
Industrial 7th Road  
Shekou, Shenzhen, China