

CERTIFICATION OF COMPLIANCE

SECTION 1

Certificate Number: 2014-4069-2JUN-1402

Item Number: 4069-2

Item Description: Tower Puzzle / Jungle

SECTION 2

US Regulations(s):
ASTM F963-11 physical & mechanical
ASTM F963-11 flammability
ASTM F963-11 heavy elements
16CFR mechanical and physical
16CFR 1500.3 flammability
16CFR1303 lead in surface coating
CPSIA Sec. 101 lead in surface coating
CPSIA Sec. 101 lead in substrates
CPSIA Sec. 108 phthalates
Illinois LPPA 410 ILCS 45 - total lead content
CA Prop 65 total lead
CA Prop 65 phthalate content



Canada Regulation(s):
CCPSA SOR/2011-17 mechanical & physical
CCPSA SOR/2011-17 Sec. 21 and 23

EU Regulation(s):
EN71-1:2011 mechanical & physical
EN71 Part 2 2011 flammability
EN71-3: 2013 migration of elements
REACH cadmium
REACH phthalates
Model Toxics in packaging
94/62/EC toxic elements packaging

SECTION 3

U.S. Importer:
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803

SECTION 4

Record Maintenance:
Karen Noles
Chief Operating Officer
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803
Email: Karen@CrocodileCreek.com

Chief Operating Officer

SECTION 5

Date/Place Manufacture:
December 2013
Foshan, Guangdong, China

SECTION 6

Date of testing:
January 2013 / December 2013
GZHH00118432 / GZHH00144729

SECTION 7

Third Party ID:
Intertek Testing Services Shenzhen Ltd
Guangzhou Branch, No. 7-2 Caipin Road
Guangzhou Science City, GETDD Guangzhou
China