

CERTIFICATION OF COMPLIANCE

SECTION 1

Certificate Number: 2014-4069-7PRI-1401

Item Number: 4069-7

Item Description: Tower Puzzle / Princess Castle

SECTION 2

US Regulations(s): ASTM F963-11 physical & mechanical
ASTM F963-11 flammability
ASTM F963-11 heavy elements
16CFR mechanical and physical
16CFR 1500.44 flammability
16CFR1303 lead in surface coating
CPSIA Sec. 101 total lead
WA Safe Products Act - lead and cadmium
CPSIA Sec. 108 phthalates
Illinois LPPA 410 ILCS 45 - total lead content
CA Prop 65 total lead & DNHP Content
WA Safe Products Act - phthalates



Canada Regulation(s): CCPSA SOR/2011-17 mechanical & physical
CCPSA SOR/2011-17 Sec. 21 and 23
CCPSA SOR/2011-17 Sec. 27 phthalates

EU Regulation(s): EN71-1:2011 mechanical & physical
EN71 Part 2 2011 flammability
EN71-3: 2013 migration of elements
REACH cadmium
REACH phthalates
Model Toxics in packaging
94/62/EC toxic elements packaging
REACH PAH's

SECTION 3

U.S. Importer: Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803

SECTION 4

Record Maintenance: Karen Noles
Chief Operating Officer
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803
Email: Karen@CrocodileCreek.com

SECTION 5

Date/Place Manufacture: February 2014
Foshan, Guangdong, China

SECTION 6

Date of testing: February 2014
RA0003860(6)

SECTION 7

Third Party ID: Unitec Laboratory Services Ltd.
4/F & 8/F, New Power Centre, Nan Cheng District
Zhangmutou Town, Dongguan, GD, China 523000