

CERTIFICATION OF COMPLIANCE

SECTION 1

Certificate Number: 2012-4069-5FLO-1201

Item Number: 4069-5

Item Description: Tower Puzzle/Flower

SECTION 2

US Regulations(s):
ASTM F963 Physical & Mechanical
ASTM F963-08 Flam test on solid
CPSIA tracking label assessment
ASTM F963 Heavy Metal Analysis
16 CFR 1303 lead in surface coating
CA Prop. 65 lead for toy
CPSIA heavy metal - lead in coatings
CPSIA total lead 2008 - substrates
Model toxics in packaging
CA Prop 65/US Federal - phthalates

EU Regulation(s):
EN71-1 (2011) Physical & Mechanical
EN71-2 (2011) Flammability
EN71-3 Heavy Metals Analysis
REACH toxic elements - Cadmium
EU phthalate content
94/62/EEC toxic elements packaging
2009-425/EC organotin
82/806/EEC benzene content

SECTION 3

U.S. Importer:
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803

SECTION 4

Record Maintenance:
Karen Noles
Chief Operating Officer
Crocodile Creek
1648 E. Lawson St.
Durham, NC 27703 USA
Phone: 919-598-8152
Fax: 919-598-6803
Email: Karen@CrocodileCreek.com

SECTION 5

Date/Place Manufacture:
January 2012
Dezheng Zhonglu, Changan
Dongguan, China

SECTION 6

Date of testing:
January 2012
HKGH01267578

SECTION 7

Third Party ID:
Intertek Testing Services HK Ltd
2/F. Garment Centre, 576 Castle Peak Rd
Kowloon, Hong Kong




Chief Operating Officer