

Project Reference

Author

Mar 21, 2022





TABLE OF CONTENTS

1	Main Module	2
2	A Subpackage	4
2.1	A Module Within	4
3	__init__.py	5
	Bibliography	6
	Python Module Index	7
	Index	8

INTRODUCTION

The following is a demonstration of what you can achieve by using Sphinx and reStructuredText to document your projects.

Say that you want to create documentation from the docstrings in your code. **Two conditions:**

- Your project must be a Python **package**
- Your **package** must have a `__version__` global variable

Say that you have a package: it has a main script, and a single `lonely_function`.

Now before we go,

Some tips on writing proper docstrings:

- Use raw strings.
- Write reStructuredText.

```
{{ cookiecutter.project }} {{ cookiecutter.projectlength* "=" }}
```

It's usually convenient to write a short introduction in your `__init__.py`.

MAIN MODULE

`lonely_function()`

You can add **bold** and *italic* text, text with *math typesetting* and `source code`. You can even define custom markup using CSS/LaTeX to highlight text in unimaginable ways. Leaving that as an exercise for the curious (check *roles*). You can cite your sources either in text, such as Tedrake [2], or in parenthetical fashion [1],

- Bullet points work as well

and so does LaTeX math, as you can see in (1.1)!

$$f(n) = \begin{cases} n/2, & \text{if } n \text{ is even} \\ 3n + 1, & \text{if } n \text{ is odd} \end{cases} \quad (1.1)$$

Table syntax is rather weird but manageable.

Table 1.1: Example table.

Header 1	Header 2	Header 3	Header 4
A	B	C	D

You can add pictures if you want too. Importantly, when you are generating documentation from your code:

- Place your figures in the **docs/source/figures directory**.
- Include them with their path relative to the source. That is, **figures/<your figure>.<ext>**.

Unfortunately the figure doesn't nicely fit in this page. Fortunately, we can break page to try and have our discourse flow anyway.



Check it:




Figure 1.1: You're free to set alignment, figure width relative to the text's, etc. Don't trust Sphinx to go too far. If you need something complex use proper LaTeX code inside a `.. raw:: latex` block.




Figure 1.2: Adding a cross-reference to [Table 1.1](#) or [Figure 1.1](#) works much as it would in LaTeX.

CHAPTER TWO

A SUBPACKAGE

As before, this package's `__init__.py` is the home of this introduction.

2.1 A Module Within

h()

A function which is part of one of the modules of a subpackage of your project.

g()

A second function in the module.

f()

The three functions in this module are stowed in this order:

1. h
2. g
3. f

As you can see, functions are rendered in the order in which you've got them written down. Nice.

CHAPTER THREE

`__init__.py`

`some_API_function()`

You might wanna keep commonly used utilities or high level interfaces to your package here for ease of import. A way to achieve the same effect is by importing functions defined in your package from this file.

BIBLIOGRAPHY

- [1] Jared Di Carlo. *Software and control design for the MIT Cheetah quadruped robots*. PhD thesis, Massachusetts Institute of Technology, 2020.
- [2] Russ Tedrake. *Underactuated Robotics: Algorithms for Walking, Running, Swimming, Flying, and Manipulation* (Course Notes for MIT 6.832). 2021. Downloaded on 28.07.2021 from <http://underactuated.mit.edu/>.

PYTHON MODULE INDEX

m

`project.main`, 1

p

`project`, 1

s

`project.subpackage`, 4

`project.subpackage.module`, 4

INDEX

F

`f()` (*in module `project.subpackage.module`*), 4

G

`g()` (*in module `project.subpackage.module`*), 4

H

`h()` (*in module `project.subpackage.module`*), 4

L

`lonely_function()` (*in module `project.main`*), 2

M

module

`project`, 1

`project.main`, 1

`project.subpackage`, 4

`project.subpackage.module`, 4

P

`project`

 module, 1

`project.main`

 module, 1

`project.subpackage`

 module, 4

`project.subpackage.module`

 module, 4

S

`some_API_function()` (*in module `project`*), 5