

# **Project Documentation**

**Author**

March 2022



## TABLE OF CONTENTS

<b>1</b>	<b>Main Module</b>	<b>2</b>
<b>2</b>	<b>A Subpackage</b>	<b>4</b>
2.1	A Module Within . . . . .	4
<b>3</b>	<b><code>__init__.py</code></b>	<b>5</b>
	<b>Python Module Index</b>	<b>6</b>
	<b>Index</b>	<b>7</b>

## INTRODUCTION

The following is a demonstration of what you can achieve by using Sphinx and reStructuredText to document your projects.

Say that you want to create documentation from the docstrings in your code. **Two conditions:**

- Your project must be a Python **package**
- Your **package** must have a `__version__` global variable

Say that you have a package: it has a main script, and a single `lonely_function`.

Now before we go,

### Some tips on writing proper docstrings:

- Use raw strings.
- Write reStructuredText.

```
{{ cookiecutter.project }} {{ cookiecutter.projectlength* "=" }}
```

It's usually convenient to write a short introduction in your `__init__.py`.

### MAIN MODULE

#### `lonely_function()`

You can add **bold** and *italic* text, text with *math typesetting* and `source code`. You can even define custom markup using CSS/LaTeX to highlight text in unimaginable ways. Leaving that as an exercise for the curious (check *roles*).

- Bullet points work as well

and so does LaTeX math, as you can see in (1.1)!

$$f(n) = \begin{cases} n/2, & \text{if } n \text{ is even} \\ 3n + 1, & \text{if } n \text{ is odd} \end{cases} \quad (1.1)$$

Table syntax is rather weird but manageable.

Table 1.1: Example table.

Header 1	Header 2	Header 3	Header 4
A	B	C	D

You can add pictures if you want too. Importantly, when you are generating documentation from your code:

- Place your figures in the **docs/source/figures** directory.
- Include them with their path relative to the source. That is, **figures/<your figure>.<ext>**.

Unfortunately the figure doesn't nicely fit in this page. Fortunately, we can break page to try and have our discourse flow anyway.



Check it:




Figure 1.1: You're free to set alignment, figure width relative to the text's, etc. Don't trust Sphinx to go too far. If you need something complex use proper LaTeX code inside a `.. raw:: latex` block.




Figure 1.2: Adding a cross-reference to [Table 1.1](#) or [Figure 1.1](#) works much as it would in LaTeX.

---

## CHAPTER TWO

---

### A SUBPACKAGE

As before, this package's `__init__.py` is the home of this introduction.

#### 2.1 A Module Within

**h()**

A function which is part of one of the modules of a subpackage of your project.

**g()**

A second function in the module.

**f()**

The three functions in this module are stowed in this order:

1. h
2. g
3. f

As you can see, functions are rendered in the order in which you've got them written down. Nice.

---

## CHAPTER THREE

---

**`__init__.py`**

**`some_API_function()`**

You might wanna keep commonly used utilities or high level interfaces to your package here for ease of import. A way to achieve the same effect is by importing functions defined in your package from this file.

## PYTHON MODULE INDEX

### m

`project.main`, 1

### p

`project`, 1

### s

`project.subpackage`, 4

`project.subpackage.module`, 4



## INDEX

### F

`f()` (*in module `project.subpackage.module`*), 4

### G

`g()` (*in module `project.subpackage.module`*), 4

### H

`h()` (*in module `project.subpackage.module`*), 4

### L

`lonely_function()` (*in module `project.main`*), 2

### M

module

- `project`, 1

- `project.main`, 1

- `project.subpackage`, 4

- `project.subpackage.module`, 4

### P

`project`

- `module`, 1

`project.main`

- `module`, 1

`project.subpackage`

- `module`, 4

`project.subpackage.module`

- `module`, 4

### S

`some_API_function()` (*in module `project`*), 5