

“Calculus 3”

Multi-Variable Calculus

Instructor: Álvaro Lozano-Robledo

Day 15

1

Any Reminders? Any Questions?

- Quiz on Friday on triple integrals in cartesian, cylindrical, and spherical coordinates.
- I will be away Wednesday-Thursday at a conference so no in-person class on 3/12 – watch videos instead!

2




ALVARO: Start the recording!



3


“Calculus 3”



Multi-Variable Calculus

Instructor: Álvaro Lozano-Robledo

Exercises in Double and Triple
Integrals



4

Example:

T

F

The area of the semi-circle centered at the origin with radius R , above the x -axis, can be

computed with the following double integral: $\int_{-\pi/2}^{\pi/2} \int_0^R r \, dr \, d\theta$.

5

Example:

T

F

The following iterated integrals describe the volume of the same region E .

$$\int_{-1}^1 \int_{x^2}^1 \int_0^{1-y} 1 \, dz \, dy \, dx$$

$$\int_{-1}^1 \int_0^{1-x^2} \int_{x^2}^{1-z} 1 \, dy \, dz \, dx$$

6

Example:

T F The following iterated integrals describe the volume of the same region E .

$$\int_{-1}^1 \int_{x^2}^1 \int_0^{1-y} 1 \, dz \, dy \, dx$$

$$\int_{-1}^1 \int_0^{1-x^2} \int_{x^2}^{1-z} 1 \, dy \, dz \, dx$$



7

Example:

T F The intersection of the surfaces given by $\phi = \frac{\pi}{4}$ and $\rho = 2$ is a circle of radius 2.



8

Example:

Let E be the region above the xy -plane, below $z = \sqrt{x^2 + y^2}$, and inside $x^2 + y^2 = 9$. Write a triple integral below that represents the volume of E in two of the three coordinate systems that we have studied. For each part, circle or write the name of the coordinate system that you are using.

(a) Cartesian / Cylindrical / Spherical

9

Example:

Let E be the region above the xy -plane, below $z = \sqrt{x^2 + y^2}$, and inside $x^2 + y^2 = 9$. Write a triple integral below that represents the volume of E in two of the three coordinate systems that we have studied. For each part, circle or write the name of the coordinate system that you are using.

(a) Cartesian / Cylindrical / Spherical

10

Example:

Let D be the region in the xy -plane bounded by $y = x^2$ and $x = \frac{1}{8}y^2$.

- (a) Sketch the region D . Clearly indicate the region by shading and make sure to label the equations of any boundary curves.

11

Example:

- (b) Write a double integral that represents the area of the region D in the order $dy \, dx$.

12

Example: (c) Write a double integral that represents the area of the region D in the order $dx \, dy$.

13

Example: (a) Rewrite the following iterated integral using polar coordinates:

$$\int_{-2}^2 \int_0^{\sqrt{4-x^2}} (x^2 + y^2)^{3/2} \, dy \, dx.$$

(b) Evaluate the integral you wrote in part (a).

14

Example:

(a) Rewrite the following iterated integral using polar coordinates:

$$\int_{-2}^2 \int_0^{\sqrt{4-x^2}} (x^2 + y^2)^{3/2} dy dx.$$

(b) Evaluate the integral you wrote in part (a).

15

Example:

Set up the triple integral $\iiint_E x^2 e^y dV$, where E is the region enclosed by the surfaces $z = 9 - x^2$ and $z = 9 - y$ in the first octant. **Do not evaluate.**

16

Example:

Set up the following integral using either cylindrical or spherical coordinates. **Do not evaluate.**

The volume of the region E , where E lies above the xy -plane, below the cone $\phi = \pi/6$ and inside of the sphere $x^2 + y^2 + z^2 = 4$.

17

Example:

18


Questions?



19

Thank you

Until next time.



20