CORE ATTENDEE EDITION: Start with 00_START_HERE.md at the pack root. Only the core two-day route is supplied. Optional publishing, dummy website, resource creation, identity/networking and advanced Azure tracker extensions mentioned below are not assigned or included. Use your own extracted path where a command shows C:\YOUR-ATTENDEE-PACK. Do not copy instructor settings.

LBS Document Tracker

Day 2 scheduled practice - 15:35-16:20

Before you start: 45 minutes. Needs .NET 10 SDK, local project and SampleData; no Azure permissions. Resources created: local in-memory records only. Cloud cost: none from this local sample; existing Azure resources remain independent.

Flow: 5-minute scenario and demo, 10-minute checks/startup, 20-minute four-file practice, 10-minute evidence and cleanup. Read the expected result in each existing step below.

Before: does Completed mean an actual application was approved? After: explain why Needs review can be a correct expected result. No Azure telemetry is generated by this local version; use the separate labelled Day2Operations dataset for the incident exercise.

Scenario, setup and testing guide | V_3 | 26 October 2026

1. What is implemented?

A local-only fictional document-processing website. Submit a small text file with an application reference, queue a background check, then inspect its status. The worker validates a training header, not creditworthiness or identity. Completed does not mean a financial application has been approved.

Azure SQL, private Blob Storage, Service Bus, the Azure Function, Entra sign-in and Azure telemetry are not connected yet. The Azure resources were inspected read-only; none was changed. Local records disappear when the process stops. There is no authentication: use localhost only and never upload real data.

2. Files and prerequisites

- Project folder: Labs\LbsDocumentTracker in the attendee shared pack. Copy it to your own computer before running.
- Application code: Program.cs, Pages and Services.
- Architecture.svg: current local flow and proposed Azure target.
- SampleData: four fictional text files plus cases.json with expected outcomes.
- Checks: package-free executable checking validation and the background worker.
- README.md: project instructions and the existing Azure resource inventory.
- Install the .NET 10 SDK, use Windows PowerShell and open the project in VS Code. The SDK, not just the runtime, is required. Confirm with dotnet --version.
- This Word guide does not contain embedded source code. The complete local sample, fictional data, diagram and executable checks are supplied separately in Labs\LbsDocumentTracker in the same attendee pack.

3. Run the automated checks first

Open a PowerShell terminal in the project folder. No Azure connection or running website is required. The command builds the project and checks the real validator and in-memory queue/worker.

```
dotnet run --project .\Checks\LbsDocumentTracker.Checks.csproj -- "$PWD\SampleData"
```

Expected: 20 PASS lines: ten worker scenarios, nine validation checks and worker shutdown. The process exits with code 0. Any failed assertion throws and exits unsuccessfully; do not treat a partial list of PASS lines as success.

```
$LASTEXITCODE
```

4. Start the website

From the project folder, run:

```
$env:ASPNETCORE_ENVIRONMENT = 'Development'
$env:DOTNET_ENVIRONMENT = 'Development'
dotnet run --project .\LbsDocumentTracker.csproj --urls "http://localhost:5193"
```

Wait for 'Now listening on: http://localhost:5193', then open that address. The Development-only warning is intentional. Do not change the localhost binding to 0.0.0.0, expose a tunnel or host this unauthenticated version.

In a second terminal, check:

```
Invoke-RestMethod http://localhost:5193/healthz
Invoke-RestMethod http://localhost:5193/readyz
```

Expected: health status ok; readiness status ready and mode local-memory. These checks do not prove Azure connectivity.

5. Test the four sample documents manually

On the dashboard select Submit a fictional text document. Enter the reference below, choose the matching file from SampleData and submit. The detail page may initially show Queued or Processing: refresh until the terminal outcome appears. Return to the dashboard to inspect all submissions.

File	Form reference	Expected status	Why
01-valid-application.txt	LBS-DEMO-1001	Completed	All required training fields and body are present.
02-missing-document-type.txt	LBS-DEMO-1002	Needs review	DocumentType is absent.
03-reference-mismatch.txt	LBS-DEMO-1003	Needs review	The file says LBS-DEMO-9999.
04-unsupported-document-type.txt	LBS-DEMO-1004	Needs review	The declared type is not supported.

6. Additional test checklist

Test	Expected result	Coverage
Submit an invalid reference, e.g. DEMO	Form rejection; no queued record.	Manual; verified in earlier starter smoke checks.
Choose an empty file or no file	Form rejection.	Manual checklist; not included in the current executable checks.
Choose a non-.txt file	Form rejection.	Manual checklist; not included in the current executable checks.
Choose a .txt file larger than 32 KiB	Rejection; no processing. Very large requests may be rejected by server limits.	Manual; oversized upload verified in earlier starter smoke checks.
Invalid UTF-8 or unsupported control characters	Upload rejection before queueing.	Invalid UTF-8 verified earlier; control characters remain a manual checklist item.
Duplicate or unknown header field	Needs review.	Automated validator checks.
FictionalData: false	Needs review. This marker does not detect real personal data.	Automated validator check.
Missing body or malformed header	Needs review.	Automated validator checks.
UTF-8 BOM; valid SupportingStatement	Accepted when the other fields and body are valid.	Automated validator checks.
Submit the same valid sample twice	Two local records may be created. Duplicate-job idempotency is not implemented.	Manual limitation check; not a completed Azure reliability feature.
Stop and restart the process	Local records are gone. Persistence is not implemented.	Manual limitation check.
Start outside Development	Startup refused.	Safety boundary; do not remove to enable hosting.

7. Evidence and interpreting failures

Record date, code version/folder, test ID, expected and actual outcome, document ID and pass/fail/blocked. Capture only fictional references and status. Never include keys, tokens or real documents in screenshots. Needs review is an expected business outcome; Failed indicates a processing problem.

Logs identify jobs by generated document ID. The application does not log document text or applicant names. No Azure KQL evidence is available from this local console-logging version.

8. Stop and troubleshoot safely

Press Ctrl+C in the server terminal. If port 5193 is occupied, either use localhost:5197 consistently or inspect its owner before stopping anything.

```
Get-NetTCPConnection -LocalPort 5193 -State Listen |
    Select-Object LocalAddress, LocalPort, OwningProcess
Get-Process -Id <confirmed-owning-process-id>
# Only after confirming this is your disposable test process:
Stop-Process -Id <confirmed-owning-process-id>
```

Never stop processes by name or reuse a previously recorded PID. If dotnet is missing, install the SDK or use its actual executable path. If the browser cannot connect, first verify startup output and the exact port.

9. Verification record and next milestone

Run the supplied local scenario checks and record your own results. Local validation is not proof of Azure integration.

Next: approved Azure connectivity, SQL/private Blob persistence, durable dispatch, idempotent Function processing, staff authentication and scoped authorisation, telemetry and cloud end-to-end tests. Confirm the current cloud runtime separately; do not deploy this .NET 10 website over a Function App. SQL public access is disabled; do not open it as a shortcut.