부산대학교
PUSAN NATIONAL UNIVERSITY

Competitor Analysis for DLP

Guide for analysis

- Cite in the sentence and please put reference in the notes section.
- If using AI to make analysis, please validate the sources ^^



Domestic (Korean) DLP

	DLP types			
Vendor	Endpoint	Network	Data-centric	AI
소만사 (Somansa)	●	●		●
지란지교데이터 (Jiran)	●			◖
마크애니 (MarkAny)	●		●	
파수		◖ (email)	●	●
세이퍼존	●	◖ (email)		◖
컴트루				●
이로운앤컴퍼니				●

Domestic vendor coverage at a glance

In this table, ● means a dedicated product, ◖ means partial coverage or a feature within a broader product, and blank means nothing public was found. Blank is not the same as confirmed absent.


Please double-check when you perform the analysis


이로운앤컴퍼니 (Zira)

Background

- It is the AI security company that **identifies sensitive information in AI chatbots** and **defends against attacks on applications (apps) linked with Large Language Models (LLM).**
- **They based on the three challenges faced by public AI: expanding utilization, security and cost control**
  - **There is a need to actively leverage AI while preventing the leakage of sensitive information, and to manage the costs and usage incurred by various departments subscribing to AI services independently at the institutional level.**

- Equipped with various functions, such as **monitoring AI usage, preventing the leakage of personal and sensitive information, and blocking AI misuse in real time.**
- The key feature is **the sensitive information detection (PII)**





https://eroun.ai/


이로운앤컴퍼니 (Zira)

Architectural Positioning

Qualitative point	What it offers/not
Enforcement point	Relay/Proxy based. It is an AI workspace (gateway) that users log into and it reaches the model on their behalf
Traffic it sees	Prompts, uploaded files and model responses for anyone using the SAIFE X workspace. It covers agents that call models through the API under the same policy.
Traffic it cannot see	No endpoint agent
Direction covered	Input, with output logged. The input prompt is blocked if it contain confidential data. However, output from AI is not blocked but recorded in log. The output filtering (response-filtering) is 개발중 .
Default action	Block if found. Alerts to user and admin.
Detection layer	Two layers – pattern rules and LLM to analyze it meaning and intent. Has TAPD (Two-Axis Pre-Detector) model for catching prompt injection and jailbreak attempts before a prompt reaches the AI [3]. Isolates processed data so it is not used to train external model
Deployment effort	Low for users. No agent is installed on PCs. Avail through the 조달청 digital service mall and the NHN Cloud Marketplace

이로운앤컴퍼니 (Zira)

Architectural Positioning



(This is not an official architecture from them. It was generated (with mermaid) with claude after analyzing about their architecture from available sources)

이로운앤컴퍼니 (Zira)

Capability Checklist

ension	Capability	Availability
	Channel coverage	
	USB / removable media	
	Print	
	Clipboard copy/paste	
	Screen capture	
	Email (SMTP / webmail)	
	Web upload inspection (HTTP/S, TLS decryption)	
l coverage	PC messenger	
	Cloud storage / webhard upload	
	Wireless (Wi-Fi/Bluetooth) & shared folders	
	Data-at-rest discovery on PC / server	
	GenAI chat channel (web / desktop app)	●
	LLM API channel (system-to-system) - claims that agent calling models through the API are managed under the same policy	◐
	Agent tool-call / MCP mediation	
	Detection technique	
	Regex / pattern with Korean identification format validation	●
	Keyword / dictionary based rules	●
	Exact data matching (DB fingerprint)	
	Indexed document / semantic similarity	
	True file-type identification	
	OCR on images & scans	
n technique	HWP / HWPX content parsing	
	Archive recursion (ZIP/RAR/7z/ALZip/EGG)	
	ML / NLP / LLM contextual classification	●
	Source code & secret (API key) detection	●
	Custom / trainable detection models – supports organization specific rules but TAPD is the vendor's own model which the customer can't train	◐
	False-positive tuning mechanism – LUBS reduces false positives, but on the vendor's side, not as an admin tuning tool	◐

D3	Enforcement		Availability
D3-01	Enforcement	Monitor & log only	●
D3-02		Warn / user justification – alerts the user and admin on detection. The user can't give a justification and proceed	◐
D3-03		Hard block	●
D3-04		Redact / mask, then allow	
D3-05		Encrypt / DRM handoff	
D3-06		Approval workflow	
D3-07		Original (shadow) copy retained	◖
D3-08		Watermark (print / screen)	
D3-09		At-rest remediation (delete / quarantine / retention)	
D4	**AI-specific**		
D4-01	AI-specific	Typed-prompt text inspection	●
D4-02		Attachment / image inspection on AI upload	
D4-03		Response-side inspection & filtering -- 개발 중	◐
D4-04		Prompt injection / jailbreak detection	●
D4-05		AI agent action control	◐
D4-06		Enforcement off corporate network – the cloud workspace can be reached from anywhere but only covers who go through itl direct use of ChatGPT bypasses it	◐
D4-07		AI service coverage breadth	●
D4-08		Shadow-AI discovery & access control	
D4-09		Usage governance (dept / time / budget)	●
D4-10		Full prompt + response audit log	●

D5	Ops & deployment	
D5-01	Ops & deployment	Windows endpoint agent
D5-02		macOS endpoint agent
D5-03		Linux endpoint agent
D5-04		VDI support
D5-05		Cloud / SaaS delivery option
D5-06		Central console & dashboard / reporting
D5-07		Policy authoring model (templates / GUI / code) -- organizaton specific rules and RBAC
D5-08		Integrations (SIEM / NAC / MIP / API)
D5-09		AI processing kept on-prem (no external AI API) -- guardrail and logs stay in an isolated domestic instance but cleaned prompts still go to external LLMs; on-prem installation unconfirmed
D6	**Compliance & certification**	
D6-01	Compliance & certification	보안기능확인서 / CC (자료유출방지)
D6-02		GS 인증
D6-03		조달청 등록 (나라장터 / 디지털서비스몰)
D6-04		N2SF / CSO grade support
D6-05		ISMS-P control alignment
D6-06		KCMVP-verified crypto module
D6-07		Independent analyst recognition
D6-08		Others (please state) -- 창업기업제품 certification; hosted on CSAP-certified IaaS (the IaaS is certified, not necessarily SAIFE X itself); maps itself to the AI 보안 가이드북 , 감사원 audit requirements, 공공기관 경영평가 , and 금융보안원 guidelines

(The letters marked in blue color are specifically for 이로운앤컴퍼니)

Somansa (윤석)

Product portfolio

Protection spans employee devices, network traffic, stored data and AI use.

Product	Protection point	Documented role
Privacy-i	Employee PC	Discovery, encryption, media and print controls. [S1,S2]
Mail-i	Network egress	TLS inspection, outbound control and original-content logs. [S16]
Server-i	Server / DB / storage	Sensitive-data discovery and remediation. [S6,S7]
WebKeeper AI DLP	GenAI services	Input / upload controls. 2026 material adds LLM semantic detection. [S5,S14]
Privacy-i AIDR	AI agents (announced)	Agent inventory, activity visibility and permissions. Availability needs confirmation. [S15,S17]


Deployment option: Privacy-i Cloud hosts management in the cloud but still requires endpoint agents and module selection. [S10]

Somansa (윤석)

Mail-i inspection and evidence

The supplied brochure describes an integrated TLS inspection and network DLP appliance. [S16]

.



Vendor diagram, PDF p. 2. The advertised 30% performance lead lacks a disclosed comparative test in this brochure.

Inspect	Decide	Investigate
Decrypt supported HTTPS traffic and inspect the outgoing content.	Use personal-data patterns and keywords to allow or block transmission.	Retain original data and reconstruct ChatGPT questions and answers.

Deployment boundaries

A product portfolio requires an explicit installation, routing and licensing plan.

Deployment point	What the source establishes	Boundary to validate
Endpoint	Privacy-i agents inspect local data and export actions. [S1,S12]	OS support does not imply identical controls on each OS.
Network	Mail-i and WebKeeper inspect supported communication paths. [S5,S16]	Test remote, direct-API and unsupported application routes.
Stored data	Server-i scans configured repositories. [S6,S7]	Discovery alone does not establish outbound DB fingerprinting.
Cloud offer	NAVER listing requires management + Discover; DLP is optional. [S10]	Agents, installation and operation remain customer tasks in this offer.

Our direction: begin with one controlled path, publish its exclusions and expose collector / enforcement health.

.

Somansa (윤석)

Competitive position

Strengths reflect documented product emphasis. Exclusive superiority is not established.

Comparison axis	Somansa evidence	Competing reference / assessment
Domestic workflows	Mail-i names Korean services and reconstructs transmitted content. [S16]	Relevant to local workflows. Equivalent protocol/version tests are still needed.
Detection methods	Rules and OCR, plus LLM semantic detection in WebKeeper. [S8,S14,S16]	Symantec and Forcepoint document fingerprints and matching rules. EDM/IDM equivalence remains unverified. [C1,C2,C5]
Microsoft 365	Network / cloud-service controls stated; M365-native policy actions unverified. [S5,S16]	Purview documents native M365 policies and broader integrations. Compare specific actions, not logos. [C3]
Protection after export	Mail-i emphasizes inspection during transmission. [S16]	Fasoo and Purview also bind permissions to protected files. Persistent rights are a separate comparison axis. [F1,C4]

Limits to distinguish: inspection paths, separate modules and unverified integration details. None proves blanket non-support.

Implications for our solution

Proposal: demonstrate measurable control in a defined AI-assisted business workflow.

Design area	Proposed approach
Detection quality	Combine deterministic rules or fingerprints with semantic checks only where they add value. Report evidence and uncertainty.
Operational fit	Start in audit mode, then enable warning, approval or blocking. Measure legitimate-task completion and administrator effort.
A testable distinction	Evaluate policy consistency across steps and attempted bypasses. LLM detection and generic agent visibility already appear in vendor offerings. [S14,S15,F4]

Success criterion: fewer successful leaks at an acceptable false-block rate and added latency on the same workload.

D1 Channel coverage(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D1-01	USB / removable media	●	Privacy-i media controls. [S1]
D1-02	Print	●	Content blocking and print logs. [S2]
D1-03	Clipboard copy / paste	●	Sensitive-content clipboard control. [S1]
D1-04	Screen capture	?	Screen-capture controls not specified.
D1-05	Email (SMTP / webmail)	●	Privacy-i / Mail-i. [S2,S3]
D1-06	Web upload / HTTP(S) / TLS	●	Mail-i TLS visibility and proxy. [S3]
D1-07	PC messenger	●	Privacy-i / Mail-i. [S2,S3]
D1-08	Cloud storage / webhard upload	●	Privacy-i / Mail-i. [S2,S3]
D1-09	Wi-Fi / Bluetooth / shares	◖	Bluetooth / AirDrop stated. Wi-Fi / shares unverified. [S7]
D1-10	PC / server data discovery	●	Privacy-i for PC, Server-i for server / DB. [S2,S6]
D1-11	GenAI web / desktop clients	◖	WebKeeper AI DLP lists web AI services. Desktop-app matrix not stated. [S5]
D1-12	LLM API traffic	?	Dedicated LLM API mediation not specified.
D1-13	Agent tools / MCP	?	AIDR announcement does not establish granular MCP mediation. [S15]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

D2 Detection technique(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D2-01	Regex / Korean ID checks	●	Korean ID checks, custom patterns and regex. [S1,S3]
D2-02	Keyword / dictionary rules	●	Mail-i keyword analysis. [S3]
D2-03	Exact data matching (EDM)	?	DB discovery does not establish DB fingerprint matching.
D2-04	Registered document matching	?	LLM semantics are stated. Registered-document matching unverified. [S14]
D2-05	True file-type identification	?	File signature / extension-spoofing coverage not stated.
D2-06	OCR on images / scans	●	Privacy-i OCR for scanned personal data. [S8]
D2-07	HWP / HWPX parsing	?	Current HWP and HWPX parser matrix not stated.
D2-08	Archive recursion	?	ZIP / RAR / 7z / ALZip / EGG, recursion and encryption handling unverified.
D2-09	ML / NLP / LLM classification	●	WebKeeper AI DLP states LLM semantic detection (2026). [S14]
D2-10	Source code / API keys	?	Dedicated source-code / secret detector not specified.
D2-11	Custom patterns / trainable model	◖	Custom patterns supported. Customer-trained model not specified. [S1]
D2-12	False-positive tuning	◖	ID validity checks reduce false matches. Broader tuning UI not stated. [S1]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

D3 Enforcement(For reference)

Documented capability and scope. Product and module boundaries apply.

.

ID	Capability	Flag	Documented scope and evidence
D3-01	Monitor and log only	◖	Access/audit logs stated; monitor-only policy mode unverified. [S5,S11]
D3-02	Warn / user justification	◖	Report-then-send case. Warning / justification UI needs confirmation. [S9]
D3-03	Hard block	●	Privacy-i outbound controls. [S2]
D3-04	Redact / mask, then allow	◖	Server-i masks detected records. In-flight rewriting unconfirmed. [S7]
D3-05	Encrypt / DRM handoff	●	Local-file encryption in Privacy-i. [S9]
D3-06	Approval workflow	●	Supervisor approval for export. [S9]
D3-07	Original / shadow copy retained	●	Original export / print data. [S1]
D3-08	Print / screen watermark	◖	Print watermark stated. Screen watermark unconfirmed. [S2]
D3-09	At-rest remediation	●	Deletion / encryption on PC and server. [S2,S7]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent
Enforcement implication: observation, content inspection and successful blocking are distinct outcomes.

D4 AI-specific(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D4-01	Typed-prompt inspection	●	WebKeeper AI DLP input controls. [S5]
D4-02	AI attachment / image inspection	◖	Upload control and originals logged. Image OCR in AI path unconfirmed. [S5]
D4-03	AI response inspection / filtering	?	Responses logged; response inspection / blocking unverified. [S5]
D4-04	Prompt injection / jailbreak detection	?	No explicit detector in reviewed sources.
D4-05	AI agent action control	◖	AIDR announces agent visibility / permissions. Action matrix unverified. [S15,S17]
D4-06	Enforcement off corporate network	?	Off-network AI enforcement route not specified.
D4-07	AI service coverage breadth	●	ChatGPT, Gemini, Copilot, Claude, Clova X. [S5]
D4-08	Shadow AI discovery / access control	◖	WebKeeper access lists; AIDR inventory announced. SaaS-wide discovery unverified. [S5,S15]
D4-09	Usage governance: dept / time / budget	◖	Department / time policies. Token budget not stated. [S5]
D4-10	Full prompt + response audit log	●	WebKeeper Q&A logs; Mail-i conversation reconstruction. [S5,S16]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

AI implication: test the exact client, API and agent route before assigning a coverage claim.

D5 Operations and deployment(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D5-01	Windows endpoint agent	●	Privacy-i. [S1]
D5-02	macOS endpoint agent	●	Privacy-i discovery / media control. [S7]
D5-03	Linux endpoint agent	●	Privacy-i discovery / media control. [S7]
D5-04	VDI support	?	Current VDI compatibility not verified.
D5-05	Cloud / SaaS delivery	●	Privacy-i Cloud on NAVER Cloud. [S10]
D5-06	Central console / reports	●	Multi-OS console and log search. [S12]
D5-07	Policy authoring model	●	Custom patterns and remote inspection. [S1,S2]
D5-08	Integrations: SIEM / NAC / MIP / API	?	Current SIEM / NAC / API matrix not verified.
D5-09	AI processing on-prem only	?	No-external-AI-API commitment not verified.

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent
AI implication: test the exact client, API and agent route before assigning a coverage claim.

D6 Compliance and certification (For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D6-01	Security verification / CC for DLP	◖	Privacy-i verification stated. Version / validity need checking. [S1]
D6-02	GS certification	◖	Privacy-i GS grade 1 stated. Exact version not shown. [S1]
D6-03	Korean public procurement listing	◖	Mail-i procurement claim. Current listing not checked. [S3]
D6-04	N2SF / C-S-O grade support	◖	Vendor N2SF control mapping. C-S-O classifier unverified. [S13]
D6-05	ISMS-P control alignment	?	Product-specific ISMS-P mapping not verified.
D6-06	KCMVP-validated crypto module	?	Module name / validation version not verified.
D6-07	Independent analyst recognition	◖	Historical Gartner reference, including 2017. Vendor record only. [S12]
D6-08	Other certification / recognition	?	No additional DLP-specific certificate verified.

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

AI implication: test the exact client, API and agent route before assigning a coverage claim.

Product portfolio

Persistent document protection connects discovery, access rights and AI-specific controls.

Product / product set	Protection role	Documented functions
FED + FDR	Files and repositories	Encryption, usage rights, discovery, classification and remediation. [F1,F2]
FSS / FSP / FSM / FXM	Channels and approvals	Screen / print protection, governed email release and exceptions. [F8-F11]
AI-R DLP	GenAI content	Pattern and contextual analysis of prompts and uploads. [F3,F17]
Endpoint / Bridge / Gateway	AI observation / control	PC control, network visibility and LLM API inspection. [F4-F6]
AI Radar / Privacy / Cloud	Management and options	Central policies, contextual masking and selected cloud modules. [F7,F12,F14]

Design implication: attach policy to the data and destination, then reuse it at each supported enforcement point.

Document rights and AI disclosure

AI attachment decisions can reuse a document's classification and access rights. [F4]

Control question	Documented Fasoo component	What it means for the workflow
Where is sensitive data?	FDR discovery and classification. [F2,F15]	Classification supplies a basis for later policy decisions.
Who may use the file?	FED encryption and usage permissions. [F1]	Controls can follow the protected file beyond one transfer.
May the user send it to AI?	Endpoint checks DRM status, rights and ACLs. [F4]	Reading a file and disclosing it externally require separate policy decisions.
Which path carries the API call?	Gateway inspects requests and responses. [F5]	Protection depends on the API traffic entering that gateway.

Our direction: test read-allowed / export-denied cases and preserve the same decision across endpoint and API paths.

AI product boundaries

Observation, endpoint enforcement and API mediation have different scopes.

Component	Documented behavior	Boundary to validate
AI-R Endpoint	Prompt / attachment warning or blocking; agent file / transfer control. [F4]	Confirm supported OS, apps, agents and document formats.
AI-R Bridge	Agentless Shadow AI discovery, prompt collection and inspection. [F6]	The reviewed page does not establish inline blocking.
AI-R Gateway	API request / response checks, virtual keys and budgets. [F5]	Direct API calls require a controlled routing policy.
AI Radar	Policy distribution, event collection and administrator controls. [F7]	A central console does not by itself prove consistent enforcement.

Our direction: separate “observed”, “inspected” and “blocked” in the console, the evidence schema and evaluation results.

파수 (윤석)

Competitive position

A documented strength is carrying existing document policy into AI use.

Comparison axis	Fasoo evidence	Competing reference / assessment
Persistent file policy	FED keeps encryption and usage permissions with protected files. [F1]	This differs from transit-only inspection. Purview also offers persistent rights, so exclusivity is not established. [C4]
AI attachment decisions	Endpoint reuses DRM status, classification and ACLs. [F4]	A useful fit for an existing document-policy estate. Test policy conflicts and supported apps.
Microsoft 365	FED documents M365 integration and DRM / MIP conversion. [F1]	Purview offers native M365 DLP policies. Compare exact workflows and deployment effort. [C3]
Detection and prevention	AI-R DLP adds context; FDR adds OCR. [F15,F17]	EDM / document-fingerprint equivalence and matched accuracy remain unverified. [C1,C2]

Limits to distinguish: protected-file scope, gateway routing, Bridge visibility and integration across separately named products.

파수 (윤석)

Implications for our solution

Proposal: make authorization and enforcement consistent across a complete task.

Design area	Proposed approach
A common policy decision	Use user identity, document class, destination and requested action together. Preserve the policy version behind each decision.
Controlled exceptions	Provide an approval path for legitimate exports and retain an auditable reason. Keep evidence access and retention explicit.
A testable distinction	Measure decisions across file reading, prompt submission and tool-assisted export. Existing agent-control claims make coverage proof essential. [F4]

Success criterion: equivalent user, data, action, destination and policy context yield consistent decisions across supported paths.

파수 (윤석)

D1 Channel coverage(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D1-01	USB / removable media	◖	FED protects copied encrypted files. USB device control unverified. [F1]
D1-02	Print	●	FSP content policies and tracking. [F9]
D1-03	Clipboard copy / paste	?	General clipboard DLP not established by reviewed product pages.
D1-04	Screen capture	●	FSS capture blocking and attempt logs. [F8]
D1-05	Email (SMTP / webmail)	◖	FSM governs DRM attachments. General mail-body DLP unverified. [F10]
D1-06	Web upload / HTTP(S) / TLS	◖	AI uploads covered. Broad HTTPS / TLS-decryption matrix unverified. [F3,F6]
D1-07	PC messenger	◖	Persistent file protection via FED. Messenger-body inspection unverified. [F1]
D1-08	Cloud storage / webhard upload	◖	FED / M365 file protection. Generic upload DLP not established. [F1]
D1-09	Wi-Fi / Bluetooth / shares	?	Wi-Fi / Bluetooth / shared-folder device control not specified.
D1-10	PC / server data discovery	●	FDR discovers PC and file-server data. [F2]
D1-11	GenAI web / desktop clients	◖	AI-R Endpoint controls PC AI prompts / attachments. App matrix not stated. [F4]
D1-12	LLM API traffic	●	AI-R Gateway request / response checks. [F5]
D1-13	Agent tools / MCP	?	Agent file controls do not establish MCP mediation. [F4]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

D2 Detection technique(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D2-01	Regex / Korean ID checks	◖	Patterns and validity checks. Korean-ID specifics unverified. [F2,F3]
D2-02	Keyword / dictionary rules	●	FDR dictionary / exclusion filters. [F2]
D2-03	Exact data matching (EDM)	?	Exact DB fingerprint matching not specified.
D2-04	Registered document matching	?	Registered-document fingerprint matching not established.
D2-05	True file-type identification	?	File signature / extension-spoofing coverage not stated.
D2-06	OCR on images / scans	●	FDR OCR, including embedded images. [F15]
D2-07	HWP / HWPX parsing	?	Hangul labels stated; HWP / HWPX parser matrix unverified. [F15]
D2-08	Archive recursion	?	ZIP / RAR / 7z / ALZip / EGG, recursion and encryption handling unverified.
D2-09	ML / NLP / LLM classification	●	AI-R DLP: NLP / LLM. AI-R Privacy: contextual detection. [F17,F14]
D2-10	Source code / API keys	◖	Source-code leakage use case. API-key detector not explicit. [F3]
D2-11	Custom patterns / trainable model	?	Customer retraining / model-upload capability not stated.
D2-12	False-positive tuning	●	FDR validity checks and dictionary / exception filters. [F2]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

파수 (윤석)

D3 Enforcement(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D3-01	Monitor and log only	●	AI-R Bridge collection / monitoring. [F6]
D3-02	Warn / user justification	◖	AI-R Endpoint warnings. Justify-and-proceed not specified. [F4]
D3-03	Hard block	●	AI-R DLP / Endpoint / Gateway. [F3-F5]
D3-04	Redact / mask, then allow	◖	FSP print masking, FDR + AI-R Privacy. AI traffic rewriting unconfirmed. [F9,F15]
D3-05	Encrypt / DRM handoff	●	FED and FDR policy actions. [F1,F2]
D3-06	Approval workflow	●	FXM pre / post / self approval. [F11]
D3-07	Original / shadow copy retained	◖	Print contents retained. All outbound originals unconfirmed. [F9]
D3-08	Print / screen watermark	●	FSP print and FSS screen marks. [F8,F9]
D3-09	At-rest remediation	●	FDR deletion / quarantine / encryption. [F2]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent
Enforcement implication: observation, content inspection and successful blocking are distinct outcomes.

파수 (윤석)

D4 AI-specific(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D4-01	Typed-prompt inspection	●	AI-R DLP / Endpoint. [F3,F4]
D4-02	AI attachment / image inspection	◖	Files inspected. Inline image OCR coverage not explicit. [F17]
D4-03	AI response inspection / filtering	●	AI-R Gateway inspects both directions. [F5]
D4-04	Prompt injection / jailbreak detection	?	No explicit detector in reviewed product sources.
D4-05	AI agent action control	◖	Endpoint agent file / transfer control. Tool / MCP matrix unverified. [F4]
D4-06	Enforcement off corporate network	?	Off-network AI-channel control unverified; FED file protection is separate. [F1]
D4-07	AI service coverage breadth	●	ChatGPT, Gemini and Claude named. [F17]
D4-08	Shadow AI discovery / access control	◖	Bridge discovers Shadow AI; service-level access denial not explicit. [F6,F7]
D4-09	Usage governance: dept / time / budget	◖	Gateway department budgets. Time-window rule not specified. [F5]
D4-10	Full prompt + response audit log	◖	Prompt / attachment logs stated. Full response retention unverified. [F4,F7]

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

AI implication: test the exact client, API and agent route before assigning a coverage claim.

파수 (윤석)

D5 Operations and deployment(For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D5-01	Windows endpoint agent	●	FED / FDR. AI-module OS matrix separate. [F1,F2]
D5-02	macOS endpoint agent	●	FED / FDR. AI-module OS matrix separate. [F1,F2]
D5-03	Linux endpoint agent	?	Linux endpoint DLP agent not verified.
D5-04	VDI support	?	Current VDI product matrix not verified.
D5-05	Cloud / SaaS delivery	●	DSP Cloud data-security modules. [F12]
D5-06	Central console / reports	●	AI Radar central policy / event console. [F7]
D5-07	Policy authoring model	●	AI-R DLP policies by IP / ID / URL. [F3]
D5-08	Integrations: SIEM / NAC / MIP / API	◖	M365 / MIP and DRM integration. SIEM / NAC matrix unverified. [F1,F4]
D5-09	AI processing on-prem only	?	External model use / local inference boundary not specified.

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent

AI implication: test the exact client, API and agent route before assigning a coverage claim.

D6 Compliance and certification (For reference)

Documented capability and scope. Product and module boundaries apply.

ID	Capability	Flag	Documented scope and evidence
D6-01	Security verification / CC for DLP	◖	FED 5.0 CC (2018). Not AI-R DLP certification. [F16]
D6-02	GS certification	◖	FDR v1.2 / FSP v3.0 GS (2019). Historical versions. [F16]
D6-03	Korean public procurement listing	?	Current product / edition listing not verified.
D6-04	N2SF / C-S-O grade support	●	FDR C-S-O classification / labeling. [F15]
D6-05	ISMS-P control alignment	?	Product-specific ISMS-P mapping not verified.
D6-06	KCMVP-validated crypto module	◖	Fasoo Crypto validation. Deployed module/version must match. [F13]
D6-07	Independent analyst recognition	?	No current independent DLP assessment verified.
D6-08	Other certification / recognition	?	No additional in-scope certificate verified.

● Documented ◖ Partial / conditional ? Not verified, not confirmed absent
AI implication: test the exact client, API and agent route before assigning a coverage claim.

(윤석)

My View / Research Direction

Somansa has addressed ChatGPT-related data leakage since 2023, but its AI-specific capabilities are still being rapidly expanded, including LLM-based semantic detection and AI-agent visibility in 2026.

This suggests that AI-DLP is still an evolving security domain rather than a fully mature extension of traditional DLP. Therefore, our solution could differentiate itself by focusing on LLM-native security threats, rather than simply extending conventional DLP rules.

.

.

지란지교데이터 **(Sercan):** D1 Channel Coverage

ID	Capability	Flag	Documented scope and evidence
D1-01	USB / removable media	●	**PCFILTER** blocks copy/export through USB, external HDD, smartphones and CD; supports per-media/file approval and block policies. [J1]
D1-02	Print	●	PCFILTER supports print blocking/approval, watermarking, personal-data masking and administrator/approver authorization. [J1]
D1-03	Clipboard copy / paste	●	PCFILTER blocks clipboard copy/paste and can detect and block clipboard content containing personal information. [J1]
D1-04	Screen capture	●	PCFILTER marketplace documentation explicitly lists **capture blocking** as a DLP function. [J2]
D1-05	Email (SMTP / webmail)	●	Vendor documentation states that data leakage through **mail/file attachment** can be detected and blocked. Protocol-specific SMTP/webmail coverage is not separately enumerated. [J1]
D1-06	Web upload / HTTP(S) / TLS	◖	File-attachment blocking and URL/process-based controls are documented, including web access controls. A general **HTTP(S) inspection / TLS-decryption architecture is not documented** in reviewed material. [J1]
D1-07	PC messenger	?	General file-attachment controls are documented, but a current messenger-specific application/protocol coverage matrix was not found in reviewed material.
D1-08	Cloud storage / webhard upload	●	Jiran describes PCFILTER as preventing leakage through **cloud/file-attachment channels**; earlier product material also explicitly identifies webhard as a controlled path. [J3][J4]
D1-09	Wi-Fi / Bluetooth / shares	●	PCFILTER documents Wi-Fi/Bluetooth external-network blocking plus shared-folder creation/access blocking. [J1]
D1-10	PC / server data discovery	●	PCFILTER scans PC documents/images; **SERVERFILTER** separately discovers personal data on servers using SFTP/DB connections. [J1][J5]
D1-11	GenAI web / desktop clients	●	PCFILTER controls **ChatGPT, Gemini, Copilot, Claude and Naver Works AI**; it supports AI-related URL control, GenAI application execution control and AI file-attachment control. [J1]
D1-12	LLM API traffic	?	No dedicated system-to-system LLM API inspection/gateway capability was identified for PCFILTER in the reviewed product material.
D1-13	Agent tools / MCP	?	No explicit MCP mediation, tool-call inspection or agent-action control was identified in the reviewed material.

지란지교데이터 (Sercan): D2 Detection

ID	Capability	Flag	Documented scope and evidence
D2-01	Regex / Korean ID checks	◖	AIFILTER supports administrator-defined **regular expressions and personal-information detection patterns**. Korean-ID-specific validity checking was not explicitly documented in reviewed material. [J1]
D2-02	Keyword / dictionary rules	●	AIFILTER supports **administrator-defined keywords** and template-based detection policies. [J1]
D2-03	Exact data matching (EDM)	?	SERVERFILTER can inspect databases through DB connections, but **exact database fingerprint / EDM matching was not established**. [J3]
D2-04	Registered document matching	?	Document and image inspection are supported, but registered-document fingerprint/similarity matching was not identified in reviewed material.
D2-05	True file-type identification	?	Multiple document/image formats are supported, but **file-signature validation or extension-spoofing detection** is not explicitly documented.
D2-06	OCR on images / scans	●	AIFILTER provides **AI OCR** for images, scans and images embedded inside documents; PCFILTER can use AI-OCR through AIFILTER integration. [J1,J2]
D2-07	HWP / HWPX parsing	●	AIFILTER explicitly supports **HWP and HWPX**, including text/image personal-data inspection and de-identification. [J1]
D2-08	Archive recursion	◖	PCFILTER explicitly supports **multi-compressed-file inspection**. Specific ZIP/RAR/7z/ALZip/EGG matrices, recursion depth and encrypted-archive behavior are not stated. [J2]
D2-09	ML / NLP / LLM classification	●	AIFILTER uses **AI-based NER** and model-based detection for personal/sensitive information; SERVERFILTER can integrate the same AI OCR/NER layer. [J1,J3]
D2-10	Source code / API keys	?	No dedicated source-code, credential or API-key detector was identified in reviewed Jiran material.
D2-11	Custom patterns / trainable model	●	AIFILTER supports custom regex/keyword policies and explicitly provides **organization-document-based AI model creation plus model-update/training tools**. [J1]
D2-12	False-positive tuning	◖	Template policies, custom keywords/regex and configurable detection patterns provide tuning controls, but a dedicated false-positive tuning workflow or measured FP-reduction mechanism was not documented. [J1]

지란지교데이터 **(Sercan):** D3 Enforcement

ID	Capability	Flag	Documented scope and evidence
D3-01	Monitor and log only	◖	PCFILTER records print, copy, attachment, protection-action and endpoint activity logs. A dedicated **monitor-only policy mode** was not explicitly confirmed. [J1,J2]
D3-02	Warn / user justification	◖	Users can request administrator/approver authorization when print, media or file-transfer actions are blocked. **Free-text justify-and-proceed** was not documented. [J1]
D3-03	Hard block	●	PCFILTER blocks print, USB/media export, file attachments/transfers, shared folders and other policy-controlled leakage paths. [J1,J2]
D3-04	Redact / mask, then allow	◖	PCFILTER supports **masking sensitive information on printed output**. General in-flight masking of web/AI/email content was not established. [J1]
D3-05	Encrypt / DRM handoff	●	Detected personal-information files can be automatically encrypted according to policy; AES-256 encryption is documented. [J2]
D3-06	Approval workflow	●	PCFILTER supports administrator/approver workflows for printing, removable media, file transfers and retention/use of detected sensitive files. [J1,J2]
D3-07	Original / shadow copy retained	●	For controlled outbound file transfers, PCFILTER documentation states that the **original exported file can be automatically retained** for audit/evidence. [J1]
D3-08	Print / screen watermark	●	PCFILTER documents print watermarking and screen/work-environment protection including watermark application. [J1]
D3-09	At-rest remediation	●	Detected sensitive files can be **encrypted, securely deleted, quarantined/moved to a protected folder**, with retention-expiry protection actions. [J1,J2]

지란지교데이터 (Sercan): D4 AI-specific

ID	Capability	Flag	Documented scope and evidence
D4-01	Typed-prompt inspection	●	PCFILTER inspects GenAI prompts in real time and blocks requests containing personal or confidential information. [J1]
D4-02	AI attachment / image inspection	◖	GenAI file attachments can be allowed/blocked; AI-OCR detects personal information in images. [J1]
D4-03	AI response inspection / filtering	●	PCFILTER stores the user prompt **and AI response** in logs, but response-side blocking/filtering is not explicitly documented. [J1]
D4-04	Prompt injection / jailbreak detection	?	No explicit prompt-injection or jailbreak detector was identified in reviewed Jiran material.
D4-05	AI agent action control	◖	GenAI application execution and file-attachment controls are documented, but action-level agent/tool/MCP control is not established. [J1]
D4-06	Enforcement off corporate network	?	PCFILTER uses an endpoint agent and supports both cloud and on-prem deployment, suggesting endpoint-based control; explicit off-network AI enforcement behavior is not separately documented. [J1]
D4-07	AI service coverage breadth	●	Explicitly covers ChatGPT, Gemini, Copilot, Claude and Naver Works AI, with additional services under expansion. [J1]
D4-08	Shadow AI discovery / access control	◖	AI-related URLs, GenAI applications and named AI services can be allowed/ blocked, but broad Shadow-AI discovery/inventory is not explicitly documented. [J1]
D4-09	Usage governance: dept / time / budget	◖	PCFILTER supports user/group policies and exceptions for AI-related access; department/time/budget governance is not explicitly documented. [J1]
D4-10	Full prompt + response audit log	◖	PCFILTER stores **user prompts + AI answers**, retains detection logs long-term and provides security-audit log lists. [J1]

지란지교데이터 (Sercan): D5 Ops & Deployment

ID	Capability	Flag	Documented scope and evidence
D5-01	Windows endpoint agent	●	PCFILTER is an endpoint DLP product for employee PCs; current product material documents agent-based PC control and centralized policy enforcement. [J1]
D5-02	macOS endpoint agent	?	macOS endpoint-agent support was not explicitly verified in the reviewed PCFILTER material.
D5-03	Linux endpoint agent	?	Linux endpoint DLP agent not verified.
D5-04	VDI support	?	Current VDI / virtual-desktop compatibility was not identified in the reviewed product material.
D5-05	Cloud / SaaS delivery	◐	Jiran provides cloud-based security services elsewhere in the portfolio, but PCFILTER-specific SaaS delivery was not clearly established in the reviewed sources. [J2]
D5-06	Central console / reports	●	PCFILTER provides centralized policy/log management; Jiran material also emphasizes audit logs and administrator review of outbound actions. [J1,J3]
D5-07	Policy authoring model	●	Policies can be applied by user/group and across removable media, print, file transfer, AI access and other endpoint channels, with approval/exception workflows. [J1,J3]
D5-08	Integrations: SIEM / NAC / MIP / API	◐	AIFILTER documents customizable API integration with groupware, security and big-data systems. A current SIEM/NAC/MIP integration matrix for PCFILTER was not verified. [J4]
D5-09	AI processing on-prem only	?	Jiran documents AI-OCR/NER capabilities, but whether AI processing is strictly on-prem with no external model/API dependency was not explicitly established. [J4]

지란지교데이터 (Sercan): D6 Compliance

ID	Capability	Availability	References
D6-01	Security verification / CC for DLP	●	**PCFILTER V3.1** has a security-function verification certificate; **SERVERFILTER 2.1** holds CC certification at **EAL2**. [J1,J2]
D6-02	GS certification	●	**PCFILTER V3.1** holds GS Grade 1; SERVERFILTER 2.1, WEBFILTER V2.5 and AIFILTER V2.0 also have GS certification. [J1-J4]
D6-03	Korean public procurement listing	●	PCFILTER V3.1 is registered in the Korean Public Procurement Service digital/service mall; SERVERFILTER, WEBFILTER and AIFILTER are also listed. [J1-J4]
D6-04	N2SF / C-S-O grade support	?	No explicit product-level N2SF / C-S-O classification or formal mapping was identified in the reviewed Jiran material.
D6-05	ISMS-P control alignment	?	PCFILTER is positioned for privacy/compliance protection, but a formal product-specific ISMS-P control mapping was not identified. [J1]
D6-06	KCMVP-validated crypto module	?	Encryption is supported, but no current KCMVP-validated cryptographic module was identified in the reviewed product material.
D6-07	Independent analyst recognition	?	No current independent DLP analyst assessment or recognition was identified in the reviewed sources.
D6-08	Others	●	Jiran documents multiple security patents; WEBFILTER also has cloud-computing service quality/performance verification. [J1,J3]

세이퍼존 (Sercan): D1 Channel Coverage

ID	Capability	Flag	Documented scope and evidence
D1-01	USB / removable media	●	SaferZone DLP V10 controls USB ports, external storage, smartphones and other portable media/interfaces; SaferZone also documents Secure USB controls. [S1,S2]
D1-02	Print	●	Endpoint security includes print-security functions; current product material describes watermarking and print approval/ blocking policies. [S2,S3]
D1-03	Clipboard copy / paste	?	No explicit clipboard copy/paste control was identified in the reviewed public SaferZone material.
D1-04	Screen capture	?	Endpoint security is broadly documented, but explicit screen-capture blocking was not established in the reviewed sources.
D1-05	Email (SMTP / webmail)	●	**SaferZone Email V10** provides outbound-mail DLP with pre-send blocking, approval/audit, archiving and administrative review of sent mail. [S4,S5]
D1-06	Web upload / HTTP(S) / TLS	◖	SaferZone documents **Internet information-leak controls** and blocking/logging of web-based file transfer, but a broad TLS-decryption/HTTP(S) inspection architecture was not verified. [S2,S3]
D1-07	PC messenger	●	Current SaferZone DLP material states that Internet transmission control covers file transfer through **messengers** with blocking and logging. [S3]
D1-08	Cloud storage / webhard upload	●	Current product material explicitly includes **cloud services** among Internet file-transfer channels that can be blocked/logged. [S3]
D1-09	Wi-Fi / Bluetooth / shares	◖	SaferZone DLP V10 controls wireless LAN and Bluetooth/media interfaces. Explicit shared-folder control was not verified in reviewed public material. [S1,S3]
D1-10	PC / server data discovery	◖	SaferZone DLP V10 protects sensitive content stored on user PCs and performs encryption/deletion actions. Public evidence for broad server-side discovery comparable to a dedicated discovery product was not established. [S1]
D1-11	GenAI web / desktop clients	◖	SaferZone currently lists a dedicated **AI DLP** product within its endpoint-security portfolio, but the public material reviewed did not establish a complete web/desktop GenAI application coverage matrix. [S2]
D1-12	LLM API traffic	?	No explicit system-to-system LLM API inspection/gateway capability was identified in reviewed public material.
D1-13	Agent tools / MCP	?	No explicit AI-agent tool-call or MCP mediation capability was identified in reviewed public material.

세이퍼존 (Sercan): D2 Detection

ID	Capability	Flag	Documented scope and evidence
D2-01	Regex / Korean ID checks	◖	SaferZone DLP searches for important/personal information, but the reviewed public material does not explicitly document regex syntax or Korean-ID validity checks. [S1]
D2-02	Keyword / dictionary rules	?	Content-based detection is documented, but a current keyword/dictionary policy engine was not explicitly described in reviewed sources.
D2-03	Exact data matching (EDM)	?	No explicit database fingerprint / exact-data-matching capability was identified.
D2-04	Registered document matching	?	Important-file tracking is documented, but registered-document fingerprint or similarity matching was not established. [S2]
D2-05	True file-type identification	?	File and attachment controls are documented, but file-signature / extension-spoofing detection was not explicitly stated.
D2-06	OCR on images / scans	?	No explicit OCR-based personal-information detection was identified in reviewed SaferZone DLP material.
D2-07	HWP / HWPX parsing	?	No current HWP/HWPX parser-support matrix was found in reviewed public material.
D2-08	Archive recursion	◖	SaferZone Email DLP explicitly detects confidential information inside **multi-compressed files**, but archive formats, recursion depth and encrypted-archive behavior are not specified. [S3]
D2-09	ML / NLP / LLM classification	?	SaferZone documents AI-based detection in its anti-spam/ransomware products, but no explicit ML/NLP/LLM content-classification capability was established for DLP itself. [S4]
D2-10	Source code / API keys	?	No dedicated source-code, credential or API-key detector was identified.
D2-11	Custom patterns / trainable model	?	User/group security policies are documented, but customer-defined detection models or trainable classification models were not verified.
D2-12	False-positive tuning	◖	User/group policy assignment and whitelist mechanisms exist in related products, but a DLP-specific false-positive tuning workflow was not explicitly documented. [S5]

세이퍼존 (Sercan): D3 Enforcement

ID	Capability	Flag	Documented scope and evidence
D3-01	Monitor and log only	●	SaferZone DLP logs Internet file transfers and supports centralized monitoring/ reporting by user and department. [S1]
D3-02	Warn / user justification	◖	Print and email workflows support approval before release. A generic user “justify and proceed” workflow was not explicitly documented. [S1,S2]
D3-03	Hard block	●	SaferZone DLP blocks USB/media access, Internet file transfers, unauthorized programs, websites and other policy-controlled leakage paths. [S1,S3]
D3-04	Redact / mask, then allow	?	No general content redaction/masking workflow was identified in reviewed DLP material. Print watermarking is documented, but that is not equivalent to masking.
D3-05	Encrypt / DRM handoff	●	Sensitive information can be automatically encrypted; SaferZone also documents secure-file handling for approved external export. [S1,S4]
D3-06	Approval workflow	●	Print approval/blocking and outbound-email internal approval workflows are explicitly documented. [S1,S2]
D3-07	Original / shadow copy retained	◖	Email archiving retains original mail for search, recovery and audit. Equivalent shadow-copy retention for every DLP export path was not verified. [S5]
D3-08	Print / screen watermark	◖	Print watermarking is explicitly documented. Screen-capture blocking is documented, but a persistent screen watermark was not verified. [S1]
D3-09	At-rest remediation	●	SaferZone documents automatic encryption plus **backup/quarantine** handling of sensitive data, and procurement material also states encryption/deletion of sensitive content stored on PCs. [S1,S3]

세이퍼존 (Sercan): D4 AI-specific

ID	Capability	Flag	Documented scope and evidence
D4-01	Typed-prompt inspection	●	SaferZone states that its endpoint AI-DLP inspects content entered into GenAI services and blocks sensitive/confidential information before transmission. [S1,S2]
D4-02	AI attachment / image inspection	◖	Public material explicitly states control of files attached to GenAI services. Image/OCR inspection on the AI-upload path was not clearly established. [S2]
D4-03	AI response inspection / filtering	?	Reviewed material focuses on **outbound user input and attachments**. Response-side inspection/blocking was not verified.
D4-04	Prompt injection / jailbreak detection	?	No explicit prompt-injection or jailbreak detector was identified in reviewed SaferZone material.
D4-05	AI agent action control	?	AI application traffic is controlled, including ChatGPT/Gemini apps using QUIC, but action-level control of AI agents, tools or MCP was not documented. [S1]
D4-06	Enforcement off corporate network	●	SaferZone states that its endpoint-agent AI-DLP controls leakage even in **remote-work / off-network environments**, because enforcement occurs on the user PC rather than only at the corporate network gateway. [S1]
D4-07	AI service coverage breadth	◖	ChatGPT and Gemini are explicitly cited, including web and dedicated AI applications. A broader service matrix covering Claude, Copilot, etc. was not verified in the reviewed material. [S1]
D4-08	Shadow AI discovery / access control	◖	SaferZone can block/control AI applications and AI-related traffic at the endpoint, but a broad Shadow-AI inventory/discovery capability was not explicitly documented. [S1]
D4-09	Usage governance: dept / time / budget	?	No explicit AI-specific department/time/token/budget governance capability was identified in reviewed material.
D4-10	Full prompt + response audit log	◖	General DLP logging/reporting is documented and AI prompt inspection is described, but full prompt-plus-response audit retention was not explicitly

세이퍼존 (Sercan): D5 Ops & Deployment

ID	Capability	Flag	Documented scope and evidence
D5-01	Windows endpoint agent	●	SaferZone DLP V10 explicitly supports **Windows** endpoints. [S1]
D5-02	macOS endpoint agent	●	SaferZone DLP V10 explicitly supports **macOS**; the company also lists a dedicated macOS DLP offering. [S1,S2]
D5-03	Linux endpoint agent	●	SaferZone DLP V10 explicitly states **Linux** support as part of its multi-OS endpoint architecture. [S1,S2]
D5-04	VDI support	?	No explicit current VDI / virtual-desktop compatibility statement was identified in the reviewed material.
D5-05	Cloud / SaaS delivery	●	SaferZone states that it supports both **on-premise/appliance** and **cloud-native** deployment; its product-introduction form also lets customers choose cloud or on-premise deployment. [S2,S3]
D5-06	Central console / reports	●	SaferZone documents centralized policy management, user/group controls, logging, monitoring and audit/reporting across endpoint security functions. [S1,S4]
D5-07	Policy authoring model	●	User/group-based policy application is explicitly documented, including file-transfer, external sharing and endpoint-control policies. [S1,S4]
D5-08	Integrations: SIEM / NAC / MIP / API	◐	SaferZone documents Microsoft 365 / Teams tenant external-sharing control and centralized audit, but a general SIEM/NAC/MIP/API integration matrix was not found. [S4]
D5-09	AI processing on-prem only	?	Public material confirms on-prem and cloud deployment options, but does not establish that AI-DLP processing is strictly on-prem with no external AI/model dependency.

세이퍼존 (Sercan): D6 Compliance

ID	Capability	Availability	References
D6-01	Security verification / CC for DLP	●	SaferZone's official product page lists a 보안기능확인서 for DLP, and company history also states National Intelligence Service security-function certification for SaferZone DLP/USB V10. [S1,S2]
D6-02	GS certification	●	**SaferZone DLP V10** received **GS Grade 1** certification from TTA; the official product page also lists GS certification. [S1,S3]
D6-03	Korean public procurement listing	●	**SaferZone DLP V10** is registered for Korean public procurement; **SaferZone Email V10** also has procurement-listed SKUs. [S4,S5]
D6-04	N2SF / C-S-O grade support	?	No explicit N2SF / C-S-O product mapping was identified in reviewed public material.
D6-05	ISMS-P control alignment	?	SaferZone positions its products for privacy/compliance use, but a formal product-specific ISMS-P control mapping was not identified.
D6-06	KCMVP-validated crypto module	?	Encryption is documented, but no current KCMVP-validated cryptographic module was identified in reviewed SaferZone material.
D6-07	Independent analyst recognition	?	No current Gartner/Forrester-style independent DLP analyst recognition was identified in reviewed sources.
D6-08	Others	●	Jiran documents multiple security patents; WEBFILTER also has cloud-computing service quality/performance verification. [J1,J3]

Overview: Jiran Data vs. SaferZone

ID	지란지교데이터 (Jiran Data)	세이퍼존 (SaferZone)
D1 Channel Coverage	Strong endpoint coverage; USB, print, clipboard, wireless/shared folders, PC/server discovery and GenAI channels documented. LLM API/MCP unverified.	Strong endpoint + email coverage; USB, print, messenger, cloud, email and off-network AI controls documented. LLM API/MCP unverified.
D2 Detection	Stronger advanced detection evidence: regex/keywords, OCR, HWP/HWPX, NER and organization-specific AI models. EDM and secret detection unverified.	Personal/confidential-data detection and compressed-file inspection documented. OCR, EDM, semantic/LLM classification and secret detection remain unclear.
D3 Enforcement	Strong endpoint enforcement: hard block, approval, encryption, watermarking, shadow-copy retention and remediation.	Strong traditional enforcement: hard block, approval, encryption, logging and quarantine. General masking and all-channel shadow-copy retention less clear.
D4 AI-specific	Prompt inspection, AI attachment control, named GenAI services and full prompt+response logging documented. Response filtering, jailbreak and MCP controls unverified.	Prompt and attachment control documented, including off-network enforcement and ChatGPT/Gemini app control. Response filtering, jailbreak and MCP controls unverified.
D5 Ops & Deployment	Centralized endpoint-policy model. Windows clearly documented; macOS/Linux/VDI less clear. API integration exists through AIFILTER.	Stronger deployment breadth: Windows, macOS, Linux, cloud and on-prem deployment documented. VDI and broad SIEM/NAC/MIP integration remain unverified.
D6 Compliance	Strong Korean certification/procurement evidence: security-function verification, GS, procurement, CC for SERVERFILTER.	Strong Korean public-sector readiness: security-function verification, GS Grade 1, procurement and cloud quality/performance verification.

- **Jiran Data** shows stronger public evidence around **content detection and AI inspection**, especially OCR, NER, custom models and prompt/response logging.
- **SaferZone** shows stronger public evidence around **deployment breadth and traditional endpoint/email enforcement**, especially multi-OS support and off-network AI control.
- For both vendors, the main unresolved areas are **LLM API inspection, AI-agent/MCP mediation, prompt-injection defense, and response-side AI enforcement**.

컨트루 (Alta)

D1 – Channel Coverage

ID	Capability	Availability	References
D1-01	USB / removable media	●	셜록홈즈 PC 정보보안 – 매체보안 module: per-group/user policy (read-only, block copy, log) for USB, external HDD, CD; 'certified USB' mode and admin approval for export [1], [2].
D1-02	Print	●	PC 정보보안 – 출력물보안 : per-group/user print policy (block / log / watermark); export approval or rejection [1], [2].
D1-03	Clipboard copy/paste		Sphinx AI DLP only inspects text once it reaches a GenAI service [1].
D1-04	Screen capture		
D1-05	Email (SMTP / webmail)	◐	셜록홈즈 NetCenter monitors corporate mail and webmail via TAP/mirroring — content-aware detection and logging, but passive (no inline blocking). ArchiveCenter archives mail [3].
D1-06	Web upload inspection (HTTP/S, TLS decryption)	◐	NetCenter logs HTTP POST with attachments (raw HTTP POST optional). HTTPS requires the separate 'HTTPS Center' appliance. Monitoring only [3].
D1-07	PC messenger	◐	NetCenter monitors messengers incl. finance-sector K-Bond (1:1, group, notes, attachments) — logging, not blocking [3].
D1-08	Cloud storage / webhard upload	◐	NetCenter monitors webhard/cloud, web boards, FTP (passive) [3].
D1-09	Wireless (Wi-Fi/Bluetooth) & shared folders		매체보안 covers USB / external HDD / CD [1]; no Wi-Fi, Bluetooth or shared-folder control documented.
D1-10	Data-at-rest discovery on PC / server	●	PC 스캔 & 이미지스캔 (PC files + images, real-time on create/modify/copy); PrivacyCenter / 서버스캔 for web, file and e-approval servers [4], [5].
D1-11	GenAI chat channel (web / desktop app)	●	Sphinx AI DLP (proxy mode) – ChatGPT, Gemini, Claude, Copilot, M365 Copilot, Perplexity, Wrks AI, MiriCanvas, etc., with existing UI unchanged [6].
D1-12	LLM API channel (system-to-system)	●	Sphinx AI DLP API mode for in-house / private LLMs; relays commercial LLMs into the corporate environment [6], [7].
D1-13	Agent tool-call / MCP mediation	◐	Supports agentic coding tools (Claude Code, Codex, Cursor, GitHub Copilot) and demos 'agent' environments; no explicit MCP / tool-call mediation documented [6], [8].

D2 – Detection Technique

ID	Capability	Availability	References
D2-01	Regex / pattern with Korean identification format validation	◐	Regex plus what Comtrue calls the largest Korean PII pattern set (RRN, driver licence, alien reg., passport, phone, account, card) [1], [2]. Checksum validation not explicitly stated **[need to confirm!]**.
D2-02	Keyword / dictionary based rules	●	Keyword detection and keyword substitution (Sphinx); keyword patterns in NetCenter [2], [3].
D2-03	Exact data matching (DB fingerprint)		
D2-04	Indexed document / semantic similarity	●	Sphinx – register confidential documents; similar content is blocked (' 기밀정보 유사도 분석 차단 '), used at Samsung C&T / SDI and K-water [2].
D2-05	True file-type identification		**[need to confirm!]**
D2-06	OCR on images & scans	●	Own AI OCR neural net: images and OLE images inside documents, rotated / low-quality scans (PC 이미지스캔); OCR on GenAI uploads (Sphinx) [2], [4], [5].
D2-07	HWP / HWPX content parsing	●	HWP explicitly supported (image-PII post-processing in HWP, PPTX) [4]. HWPX not named **[need to confirm!]**.
D2-08	Archive recursion (ZIP/RAR/7z/ALZip/EGG)		**[need to confirm!]**
D2-09	ML / NLP / LLM contextual classification	●	Context-based detection of PII/confidential info (Sphinx); RAG-based extended search in PC 정보보안 ; 'DLP + AI 2-step' detection [1], [2], [6].
D2-10	Source code & secret (API key) detection	◐	Filtering in Cursor IDE / coding assistants is demonstrated; no dedicated secret/API-key detector documented [2].
D2-11	Custom / trainable detection models	◐	User-defined confidential data registered for similarity blocking; in-house neural nets; no customer-trainable classifier documented [2].
D2-12	False-positive tuning mechanism	◐	2-Step PII detection positioned to cut regex false positives; policy exceptions (e.g., CEO, time windows) in NetCenter [3], [6].

D3 – Enforcement

ID	Capability	Availability	References
D3-01	Monitor & log only	●	NetCenter is monitoring-by-design; Sphinx records input and block logs [1], [2].
D3-02	Warn / user justification	◐	Sphinx shows block reason and details to the user; free-text justification not documented [2].
D3-03	Hard block	●	Prompt/attachment input block (Sphinx); USB and print block (PC 정보보안) [2], [3].
D3-04	Redact / mask, then allow	●	Sphinx pseudonymisation (asterisk masking) and keyword substitution before sending; masked save for files [2], [4].
D3-05	Encrypt / DRM handoff	●	File encryption on detection, real-time encryption, export-encryption package (not full DRM) [4].
D3-06	Approval workflow	●	Decryption / export approval, print export approval, USB export approval [4], [5].
D3-07	Original (shadow) copy retained	●	Approval process keeps log + file copy for audit; NetCenter optional raw HTTP POST capture [1], [4].
D3-08	Watermark (print / screen)	◐	Print watermark only [3].
D3-09	At-rest remediation (delete / quarantine / retention)	●	Quarantine, encryption, secure delete, personal-info file register [4].

컨트루 (Alta)

D4 – AI Specific

ID	Capability	Availability	References
D4-01	Typed-prompt text inspection	●	Real-time prompt inspection and blocking [1].
D4-02	Attachment / image inspection on AI upload	●	Attachment and image filtering with OCR [1].
D4-03	Response-side inspection & filtering		All material describes input-side filtering **[need to confirm!]**.
D4-04	Prompt injection / jailbreak detection	●	Prompt-injection defence listed as a core function [1].
D4-05	AI agent action control	◐	Coverage of agentic tools (Claude Code, Claude Cowork, Codex, Cursor) at prompt level; no action-level (file/ command) control documented [1], [2].
D4-06	Enforcement off corporate network	◐	Proxy architecture; SaaS option exists, but off-network enforcement depends on routing traffic through the proxy **[need to confirm!]**. [1]
D4-07	AI service coverage breadth	●	~16 listed: ChatGPT, Codex, Gemini, Gemini Enterprise, Google AI Mode, Claude, Claude Code, Claude Cowork, Copilot, M365 Copilot, GitHub Copilot, Cursor, Perplexity, Wrks AI, MiriCanvas, private LLM [1].
D4-08	Shadow-AI discovery & access control		Token-usage visibility is for proxied services [1].
D4-09	Usage governance (dept / time / budget)	◐	Dept/user-level policies, group prompt-writing rules, AI token usage visibility; budget caps not documented [1].
D4-10	Full prompt + response audit log	◐	Full prompt log view plus block logs; response logging not documented [1].

컨트루 (Alta)

D5 – Ops & Deployment

ID	Capability	Availability	References
D5-01	Windows endpoint agent	●	PC 정보보안 single agent (5 modules) [1].
D5-02	macOS endpoint agent		
D5-03	Linux endpoint agent		Not documented for endpoint (PrivacyCenter/ 서버스캔 cover servers) [1].
D5-04	VDI support		
D5-05	Cloud / SaaS delivery option	●	Sphinx on-prem or SaaS; PrivacyCenter on Cloud; PC 정보보안 ASP/rental; NetCenter 3-year rental [1], [2], [3].
D5-06	Central console & dashboard / reporting	●	Management server with statistics, holdings history, per-user policy reports; admin 2FA [4], [5].
D5-07	Policy authoring model (templates / GUI / code)	◐	GUI policies by department / group / PII handler; HR DB sync. Templates / policy-as-code not documented [5].
D5-08	Integrations (SIEM / NAC / MIP / API)	◐	Raw HTTP data for Splunk; Sphinx external monitoring-system integration and API; M365 Copilot [2], [6].
D5-09	AI processing kept on-prem (no external AI API)	●	On-prem build; own neural nets; local sLLM with RAG; prompts not stored or trained on [2], [7].

컴트루 (Alta)

D6 – Compliance & Certification

ID	Capability	Availability	References
D6-01	보안기능확인서 / CC (자료유출방지)	●	셜록홈즈 PC 정보보안 CC (2016); PrivacyCenter V5.0 CC (2020) [1], [2]. **[need to confirm the current version's validity!]**
D6-02	GS 인증	●	PC 정보보안 V3.0 GS 1st grade (2022); Sphinx AI DLP GS 1st grade; NetCenter GS [3], [4], [5].
D6-03	조달청 등록 (나라장터 / 디지털서비스몰)	●	PC 정보보안 V3.0 and Sphinx AI DLP on the 디지털서비스몰 [5], [6].
D6-04	N2SF / CSO grade support	●	Vendor states Sphinx meets N2SF and NIS GenAI security guidelines; lists N2SF-specific requirements [5].
D6-05	ISMS-P control alignment	◐	PC 스캔 positioned for PIPA, Electronic Financial Transactions Act and ISMS technical controls [7].
D6-06	KCMVP-verified crypto module		**[need to confirm!]**
D6-07	Independent analyst recognition		
D6-08	Others		Sphinx references: Samsung C&T, Samsung SDI, K-water; large financial customer base (IBK, KB, BNK, etc. shown on site). Comtrue claims #1 public-sector share for PC PII [5], [8].

컴트루 (Alta)

Product Map

Product	Form factor	What it covers?
셜록홈즈 PC 정보보안 V3.0 [1]	Endpoint agent	• PC scan & image scan (AI OCR) • 내 PC 지키미 • Print security • Media (USB) security 5 modules, one agent
셜록홈즈 NetCenter / ArchiveCenter [2]	Network appliance (TAP / mirror)	• Passive monitoring of mail, webmail, messenger, webhard, FTP, HTTP • HTTPS via separate HTTPS Center
Sphinx AI DLP [3]	GenAI proxy / API (on-prem or SaaS)	• Prompt + attachment inspection • Masking • Similarity blocking • Prompt-injection defence
셜록홈즈 PrivacyCenter / 서버스캔 [4]	Server / appliance / cloud VM	• PII detection on web • File and e-approval servers

컴트루 (Alta)

Summary

Dimension	Items	Yes	Partial	Not found	Score (%)
Channel coverage	13	5	5	3	58%
Detection technique	12	5	4	3	58%
Enforcement	9	7	2	0	89%
AI-specific	10	4	4	2	60%
Ops & Deployment	9	4	2	3	56%
Compliance & Certification	7	4	1	2	64%
Total	**60**	**29**	**18**	**13**	**63%**

- Comtrue is strongest on **AI-era detection**: Sphinx AI DLP adds context-based (LLM) detection, document-similarity blocking, OCR on uploads, masking-then-allow, prompt-injection defence, an API mode for in-house LLMs and the broadest named AI-service list (incl. Claude Code, Codex, Cursor).
- Comtrue's network DLP (NetCenter) is passive (TAP/mirror) and HTTPS needs a separate appliance; its endpoint agent has no documented clipboard, screen-capture or wireless control.
- Neither vendor documents macOS agents, EDM fingerprinting, response-side AI inspection, MCP/tool-call mediation or analyst recognition — treat these as RFI questions.

D1 – Channel Coverage

ID	Capability	Availability	References
D1-01	USB / removable media	●	SafePC Enterprise – device control: read/write control for USB, external HDD, CD/DVD/BD; registered-media exceptions; time-bound usage request/approval [1], [2].
D1-02	Print	●	SafePC – print allow/block, forced watermark (user, time), masking of PII on print, print log + original-content capture, print approval. PrintSAFER adds invisible watermark for leaker tracing [1], [3].
D1-03	Clipboard copy/paste	●	SafePC One Agent includes clipboard blocking as one of its 10 channels; Document SAFER blocks copy/paste out of encrypted documents [2], [4].
D1-04	Screen capture	●	SafePC – screen-capture prevention channel; ScreenSAFER – capture blocking + visible/invisible screen watermark (supports web, C/S, VDI) [2], [5].
D1-05	Email (SMTP / webmail)	◐	SafePC 7.0 claims prevention of leakage via webmail and messenger (online control). Protocol coverage and content-inspection depth for SMTP clients are not publicly detailed [6].
D1-06	Web upload inspection (HTTP/S, TLS decryption)	◐	SafePC – URL whitelist/blacklist, personal firewall, session thresholds. Browser hooking is documented for GenAI prompts only; no general TLS content inspection documented [1], [7].
D1-07	PC messenger	◐	SafePC 7.0 claims messenger leakage prevention; supported messengers not listed publicly [6].
D1-08	Cloud storage / webhard upload	◐	Only URL-level allow/block documented; no content inspection of cloud uploads documented [1].
D1-09	Wireless (Wi-Fi/Bluetooth) & shared folders	◐	SafePC controls Bluetooth, Wi-Fi, smartphone MTP/PTP and tethering. Shared-folder control not documented [1].
D1-10	Data-at-rest discovery on PC / server	◐	SafePC / Privacy SAFER – scheduled and indexed PII scan on PCs (~40 extensions incl. archives), per-user holdings reports. Server-side discovery not documented [1], [8].
D1-11	GenAI chat channel (web / desktop app)	●	SafePC (2026) – agent hooks browser keystrokes and clipboard; covers GenAI web and dedicated desktop apps (ChatGPT, Gemini, Copilot, Claude) [2], [7].
D1-12	LLM API channel (system-to-system)		
D1-13	Agent tool-call / MCP mediation		

D2 – Detection Technique

ID	Capability	Availability	References
D2-01	Regex / pattern with Korean identification format validation	◐	Regex + keyword composite engine (RRN, card no., 'confidential' keywords). Checksum validation not explicitly stated — confirm [1], [2].
D2-02	Keyword / dictionary based rules	●	Regex/keyword combination policies across SafePC and Privacy SAFER [1], [3].
D2-03	Exact data matching (DB fingerprint)		
D2-04	Indexed document / semantic similarity		
D2-05	True file-type identification		**[need to confirm!]**
D2-06	OCR on images & scans		
D2-07	HWP / HWPX content parsing	◐	Document SAFER encrypts Hancom documents; SafePC scans ~40 extensions ('office documents etc.') — HWP/HWPX parsing not explicitly named [2], [4].
D2-08	Archive recursion (ZIP/RAR/7z/ALZip/EGG)	◐	PII detection inside compressed files supported; formats and nesting depth not listed [2].
D2-09	ML / NLP / LLM contextual classification		Rule-based (regex + keyword) only per 2026 launch material [1].
D2-10	Source code & secret (API key) detection		Document SAFER can encrypt source files, but that is not detection [4].
D2-11	Custom / trainable detection models		Custom regex/keyword only [1].
D2-12	False-positive tuning mechanism	◐	Thresholds; false-positive file exception request/approval workflow [2], [3].

D3 – Enforcement

ID	Capability	Availability	References
D3-01	Monitor & log only	●	Prompt logging configurable; print, media and policy logs to central server [1], [2].
D3-02	Warn / user justification	◐	Warning for unregistered PII files; pre-print PII alert with admin approval. Justification capture not documented [1], [3].
D3-03	Hard block	●	Real-time prompt block at input; device, print, URL, application blocking [1], [4].
D3-04	Redact / mask, then allow	◐	Masking on print of PII documents. Prompt masking not documented (prompts are blocked) [1].
D3-05	Encrypt / DRM handoff	●	Hooking-based DRM built into the One Agent — auto-encrypt at creation; Document SAFER enterprise DRM [4], [5].
D3-06	Approval workflow	●	Request/approval for media, print, PII-file export; DRM pre/post/ self-approval [1], [5].
D3-07	Original (shadow) copy retained	◐	Print log with original content (first page / selected pages). Not documented for other channels [1].
D3-08	Watermark (print / screen)	●	Print watermark (SafePC, PrintSAFER invisible) and screen watermark (ScreenSAFER) [1], [6], [7].
D3-09	At-rest remediation (delete / quarantine / retention)	●	File register with retention period, auto delete/encrypt after expiry, secure delete [1].

D4 – AI Specific

ID	Capability	Availability	References
D4-01	Typed-prompt text inspection	●	Keystroke + clipboard capture in browser, analysed in real time [1], [2].
D4-02	Attachment / image inspection on AI upload	◐	File attachment can be blocked by policy; content inspection of attachments not documented [2].
D4-03	Response-side inspection & filtering		
D4-04	Prompt injection / jailbreak detection		
D4-05	AI agent action control		
D4-06	Enforcement off corporate network	●	Decision made on the endpoint: same policy at home without VPN, offline and in separated networks [1], [2].
D4-07	AI service coverage breadth	◐	Named: ChatGPT, Gemini, Copilot, Claude [2].
D4-08	Shadow-AI discovery & access control	◐	Unapproved AI can be blocked via URL blacklist / app-execution blocking; discovery not documented [1], [3].
D4-09	Usage governance (dept / time / budget)	◐	Dept/individual differentiated policy; stricter policy for repeat bypassers. No budget controls [2].
D4-10	Full prompt + response audit log	◐	Block events logged (user, time, pattern, site); prompt logging optional; responses not logged [2].

D5 – Ops & Deployment

ID	Capability	Availability	References
D5-01	Windows endpoint agent	●	SafePC One Agent [1].
D5-02	macOS endpoint agent		DRM platform list omits macOS [2].
D5-03	Linux endpoint agent	◐	Document SAFER lists Linux; SafePC Linux support not documented [2].
D5-04	VDI support	◐	Document SAFER and ScreenSAFER support VDI; SafePC not documented [2], [3].
D5-05	Cloud / SaaS delivery option	◐	Document SAFER Cloud (SaaS DRM, GS 1st grade) and NCloud marketplace listing; SafePC is on-prem [4], [5].
D5-06	Central console & dashboard / reporting	●	One Console central policy server; risk-classified dashboard; install/uninstall status [1], [6], [7].
D5-07	Policy authoring model (templates / GUI / code)	◐	GUI policies by user/group via HR DB sync [7]. Templates / policy-as-code not documented.
D5-08	Integrations (SIEM / NAC / MIP / API)	◐	Genian NAC SSO integration; HR DB. SIEM / MIP not documented [7], [8].
D5-09	AI processing kept on-prem (no external AI API)	●	Detection runs on the agent (rule-based, no AI model involved) [1].

D6 – Compliance & Certification

ID	Capability	Availability	References
D6-01	보안기능확인서 / CC (자료유출방지)	●	SafePC Enterprise V7.0 NIS 보안기능확인서 (2023); SafePC V5.1 CC (ISIS-0888-2018); documentSAFER CC [1], [2], [3].
D6-02	GS 인증	●	SafePC 7.0 GS; documentSAFER GS; ScreenSAFER v3.0 GS 1st grade [1], [4], [5].
D6-03	조달청 등록 (나라장터 / 디지털서비스몰)	●	SafePC Enterprise V7.0 on 디지털서비스몰 (media-control and PII agent/server SKUs) [4], [6].
D6-04	N2SF / CSO grade support	◐	Press coverage says prompt logs can support N2SF and AI Basic Act audit needs; no formal mapping published [7].
D6-05	ISMS-P control alignment	◐	Privacy SAFER positioned for PIPA / GDPR technical measures; ISMS-P not named [8].
D6-06	KCMVP-verified crypto module	●	documentSAFER holds KCMVP [1].
D6-07	Independent analyst recognition		
D6-08	Others		SafePC acquired in 2024 from Setopia (ex-Nixtech, product since 2001); on 2026 기술유출방지시스템 subsidy list (up to 80% support) [1], [9].

Product Map

Product	Form factor	What it covers?
SafePC Enterprise (V7.0 / 2026 AI DLP) [1], [2]	Endpoint One Agent + One Console	10 channels: • Network & URL • USB/HDD • Print watermark & masking • Screen capture • Clipboard • PII detection • App blocking • PC settings • GenAI prompt blocking + hooking DRM
documentSAFER (Document SAFER) [3], [4]	DRM (on-prem / Cloud)	• Auto-encryption at creation, • Copy/capture blocking • Export approval • Print watermark
ScreenSAFER / PrintSAFER [4], [5]	Endpoint	Screen capture blocking + invisible screen/print watermark for leaker tracing
Privacy SAFER [6]	Endpoint	• PII pattern scan • Pre-print PII detection • Auto-encryption / masking

마크애니 (Alta)

Summary

Dimension	Items	Yes	Partial	Not found	Score (%)
Channel coverage	13	5	6	2	62%
Detection technique	12	1	4	7	25%
Enforcement	9	6	3	0	83%
AI-specific	10	2	5	3	45%
Ops & Deployment	9	3	5	1	61%
Compliance & Certification	7	4	2	1	71%
Total	**60**	**21**	**25**	**14**	**56%**

- ❖ MarkAny is strongest on **endpoint channel breadth**: one agent controls clipboard, screen capture, Wi-Fi/Bluetooth/MTP, print masking and app execution, adds hooking DRM (KCMVP via documentSAFER), and enforces GenAI prompt policy off-network because decisions are made on the PC.
- ❖ MarkAny's AI control is rule-based (regex + keyword): no OCR, no similarity/ML detection, no masking of prompts, no prompt-injection or response inspection documented.
- ❖ Neither vendor documents macOS agents, EDM fingerprinting, response-side AI inspection, MCP/tool-call mediation or analyst recognition — treat these as RFI questions.

Domestic DLP (Compiled)

Company profiles: seven domestic vendors, from full-suite DLP to AI-only security

Vendor	Type	Main products	Positioning
소만사 (Somansa)	Endpoint · Network · AI	Privacy-i, Mail-i, Server-i, WebKeeper AI DLP, Privacy-i AIDR (announced)	Broadest channel coverage; adding LLM detection and AI-agent visibility in 2026
파수 (Fasoo)	Data-centric · AI	FED / FDR (DRM, discovery), AI-R DLP, AI-R Gateway, AI Radar	Policy travels with the document and is reused for AI uploads and LLM API calls
컴트루 (Comtrue)	AI (plus endpoint, passive network)	Sphinx AI DLP, 셜록홈즈 PC 정보보안 , NetCenter	Strongest AI-era detection: LLM context, similarity, OCR, masking
마크애니 (MarkAny)	Endpoint · Data-centric	SafePC Enterprise, Document SAFER, PrintSAFER, Privacy SAFER	Deep endpoint control enforced on the PC, off-network too; KCMVP; rule-based detection
이로운앤컴퍼니	AI	AI security platform	AI-native guardrail: prompt injection, usage and cost governance; no traditional channels
지란지교데이터 (Jiran)	Endpoint · AI (partial)	PCFILTER, AIFILTER, SERVERFILTER, WEBFILTER	Endpoint DLP with AI detection (OCR, NER, HWP); logs prompts and AI responses
세이퍼존 (SaferZone)	Endpoint · Email · AI (partial)	SaferZone DLP V10, SaferZone Email V10, AI DLP	Multi-OS endpoint and email DLP; AI control off-network; rule-based detection

Type based on the domestic vendor overview (slide 4) and each vendor's checklist. Source: vendor documentation.

Domestic DLP (Compiled)

Method: each vendor is scored on 60 checklist items in six dimensions

Dimension	What it measures	Items	Checklist items (examples)
D1 Channel coverage	Which exit routes the product can see: endpoint, network and AI channels	**13**	USB, print, clipboard, screen capture, email, web upload, messenger, cloud, discovery, GenAI clients, LLM API, MCP
D2 Detection technique	How it recognises sensitive content inside the data	**12**	Regex / Korean ID, keywords, EDM, document matching, OCR, HWP, archives, ML / LLM, source code, FP tuning
D3 Enforcement	What it can do once a violation is found	**9**	Log, warn, block, redact then allow, DRM handoff, approval, shadow copy, watermark, at-rest fix
D4 AI-specific	Controls built for generative AI use	**10**	Prompt and attachment inspection, response filtering, prompt injection, agent actions, off-network, shadow AI, audit log
D5 Operations and deployment	Where it runs and how it is managed	**9**	Windows / macOS / Linux agents, VDI, SaaS, console, policy model, SIEM / NAC / MIP, on-prem AI
D6 Compliance and certification	Korean public-sector and certification fit	**7**	CC / security verification, GS, procurement listing, N2SF C-S-O, ISMS-P, KCMVP, analyst recognition
Total	D6-08 “Other certification” is free text, so it is not scored	**60**	

Score = (● items × 1 + ◖ items × 0.5) ÷ items in the dimension

- ● documented = 1 point, ◖ partial or conditional = 0.5, ? unclear or blank = 0. **Scores show what vendors document, not tested capability.**
- Overall uses all 60 items together, not an average of D1–D6. Example: 이로운앤컴퍼니 has 16 ● and 10 ◖, so (16 + 5) ÷ 60 = 35%.
- Every item has the same weight, so D1 (13 items) moves the overall score more than D6 (7 items).

Domestic DLP (Compiled)

Comtrue leads overall at 63%, with Jiran close behind at 60%

Dimension	이로운앤컴퍼니 (Zira)	소만사 (윤석)	파수 (윤석)	컴트루 (알타)	마크애니 (알타)	지란지교데이터 (Sercan)	세이퍼존 (Sercan)
D1 Channel coverage	12%	69%	54%	58%	62%	**73%**	54%
D2 Detection technique	42%	42%	42%	**58%**	25%	54%	13%
D3 Enforcement	33%	78%	83%	**89%**	83%	83%	72%
D4 AI-specific	**65%**	50%	55%	60%	45%	55%	40%
D5 Ops & deployment	33%	67%	61%	56%	61%	44%	**72%**
D6 Certification	29%	36%	36%	64%	**71%**	43%	43%
Overall (60 items)	35%	58%	55%	**63%**	56%	60%	48%

- **Enforcement is mature:** every vendor scores 72–89%: blocking, approval, encryption and remediation are table stakes.
- **Detection is the weak spot:** scores sit at 13–58%. No vendor documents EDM (DB fingerprint); only Comtrue documents document-similarity matching.
- **Breadth and AI depth do not coincide:** 이로운앤컴퍼니 leads AI-specific (65%) but covers almost no traditional channel (12%); Jiran leads channels (73%) but documents no LLM API or MCP coverage.

Score = (● + 0.5 × ◖) ÷ items in the dimension; ? and blank count as 0. D6-08 'Others' excluded. Scores reflect public documentation, not tested capability. Highest score per row highlighted.
Source: vendor checklists in this deck (이로운앤컴퍼니 p.8, Somansa p.14–19, Fasoo p.25–30, 지란지교데이터 p.32–37, 세이퍼존 p.38–43, Comtrue p.45–50, MarkAny p.53–58).

Domestic DLP (Compiled)

No vendor documents EDM or full MCP mediation; 컴트루 covers the most AI controls

Capability	이로운앤컴퍼니 (Zira)	소만사 (윤석)	파수 (윤석)	컴트루 (알타)	마크애니 (알타)	지란지교데이터 (Sercan)	세이퍼존 (Sercan)
D1-11 GenAI web / desktop clients	●	◖	◖	●	●	●	◖
D1-12 LLM API traffic	◖	–	●	●	–	–	–
D1-13 Agent tool-call / MCP	–	–	–	◖	–	–	–
D2-03 Exact data matching (EDM)	–	–	–	–	–	–	–
D2-04 Document similarity	–	–	–	●	–	–	–
D2-06 OCR on images / scans	–	●	●	●	–	●	–
D2-09 ML / LLM classification	●	●	●	●	–	●	–
D3-04 Redact / mask, then allow	–	◖	◖	●	◖	◖	–
D4-02 AI attachment / image	–	◖	◖	●	◖	◖	◖
D4-03 AI response inspection	◖	–	●	–	–	●	–
D4-04 Prompt injection detection	●	–	–	●	–	–	–
D4-06 Enforcement off network	◖	–	–	◖	●	–	●
D5-09 AI processing on-prem	◖	–	–	●	●	–	–

● documented ◖ partial / conditional – not found or not verified (not confirmed absent). Orange rows: no vendor fully documents the capability.

Source: vendor checklists in this deck (이로운앤컴퍼니 p.8, Somansa p.14–19, 파수 p.25–30, 지란지교데이터 p.32–37, 세이퍼존 p.38–43, Comtrue p.45–50, MarkAny p.53–58).

In Agentic AI Era

Comtrue is best placed for agentic AI, but no vendor fully controls agent actions yet

Vendor	AI score	Agent action	MCP	Advantage for the agentic era	What is missing
컴트루 (Comtrue)	77%	◖	◖	LLM detection, masking, LLM API, on-prem AI; covers Claude Code, Codex, Cursor	Passive network; no clipboard / screen; no response check
파수 (Fasoo)	42%	◖	–	AI-R Gateway checks prompts and responses; DRM policy follows data into AI	No MCP mediation or prompt-injection detection
이로운앤컴퍼니	38%	◖	–	AI guardrail: prompt injection, usage budgets, full prompt + response log	Almost no USB, email, print or endpoint control
지란지교데이터 (Jiran)	38%	◖	–	OCR, NER and HWP detection; logs prompts and AI responses	No LLM API, MCP or prompt-injection checks; off-network unverified
마크애니 (MarkAny)	31%	–	–	Endpoint enforcement on and off network; KCMVP crypto	Rule-based detection only; no agent controls
소만사 (Somansa)	27%	◖	–	Widest channel footprint; agent visibility announced (AIDR)	AIDR not yet shipped; no response or injection check
세이퍼존 (SaferZone)	15%	–	–	AI control works off-network on Windows, macOS and Linux	No ML or OCR detection; prompt-only, no agent controls

- **LLM era:** Comtrue leads because its detection understands AI-era content (LLM context, document similarity, OCR, masking).
- **Agentic era:** agents also move files, send email and run on endpoints, so the winner needs AI controls and channel breadth. Somansa, MarkAny, Jiran and SaferZone have the footprint; 이로운앤컴퍼니 has the guardrails.

AI score = 13 AI-related items from the previous slide (● = 1, ◖ = 0.5). Agent action = D4-05, MCP = D1-13. Based on vendor documentation, not testing.

Domestic DLP (Compiled)

Four agentic-AI controls no domestic vendor fully covers: our opportunities

Uncovered control	Why it matters for agents	Best coverage today	Opportunity for us
MCP / tool-call mediation (D1-13)	Agents move data through tool calls, not file uploads	컴트루 ◐ only; others not found	**Inline MCP proxy that inspects each tool call's arguments and results**
Agent action control (D4-05)	Agents act without a user approving each step	◖ at best (5 vendors); MarkAny, 세이퍼존 not found	**Per-agent policy to allow, deny or require approval for each action**
Exact data matching (D2-03)	Agents query databases and can return real customer records	No vendor	**DB fingerprinting to catch real records in prompts, outputs and tool calls**
AI response inspection (D4-03)	Model output can carry sensitive data or injected instructions	파수 , 지란지교데이터 ● ; 이로운앤컴퍼니 ◐	**Check model output and tool results before they reach users or other tools**

Also worth checking (outside our checklist, so not scored)

- **Agent identity and delegated permissions:** which user an agent acts for, and what it may access
- **Indirect prompt injection:** instructions hidden in documents, web pages or tool results the agent reads
- **RAG / vector store governance:** sensitive data indexed for retrieval and returned to the wrong user
- **Agent-to-agent traffic:** data passed between agents with no user in the loop

Best coverage today: ● documented, ◖ partial. Based on vendor documentation, not testing.



International DLP

Vendor	Endpoint	Network	Data-centric	AI
Symantec (Broadcom)	●	●	●	◖
Forcepoint	●	●	●	?
Trellix (formerly McAfee)	●	●	●	◖
Fortra Digital Guardian	●	●	◖	?
Proofpoint	●	●	●	?
Microsoft Purview	◖	◖	●	●
Netskope	◖	●	●	●
Zscaler	◖	●	●	●
Palo Alto Networks	◖	●	◖	?
Cyberhaven	●	◖	●	●
Nightfall AI	◖	◖	◖	●
Mimecast Incydr (formerly Code42)	●	◖	○	◖
Varonis (adjacent)			●	◖
Google Sensitive Data Protection (adjacent)			●	

International vendor coverage at a glance

● dedicated product · ◖ partial or add-on · ○ absent by design · ? not confirmed in this pass · blank = outside the vendor's scope