

E-23 §3.5 requirement	Simple meaning	What should you validate?	Result / evidence to produce
Collaboration among stakeholders	Development, Validation, Model Owner, Users and Technology teams should coordinate deployment.	Check whether required teams participated and responsibilities were clear.	Deployment sign-offs / RACI / approval evidence
Development vs. production data consistency	Production data should match what the model was designed to use.	Compare fields, definitions, formats, transformations, ranges and mappings between development and production.	Dev-to-Prod Data Reconciliation
Production testing	Prove the model works correctly after implementation.	Run known test cases and compare expected vs. actual production results.	Production/UAT Test Results
Model configuration	Production model should match the approved model.	Compare code/version, coefficients, parameters, rules, thresholds and configuration.	Implementation Reconciliation / Code Comparison
Deployment procedures	There should be clear steps for moving the model into production.	Review deployment procedures, responsibilities and approvals.	Deployment Checklist / Implementation Plan
Approval hierarchy	Appropriate people should approve deployment.	Verify required approvals were obtained before production use.	Approval/sign-off evidence
Change control	Production changes should be controlled.	Check version control, change requests, testing and approvals.	Change-Control Assessment

E-23 §3.5 requirement	Simple meaning	What should you validate?	Result / evidence to produce
Monitoring framework	Monitoring should be ready when the model goes live.	Confirm monitoring metrics, thresholds, frequency and ownership are established.	Monitoring Readiness Assessment
Exception handling / overlays	Manual adjustments and exceptions should be controlled.	Review overlays, overrides, exceptions, approvals and documentation.	Overlay/Exception Control Assessment
Cybersecurity risk	Deployment should not introduce unacceptable security risks.	Confirm appropriate security assessment was completed.	Cybersecurity Assessment / sign-off
Infrastructure risk	Systems supporting the model should be reliable.	Review infrastructure dependencies, availability and operational risks.	Technology/Operational Risk Assessment
Explainability	Required explanations must still work after deployment.	Confirm production outputs provide the required explanations to appropriate users/stakeholders.	Production Explainability Test

Development model → Production model

Compare:

- Input variables
- Data definitions
- Transformations
- Missing-value treatment
- Coefficients/parameters
- Score calculation

- PD calculation
- Segmentation
- Cut-offs/thresholds
- Business rules
- Overrides/overlays
- Final output

Implementation Validation Report + Dev-to-Prod Data Reconciliation + Code/Parameter Reconciliation + Production/UAT Testing + Change-Control Review + Overlay/Exception Review + Monitoring Readiness + Deployment Findings.