Shipping Emissions Introduction

Allen Peters

Vancouver School of Economics, University of British Columbia apeters@protonmail.com

April 26, 2022

Contents

1 Intro

2 Data

Code

Motivation

- Oceanic shipping contributes \sim 3% of global GHG emissions
- IMO ranks ∼6th as a country
- Target of 50% reduction by 2050
- No technological 'silver bullet'
 - Alternative fuels have drawbacks and are undeveloped

Shipping Emissions

1. Container ships:

- Manufactured goods
- Concentrated
- Fixed routes

2. Bulk carriers:

- Iron ore, coal, grain...
- Unconcentrated
- Operate like taxis
- Size categories/markets: Handysize, Handymax, Panamax, Capesize

3. Oil tankers

- 'In-between'
- Don't have tracking data




Figure 5. Average percent share of CO₂ emissions by ship class, 2013–2015

Olmer et al. 2017

World Fleet Register

- All existing ships plus those retired in last three years and many under construction
- ID: CVN, IMO number, Name, MMSI
- Type, built date, capacity
- Engine Power, fuel, environmental details
- Direct ownership, group ownership, flag state
- Secondhand price from 2005 (where available)
- Newbuild price (where available)
- + 100s more...

Do Not Share This Data!

AIS Ship Tracking Data

- All bulkers (\sim 6000) and container ships (not tankers)
- MMSI, location, speed, heading, draft...
- Automatic: latitude, longitude, speed, heading, etc.
- Manual: draft, desination, eta, etc.
- Last observation in each hour
- Covers three years (2019-2021)
- Factsheet and terms @ /resources/Spire Data/

Do Not Share This Data!

MRV Emissions Data

Annual Efficiency to/from EU:

- All ships that entered the EU (\sim 44%, \sim 30% in a given year)
- ID, annual emissions, fuel usage, efficiency for trips to/from EU ports
- Three years (2018-2020)
- data @ /src/data/MRV

Shipping Intelligence Network

Shipping contracts:

- A sample of contracts for all types of ships
- Ship, date, price, origin, destination, sometimes cargo
- Three years (2019-2021)


Various longer-run time series:

- Entries, exits, total fleet size
- Fuel prices
- Shipping price indices

Do Not Share This Data!

World Port Index

Ports






Linking

$$MRV \stackrel{IMO\#}{\longleftrightarrow} WFR \stackrel{MMSI}{\longleftrightarrow} AIS$$

205569000



Code

- Tracking data is currently a 20GB+ set of parquet files
- Divided into separate files ('partitions') to allow for larger-than-memory processing
- Each partition contains all observations of a given mmsi and is sorted by date
- Python
 - Dask
 - Allows cluster computing / parellelization
 - Operations are lazy
 - Use dd.map.partition() to operate on each partition as a Pandas dataframe
 - Pandas
- R (tidyverse)

Matching MRV and AIS

- MRV reports annual fuel consumption for 'trips' in and out of 'EU'
- Need to identify these trips in the tracking data:
 - Trip: a voyage with at least one port call within an EU territory
 - Port call: loading or unloading (not refuelling for example)
 - EU territory (Continental EU countries plus Norway, Icelancd (minus UK after 2020) plus territories)

Steps:

- 1. Detect port calls
- 2. Number trips
- 3. Filter EU trips
- 4. Aggregate variables of interest