



System Upgrades

June 1999

AlphaServer and VAX performance guide



COMPAQ

Better answers

System upgrades AlphaServer and VAX performance guide


Selecting computing technology that grows and changes as your business needs dictate is crucial in today's competitive markets.

Greater computing power is constantly being developed to satisfy the demand for improved customer service, faster time to market, reduced administration costs and more cost-effective management of operations.

When the decision has been made to enhance your current environment, Compaq has the solution...

Is an Upgrade the Answer?

Perhaps you want to increase the operating capability of your current system with an in-cabinet upgrade or by upgrading to a newer, more powerful system.



Is Migration the Answer?

If your existing system is not a recent generation *Alpha* system, then perhaps now is the time to replace it. The price/performance of today's *Alpha*-powered systems is truly impressive!

Whichever solution is the right one today, rest assured that your investments are preserved and your costs are minimised when moving from one system to another.

This document is your guide to selecting the right system based on relative performance. Contact your local sales representative or Compaq Reseller for specific information.

** The performance numbers in this guide are for VAX, DECsystem (MIPS CPU-based) and AlphaServer systems (including multiprocessor versions). These are relative performance numbers using a relational database and commercial transaction processing dominated applications.*

These relative performance numbers are based on BOTH measurements and informed estimates that were NOT measured. Therefore, they should only be used to provide approximate system comparisons and are not intended to take the place of more rigorous measurements.

They are NOT a substitute for technical support specialists' advice, particularly for any migration which involves a change of operating system environment, database or applications.

AlphaServer

Server	Performance*
DEC 2300	140
DEC 2500	175
DEC 3400S	160
DEC 3500S	170
DEC 3600S	240
DEC 3800S	270
DEC 4610	200
DEC 4620	330
DEC 4710	280
DEC 4720	445
DEC 7610	340
DEC 7620	560
DEC 7630	765
DEC 7640	950
DEC 7710	426
DEC 7720	704
DEC 7730	958
DEC 7740	1,195
DEC 7750	1,270
DEC 7760	1,350
AlphaServer 300 4/266	473
AlphaServer 400 4/166	176
AlphaServer 400 4/233	198
AlphaServer 800 5/333	660
AlphaServer 800 5/400	725
AlphaServer 800 5/500	1,000
AlphaServer 1000 4/200	310
AlphaServer 1000 4/233	350
AlphaServer 1000 4/266	473
AlphaServer 1000 5/300	605
AlphaServer 1000A 4/233	350
AlphaServer 1000A 4/266	460
AlphaServer 1000A 5/300	605
AlphaServer 1000A 5/333	660
AlphaServer 1000A 5/400	725
AlphaServer 1000A 5/500	1,200
AlphaServer 1200 5/400	980
AlphaServer 1200 5/400 - 2 CPU	1,940
AlphaServer 1200 5/533	1,500

Server	Performance*
AlphaServer 1200 5/533 - 2 CPU	2,800
AlphaServer 2000 4/200	325
AlphaServer 2000 4/200 - 2 CPU	620
AlphaServer 2000 4/233	350
AlphaServer 2000 4/233 - 2 CPU	670
AlphaServer 2000 4/275	415
AlphaServer 2000 4/275 - 2 CPU	800
AlphaServer 2000 5/300	640
AlphaServer 2000 5/300 - 2 CPU	1,185
AlphaServer 2000 5/375	770
AlphaServer 2000 5/375 - 2 CPU	1,350
AlphaServer 2100 4/200	325
AlphaServer 2100 4/200 - 2 CPU	620
AlphaServer 2100 4/200 - 3 CPU	760
AlphaServer 2100 4/200 - 4 CPU	875
AlphaServer 2100 4/233	350
AlphaServer 2100 4/233 - 2 CPU	670
AlphaServer 2100 4/233 - 3 CPU	810
AlphaServer 2100 4/233 - 4 CPU	935
AlphaServer 2100 4/275	415
AlphaServer 2100 4/275 - 2 CPU	800
AlphaServer 2100 4/275 - 3 CPU	965
AlphaServer 2100 4/275 - 4 CPU	1,020
AlphaServer 2100 5/250	560
AlphaServer 2100 5/250 - 2 CPU	1,070
AlphaServer 2100 5/250 - 3 CPU	1,470
AlphaServer 2100 5/250 - 4 CPU	1,630
AlphaServer 2100 5/300	640
AlphaServer 2100 5/300 - 2 CPU	1,185
AlphaServer 2100 5/300 - 3 CPU	1,760
AlphaServer 2100 5/300 - 4 CPU	1,920
AlphaServer 2100 5/375	690
AlphaServer 2100 5/375 - 2 CPU	1,350
AlphaServer 2100 5/375 - 3 CPU	1,600
AlphaServer 2100 5/375 - 4 CPU	1,980
AlphaServer 2100A 4/275	415
AlphaServer 2100A 4/275 - 2 CPU	800
AlphaServer 2100A 4/275 - 3 CPU	965
AlphaServer 2100A 4/275 - 4 CPU	1,020

Server	Performance*
AlphaServer 2100A 5/250	560
AlphaServer 2100A 5/250 - 2 CPU	1,070
AlphaServer 2100A 5/250 - 3 CPU	1,470
AlphaServer 2100A 5/250 - 4 CPU	1,630
AlphaServer 2100A 5/300	640
AlphaServer 2100A 5/300 - 2 CPU	1,185
AlphaServer 2100A 5/300 - 3 CPU	1,760
AlphaServer 2100A 5/300 - 4 CPU	1,920
AlphaServer 2100A 5/375	690
AlphaServer 2100A 5/375 - 2 CPU	1,350
AlphaServer 2100A 5/375 - 3 CPU	1,600
AlphaServer 2100A 5/375 - 4 CPU	1,980
AlphaServer 4000 5/300	690
AlphaServer 4000 5/300 - 2 CPU	1,350
AlphaServer 4000 5/400	980
AlphaServer 4000 5/400 - 2 CPU	1,940
AlphaServer 4000 5/466	1,060
AlphaServer 4000 5/466 - 2 CPU	2,160
AlphaServer 4100 5/300	690
AlphaServer 4100 5/300 - 2 CPU	1,350
AlphaServer 4100 5/300 - 3 CPU	1,670
AlphaServer 4100 5/300 - 4 CPU	2,090
AlphaServer 4100 5/400	980
AlphaServer 4100 5/400 - 2 CPU	1,940
AlphaServer 4100 5/400 - 3 CPU	2,435
AlphaServer 4100 5/400 - 4 CPU	3,110
AlphaServer 4100 5/466	1,060
AlphaServer 4100 5/466 - 2 CPU	2,160
AlphaServer 4100 5/466 - 3 CPU	2,560
AlphaServer 4100 5/466 - 4 CPU	3,410
AlphaServer 4100 5/533	1,560
AlphaServer 4100 5/533 - 2 CPU	2,800
AlphaServer 4100 5/533 - 3 CPU	3,660
AlphaServer 4100 5/533 - 4 CPU	4,320
AlphaServer 4100 5/600	1,760
AlphaServer 4100 5/600 - 2 CPU	3,120
AlphaServer 4100 5/600 - 3 CPU	4,030
AlphaServer 4100 5/600 - 4 CPU	5,000

Server	Performance*
AlphaServer 8x00 5/300	690
AlphaServer 8x00 5/300 - 2 CPU	1,385
AlphaServer 8x00 5/300 - 4 CPU	2,120
AlphaServer 8x00 5/300 - 6 CPU	3,510
AlphaServer 8x00 5/300 - 8 CPU	3,795
AlphaServer 8x00 5/300 - 10 CPU	4,430
AlphaServer 8x00 5/350	890
AlphaServer 8x00 5/350 - 2 CPU	1,710
AlphaServer 8x00 5/350 - 4 CPU	2,915
AlphaServer 8x00 5/350 - 6 CPU	3,695
AlphaServer 8x00 5/350 - 8 CPU	4,400
AlphaServer 8x00 5/350 - 10 CPU	5,200
AlphaServer 8x00 5/440	950
AlphaServer 8x00 5/440 - 2 CPU	1,880
AlphaServer 8x00 5/440 - 4 CPU	3,300
AlphaServer 8x00 5/440 - 6 CPU	4,210
AlphaServer 8x00 5/440 - 8 CPU	4,760
AlphaServer 8x00 5/440 - 10 CPU	6,050
AlphaServer 8x00 5/625	1,230
AlphaServer 8x00 5/625 - 2 CPU	2,400
AlphaServer 8x00 5/625 - 4 CPU	4,330
AlphaServer 8x00 5/625 - 6 CPU	5,660
AlphaServer 8x00 5/625 - 8 CPU	6,430
AlphaServer 8x00 5/625 - 10 CPU	8,100
AlphaServer DS10 6/466	2,267
AlphaServer DS20 6/500	2,367
AlphaServer DS20 6/500 - 2 CPU	3,867
AlphaServer ES40 6/500	2,467
AlphaServer ES40 6/500 - 2 CPU	4,667
AlphaServer ES40 6/500 - 3 CPU	6,333
AlphaServer ES40 6/500 - 4 CPU	8,167
AlphaServer GS60 6/525 - 2 CPU	4,600
AlphaServer GS60 6/525 - 4 CPU	6,700
AlphaServer GS60 6/525 - 6 CPU	7,600
AlphaServer GS140 6/525 - 2 CPU	4,600
AlphaServer GS140 6/525 - 4 CPU	7,500
AlphaServer GS140 6/525 - 6 CPU	9,900
AlphaServer GS140 6/525 - 8 CPU	11,300

AlphaServer

DECsystem

Server	Performance*
DECsystem 3100	12
DECsystem 5000/150	18
DECsystem 5000/200	22
DECsystem 5000/240	30
DECsystem 5000/25	15
DECsystem 5000/260	50
DECsystem 5000/50	18
DECsystem 5100	10
DECsystem 5400	15
DECsystem 5500	21
DECsystem 5810	25
DECsystem 5820	45
DECsystem 5830	60
DECsystem 5840	70
DECsystem 5900-40 MHz	30
DECsystem 5900-60 MHz	50



The current AlphaServer family


Server	Performance*
MicroVAX II	7
MicroVAX 2000	7
MicroVAX 3100-10	19
MicroVAX 3100-10e	30
MicroVAX 3100-20	19
MicroVAX 3100-20e	22
MicroVAX 3100-30	39
MicroVAX 3100-40	78
MicroVAX 3100-80	78
MicroVAX 3100-85	110
MicroVAX 3100-88	120
MicroVAX 3100-90	125
MicroVAX 3100-95	165
MicroVAX 3100-96	190
MicroVAX 3100-98	200
MicroVAX 3300	19
MicroVAX 3400	19
MicroVAX 3500	21
MicroVAX 3600	21
MicroVAX 3800	30
MicroVAX 3900	30
VAX-11/750	5
VAX-11/780	8
VAX 4100	125
VAX 4100A	125
VAX 4105A	180
VAX 4106 Rackmount	215
VAX 4106A	215
VAX 4108	225
VAX 4200/215	40
VAX 4200/430	40
VAX 4300	60
VAX 4400	95
VAX 4500	125
VAX 4500A	125
VAX 4505A	185
VAX 4600	185

VAX

Server	Performance*
VAX 4600A	185
VAX 4700A	255
VAX 4705A	280
VAX 6210	22
VAX 6310	35
VAX 6410	55
VAX 6420	90
VAX 6430	125
VAX 6440	155
VAX 6450	173
VAX 6460	185
VAX 6510	90
VAX 6520	150
VAX 6530	200
VAX 6540	250
VAX 6550	285
VAX 6560	300
VAX 6610	185
VAX 6620	310
VAX 6630	420
VAX 6640	520
VAX 6650	585
VAX 6660	620
VAX 7610	210
VAX 7620	350
VAX 7630	475
VAX 7640	590
VAX 7650	660
VAX 7660	705
VAX 7710	315
VAX 7720	550
VAX 7730	660
VAX 7740	750
VAX 7750	900
VAX 7760	1,004
VAX 7810	375
VAX 7820	753

Server	Performance*
VAX 7830	1,107
VAX 7840	1,302
VAX 7850	1,530
VAX 7860	1,795
VAX 8250	10
VAX 8350	18
VAX 8550	47
VAX 8600	33
VAX 8650	47
VAX 8810	47
VAX 9110	175
VAX 9210	190
VAX 9310	190
VAX 9410	190
VAX 9420	315
VAX 9430	400
VAX 9440	530
VAXft 110	30
VAXft 310	30
VAXft 410	47
VAXft 610	47
VAXft 612	78
VAXft 810	185

VAX



1999 © Compaq Computer Corporation. All rights reserved. Printed in the UK.
ECG-OC-001E-00/99 06

Products, specifications and technical information are subject to change or cancellation without notice. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

COMPAQ