### PREVIOUS | NEXT | INDEX

# Matplotlib - bar, scatter and histogram plots

- Simple bar plot
- Another bar plot
- Scatter plot

### Simple bar plot ¶

```
import numpy as np
import matplotlib.pyplot as plt
fig = plt.figure()
ax = fig.add_subplot(111)
## the data
N = 5
menMeans = [18, 35, 30, 35, 27]
menStd = [2, 3, 4, 1, 2]
womenMeans = [25, 32, 34, 20, 25]
womenStd = [3, 5, 2, 3, 3]
## necessary variables
ind = np.arange(N)
                                  # the x locations for the groups
width = 0.35
                                  # the width of the bars
## the bars
rects1 = ax.bar(ind, menMeans, width,
                color='black',
                yerr=menStd,
                error kw=dict(elinewidth=2,ecolor='red'))
rects2 = ax.bar(ind+width, womenMeans, width,
                    color='red',
                    yerr=womenStd,
                    error kw=dict(elinewidth=2,ecolor='black'))
# axes and labels
ax.set_xlim(-width,len(ind)+width)
ax.set ylim(0,45)
ax.set_ylabel('Scores')
ax.set_title('Scores by group and gender')
xTickMarks = ['Group'+str(i) for i in range(1,6)]
ax.set_xticks(ind+width)
xtickNames = ax.set_xticklabels(xTickMarks)
plt.setp(xtickNames, rotation=45, fontsize=10)
```

### TABL

Home

Data Sa

Assignr

Referer

**Particip** 

Installa

Basic U

Using a

Remote

general

Python

Python

Python

NumPy

Biopyth Biopyth

. . .

Data m databa:

Data ar

Vector


Capsto

#### **SEAR**

Enter se

```
## add a Legend
ax.legend( (rects1[0], rects2[0]), ('Men', 'Women') )
plt.show()
```


#### (Source code, pnq, hires.pnq, pdf)



### Another bar plot

```
from mpl_toolkits.mplot3d import Axes3D
import matplotlib.pyplot as plt
import numpy as np
fig = plt.figure()
ax = fig.add_subplot(111,projection='3d')
for c, z in zip(['r', 'g', 'b', 'y'], [30, 20, 10, 0]):
    xs = np.arange(20)
   ys = np.random.rand(20)
    # You can provide either a single color or an array. To demonstrate this,
    # the first bar of each set will be colored cyan.
    cs = [c] * len(xs)
    cs[0] = 'c'
    ax.bar(xs, ys, zs=z, zdir='y', color=cs, alpha=0.8)
ax.set_xlabel('X')
ax.set_ylabel('Y')
ax.set_zlabel('Z')
plt.show()
```

(Source code, png, hires.png, pdf)




# Scatter plot

```
#!/usr/bin/env python
import matplotlib.pyplot as plt
import numpy as np
fig = plt.figure()
ax1 = fig.add_subplot(121)
## the data
N=1000
x = np.random.randn(N)
y = np.random.randn(N)
## left panel
ax1.scatter(x,y,color='blue',s=5,edgecolor='none')
ax1.set_aspect(1./ax1.get_data_ratio()) # make axes square
## right panel
ax2 = fig.add_subplot(122)
props = dict(alpha=0.5, edgecolors='none' )
handles = []
colors = ['blue', 'green', 'magenta', 'cyan']
for color in colors:
    x = np.random.randn(N)
    y = np.random.randn(N)
    s = np.random.randint(50,200)
    handles.append(ax2.scatter(x, y, c=color, s=s, **props))
ax2.set_ylim([-5,11])
ax2.set_xlim([-5,11])
```

```
ax2.legend(handles, colors)
ax2.grid(True)
ax2.set_aspect(1./ax2.get_data_ratio())
plt.show()
```

### (Source code, png, hires.png, pdf)



# Histogram plot


### Here is the matplotlib <u>histogram demo</u>

```
import numpy as np
import matplotlib.pyplot as plt

fig = plt.figure()
ax = fig.add_subplot(111)

x = np.random.normal(0,1,1000)
numBins = 50
ax.hist(x,numBins,color='green',alpha=0.8)
plt.show()
```

(Source code, png, hires.png, pdf)



PREVIOUS | NEXT | INDEX SHOW SOURCE

© Copyright 2012, Cliburn Chan.