

91	../ResourcesManager.cpp:46	<u>ResourcesManager()</u>	Core	Ultracopier is compiled as user privacy mode
94	../ResourcesManager.cpp:85	<u>ResourcesManager()</u>	Core	searchPath.at(0): C:/Program Files/Ultracopier/
95	../ResourcesManager.cpp:85	<u>ResourcesManager()</u>	Core	searchPath.at(1): C:/Users/Rakka--/ultracopier/
95	../ResourcesManager.cpp:85	<u>ResourcesManager()</u>	Core	searchPath.at(2): /
96	../ResourcesManager.cpp:88	<u>ResourcesManager()</u>	Core	writablePath: C:/Users/Rakka--/ultracopier/
100	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("Ultracopier",[...])
101	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: Ultracopier, group: Last_version_used, have value: 2.0.3.4
103	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: Ultracopier, group: GroupWindowWhen, have value: 2
104	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: Ultracopier, group: displayOSSpecific, have value: false
107	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: Ultracopier, group: checkTheUpdate, have value: false
108	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("CopyEngine",[...])
109	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: CopyEngine, group: List, have value: Ultracopier Spec
110	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("Write_log",[...])
114	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("CopyListener",[...])
116	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: CopyListener, group: CatchCopyAsDefault, have value: false
118	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("SessionLoader",[...])
121	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: SessionLoader, group: LoadAtSessionStarting, have value: false
122	../PluginsManager.cpp:21	<u>PluginsManager()</u>	Core	start
124	../LanguagesManager.cpp:16	<u>LanguagesManager()</u>	Core	start
125	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("Language",[...])
126	../OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: Language, group: Language_force, have value: true
128	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("Themes",[...])
129	../ThemesManager.cpp:55	<u>ThemesManager()</u>	Core	Default style: ../Themes/Oxygen2/
132	../PluginsManager.cpp:100	<u>run()</u>	Core	pluginsList.size(): 0
133	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/CopyEngine\
142	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/Languages\
147	../ProductKey.cpp:24	<u>parseKey()</u>	Core	ultimate key
148	../HelpDialog.cpp:17	<u>HelpDialog()</u>	Core	start
151	../HelpDialog.cpp:70	<u>reloadTextValue()</u>	Core	start
152	../OptionDialog.cpp:24	<u>OptionDialog()</u>	Core	start
159	../PluginsManager.cpp:232	<u>loadPluginInformation()</u>	Core	informations.xml not found for the plugin: C:/Program Files/Ultracopier/Languages/en\
160	../PluginsManager.cpp:244	<u>loadPluginInformation()</u>	Core	Error detected, the not loaded: informations.xml not found for the plugin, for path: C:/Program Files/Ultracopier/Languages/en\
204	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/Listener\
208	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/PluginLoader\
212	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/SessionLoader\
215	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Program Files/Ultracopier/Themes\
222	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/CopyEngine\
223	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/Languages\
224	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/Listener\
225	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/PluginLoader\
226	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/SessionLoader\
227	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: C:/Users/Rakka--/ultracopier/Themes\
228	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :CopyEngine\
229	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :Languages\
230	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :Listener\
230	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :PluginLoader\
231	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :SessionLoader\
232	../PluginsManager.cpp:109	<u>run()</u>	Core	search plugin into: :Themes\
233	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 0 loaded (CopyEngine): C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec\
234	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 1 loaded (Languages): C:/Program Files/Ultracopier/Languages/ar\
235	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 2 loaded (Languages): C:/Program Files/Ultracopier/Languages/de\
236	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 3 loaded (Languages): C:/Program Files/Ultracopier/Languages/el\
236	../PluginsManager.cpp:166	<u>categoryToString()</u>	Core	cat text not found: 0
237	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 4 loaded (Unknown): C:/Program Files/Ultracopier/Languages/en\
238	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 5 loaded (Languages): C:/Program Files/Ultracopier/Languages/es\
239	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 6 loaded (Languages): C:/Program Files/Ultracopier/Languages/fr\
240	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 7 loaded (Languages): C:/Program Files/Ultracopier/Languages/hi\
241	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 8 loaded (Languages): C:/Program Files/Ultracopier/Languages/hu\
242	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 9 loaded (Languages): C:/Program Files/Ultracopier/Languages/id\
242	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 10 loaded (Languages): C:/Program Files/Ultracopier/Languages/it\
243	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 11 loaded (Languages): C:/Program Files/Ultracopier/Languages/ja\
244	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 12 loaded (Languages): C:/Program Files/Ultracopier/Languages/ko\
245	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 13 loaded (Languages): C:/Program Files/Ultracopier/Languages/th\
246	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 14 loaded (Languages): C:/Program Files/Ultracopier/Languages/no\
247	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 15 loaded (Languages): C:/Program Files/Ultracopier/Languages/pl\
248	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 16 loaded (Languages): C:/Program Files/Ultracopier/Languages/pt\
249	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 17 loaded (Languages): C:/Program Files/Ultracopier/Languages/ru\
250	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 18 loaded (Languages): C:/Program Files/Ultracopier/Languages/th\
251	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 19 loaded (Languages): C:/Program Files/Ultracopier/Languages/tr\
252	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 20 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh_TW\
252	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 21 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh_TW\
253	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 22 loaded (Listener): C:/Program Files/Ultracopier/Listener/catchcopy-v0002\
254	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 23 loaded (PluginLoader): C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002\
255	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 24 loaded (SessionLoader): C:/Program Files/Ultracopier/SessionLoader/Windows\
256	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 25 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen\
257	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 26 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen2\
258	../PluginsManager.cpp:126	<u>run()</u>	Core	Plugin 27 loaded (Languages): :Languages/en\
258	../PluginsManager.cpp:462	<u>checkDependencies()</u>	Core	start
317	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: Ultracopier Spec (1)
318	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: ar (2)
319	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: de (2)
320	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: el (2)
320	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: (0)
321	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: es (2)
322	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: fr (2)
322	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: hi (2)
323	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: hu (2)
324	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: id (2)
325	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: it (2)
325	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: jp (2)
326	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: ko (2)
327	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: nl (2)
328	../OptionDialog.cpp:56	<u>OptionDialog()</u>	Core	start: no (2)

329	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: pl (2)
329	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: pt (2)
330	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: ru (2)
331	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: th (2)
332	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: tr (2)
333	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: ch (2)
333	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: zh_tw (2)
334	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: catchcopy-v0002 (3)
335	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: catchcopy-v0002 (4)
336	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: Windows (5)
336	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: Oxygen (6)
337	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: Oxygen2 (6)
338	../OptionDialog.cpp:56	<u><a href="#">OptionDialog()</a></u>	Core	start: en (2)
340	../PluginLoaderCore.cpp:17	<u><a href="#">PluginLoaderCore()</a></u>	Core	start
341	../SessionLoader.cpp:13	<u><a href="#">SessionLoader()</a></u>	Core	start
342	../CopyEngineManager.cpp:18	<u><a href="#">CopyEngineManager()</a></u>	Core	start
342	../LogThread.cpp:241	<u><a href="#">newOptionValue()</a></u>	Core	sync flag is set on: true
343	../LogThread.cpp:241	<u><a href="#">newOptionValue()</a></u>	Core	sync flag is set on: true
344	../Core.cpp:16	<u><a href="#">Core()</a></u>	Core	start
344	../Core.cpp:249	<u><a href="#">loadInterface()</a></u>	Core	start
345	../EventDispatcher.cpp:108	<u><a href="#">EventDispatcher()</a></u>	Core	start
346	../EventDispatcher.cpp:111	<u><a href="#">EventDispatcher()</a></u>	Core	Windows version: Windows 7 Ultimate Edition Service Pack 1 (build 7601), 64-bit
346	../EventDispatcher.cpp:116	<u><a href="#">EventDispatcher()</a></u>	Core	ULTRACOPIER_VERSION: 2.0.3.4
347	../EventDispatcher.cpp:117	<u><a href="#">EventDispatcher()</a></u>	Core	Qt version: 5.13.0 331008
348	../EventDispatcher.cpp:118	<u><a href="#">EventDispatcher()</a></u>	Core	ULTRACOPIER_PLATFORM_NAME: Windows 32Bits
349	../EventDispatcher.cpp:119	<u><a href="#">EventDispatcher()</a></u>	Core	Application path: C:/Program Files/Ultacopier/ultacopier.exe 8844
350	../EventDispatcher.cpp:121	<u><a href="#">EventDispatcher()</a></u>	Core	Local socket: ultacopier-2d002d00520061006b006b0061002d002d00
362	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: C/
362	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: D/
363	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: E/
364	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: F/
365	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: G/
366	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: H/
367	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: I/
367	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: K/
368	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: L/
369	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: M/
370	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: N/
370	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: O/
371	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: P/
372	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: Q/
373	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: R/
374	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: S/
374	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: T/
375	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: U/
376	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: Y/
377	../EventDispatcher.cpp:142	<u><a href="#">EventDispatcher()</a></u>	Core	mountSysPoint: Z/
377	../OptionEngine.cpp:182	<u><a href="#">setOptionValue()</a></u>	Core	groupName: "Ultacopier", variableName: "Last_version_used", value: "2.0.3.4"
383	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
386	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
388	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
390	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
393	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
395	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
397	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
400	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
402	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
404	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
406	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
409	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
411	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
413	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
415	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
417	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
419	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
421	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
423	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
425	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
428	../ThemesManager.cpp:70	<u><a href="#">onePluginAdded()</a></u>	Core	start: Oxygen
445	../ThemesManager.cpp:134	<u><a href="#">onePluginAdded()</a></u>	Core	preload: Oxygen, at the index: 0
445	../LocalPluginOptions.cpp:10	<u><a href="#">LocalPluginOptions()</a></u>	Core	start("Themes-Oxygen",[...])
446	../LocalPluginOptions.cpp:28	<u><a href="#">addOptionGroup()</a></u>	Core	start("Themes-Oxygen",[...])
446	../OptionEngine.cpp:84	<u><a href="#">addOptionGroup()</a></u>	Core	start("Themes-Oxygen",[...])
448	../OptionDialog.cpp:743	<u><a href="#">newThemeOptions()</a></u>	Core	start: isLoading: true, havePlugin: true, name: Oxygen
448	../OptionDialog.cpp:753	<u><a href="#">newThemeOptions()</a></u>	Core	set the last page
449	../ThemesManager.cpp:70	<u><a href="#">onePluginAdded()</a></u>	Core	start: Oxygen2
468	../ThemesManager.cpp:134	<u><a href="#">onePluginAdded()</a></u>	Core	preload: Oxygen2, at the index: 1
469	../LocalPluginOptions.cpp:10	<u><a href="#">LocalPluginOptions()</a></u>	Core	start("Themes-Oxygen2",[...])
469	../LocalPluginOptions.cpp:28	<u><a href="#">addOptionGroup()</a></u>	Core	start("Themes-Oxygen2",[...])
469	../OptionEngine.cpp:84	<u><a href="#">addOptionGroup()</a></u>	Core	start("Themes-Oxygen2",[...])
470	../OptionEngine.cpp:117	<u><a href="#">addOptionGroup()</a></u>	Core	The current key: Themes-Oxygen2, group: checkBox.ShowSpeed, have value: 1
471	../OptionEngine.cpp:117	<u><a href="#">addOptionGroup()</a></u>	Core	The current key: Themes-Oxygen2, group: minimize.ToSystemTray, have value: 1
472	../OptionEngine.cpp:117	<u><a href="#">addOptionGroup()</a></u>	Core	The current key: Themes-Oxygen2, group: savePosition, have value: 1
473	../OptionEngine.cpp:117	<u><a href="#">addOptionGroup()</a></u>	Core	The current key: Themes-Oxygen2, group: savePositionX, have value: 39
473	../OptionEngine.cpp:117	<u><a href="#">addOptionGroup()</a></u>	Core	The current key: Themes-Oxygen2, group: savePositionY, have value: 50
474	../OptionDialog.cpp:743	<u><a href="#">newThemeOptions()</a></u>	Core	start: isLoading: true, havePlugin: true, name: Oxygen2
474	../OptionDialog.cpp:753	<u><a href="#">newThemeOptions()</a></u>	Core	set the last page
474	../LanguagesManager.cpp:239	<u><a href="#">onePluginAdded()</a></u>	Core	start
475	../OptionDialog.cpp:86	<u><a href="#">onePluginAdded()</a></u>	Core	start: Ultracopier Spec (1)
475	../OptionDialog.cpp:86	<u><a href="#">onePluginAdded()</a></u>	Core	start: ar (2)
476	../OptionDialog.cpp:86	<u><a href="#">onePluginAdded()</a></u>	Core	start: de (2)
477	../OptionDialog.cpp:86	<u><a href="#">onePluginAdded()</a></u>	Core	start: el (2)
478	../OptionDialog.cpp:86	<u><a href="#">onePluginAdded()</a></u>	Core	start: (0)

478	../OptionDialog.cpp:119	<u>onePluginAdded()</u>	Core	category not found for: C:/Program Files/Ultracopier/Languages/en
479	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: es (2)
479	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: fr (2)
480	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: hi (2)
481	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: hu (2)
482	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: id (2)
483	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: it (2)
483	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: jp (2)
484	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ko (2)
485	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: nl (2)
485	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: no (2)
486	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pl (2)
487	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pt (2)
488	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ru (2)
489	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: th (2)
489	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: tr (2)
490	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ch (2)
491	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: zh_tw (2)
492	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (3)
492	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (4)
493	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Windows (5)
493	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen (6)
493	../OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen
494	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen2 (6)
494	../OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen2
494	../OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: en (2)
495	../PluginLoader/Core.cpp:87	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/pluginLoader.dll
510	../LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
510	../LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
510	../LocalPluginOptions.cpp:84	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
511	../OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 4
512	../CopyListener.cpp:68	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
526	../CopyListener.cpp:123	<u>onePluginAdded()</u>	Core	Plugin correctly loaded
527	../LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("Listener-catchcopy-v0002",[...])
527	../OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 3
527	../SessionLoader.cpp:58	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/SessionLoader/Windows/sessionLoader.dll
538	../LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("SessionLoader-Windows",[...])
539	sessionLoader.cpp:20	<u>setEnabled()</u>	Session loader plugin	start, newValue: 0
540	sessionLoader.cpp:38	<u>setEnabled()</u>	Session loader plugin	newValue: 0 failed
541	../OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Windows, category: 5
541	../CopyEngineManager.cpp:50	<u>onePluginAdded()</u>	Core	start: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/copyEngine.dll
562	../LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
562	../LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
563	../OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
566	../OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "firstRenamingRule", value: ""
566	../OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "otherRenamingRule", value: ""
567	../OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Ultracopier Spec, category: 1
568	../CopyEngineManager.cpp:131	<u>onePluginAdded()</u>	Core	plugin: Ultracopier Spec loaded, send options
569	../CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
569	../OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
570	ThemesFactory.cpp:86	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen
570	ThemesFactory.cpp:116	<u>setResource()</u>	Theme plugin	__GNUC__ is set
571	ThemesFactory.cpp:192	<u>options()</u>	Theme plugin	return the options
571	../Core.cpp:249	<u>loadInterface()</u>	Core	start
572	ThemesFactory.cpp:87	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen2
572	ThemesFactory.cpp:130	<u>setResource()</u>	Theme plugin	__GNUC__ is set
572	ThemesFactory.cpp:408	<u>updateSpeed()</u>	Theme plugin	checked, currentSpeed: 0
573	ThemesFactory.cpp:198	<u>options()</u>	Theme plugin	return the options
573	../Core.cpp:249	<u>loadInterface()</u>	Core	start
573	../LanguagesManager.cpp:216	<u>allPluginsLoaded()</u>	Core	start
574	../LanguagesManager.cpp:69	<u>getTheRightLanguage()</u>	Core	start
574	../LanguagesManager.cpp:104	<u>setCurrentLanguage()</u>	Core	start: en
574	../LanguagesManager.cpp:189	<u>setCurrentLanguage()</u>	Core	emit newLanguageLoaded()
575	../ThemesManager.cpp:208	<u>allPluginsLoaded()</u>	Core	start
575	../OptionDialog.cpp:400	<u>loadOption()</u>	Core	start
576	../OptionDialog.cpp:482	<u>newOptionValue()</u>	Core	Themes located: Oxygen2
577	../OptionDialog.cpp:619	<u>on_Ultracopier_current_theme_currentIndexChanged()</u>	Core	data value: Oxygen2, string value: Oxygen2, index: 1
577	../OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "Themes", variableName: "Ultracopier_current_theme", value: "Oxygen2"
579	../LocalListener.cpp:330	<u>allPluginsLoaded()</u>	Core	start
579	../PluginLoaderCore.cpp:260	<u>allPluginsLoaded()</u>	Core	with value: 1
579	../PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
580	../PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
580	../PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
581	../CopyListener.cpp:411	<u>allPluginsLoaded()</u>	Core	with value: 1
581	../CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
581	../CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
582	../CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
582	../CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
582	../OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
583	CopyEngineFactory.cpp:126	<u>setResource()</u>	Copy Engine plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec
584	CopyEngineFactory.cpp:136	<u>setResource()</u>	Copy Engine plugin	GCC 7.4.0
584	CopyEngineFactory.cpp:138	<u>setResource()</u>	Copy Engine plugin	CHECK LIST TYPE set
584	CopyEngineFactory.cpp:167	<u>setResource()</u>	Copy Engine plugin	detected memory: 3999MB
585	CopyEngineFactory.cpp:302	<u>setDoRightTransfer()</u>	Copy Engine plugin	the value have changed
585	CopyEngineFactory.cpp:451	<u>setFileError()</u>	Copy Engine plugin	action index: 2
585	CopyEngineFactory.cpp:330	<u>setCheckDestinationFolder()</u>	Copy Engine plugin	the value have changed
586	CopyEngineFactory.cpp:337	<u>setMkFullPath()</u>	Copy Engine plugin	the value have changed
586	CopyEngineFactory.cpp:469	<u>deletePartiallyTransferredFiles()</u>	Copy Engine plugin	the value have changed
586	CopyEngineFactory.cpp:520	<u>moveTheWholeFolder()</u>	Copy Engine plugin	the value have changed
587	CopyEngineFactory.cpp:483	<u>checkDiskSpace()</u>	Copy Engine plugin	the value have changed
587	../EventDispatcher.cpp:223	<u>initFunction()</u>	Core	Initialize the variable of event loop
588	../LocalListener.cpp:34	<u>tryConnect()</u>	Core	start
588	../LocalListener.cpp:115	<u>tryConnect()</u>	Core	connection failed, continue...

588	./LocalListener.cpp:116	<u>tryConnect()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
589	./SysTrayIcon.cpp:25	<u>SysTrayIcon()</u>	Core	start
596	./SysTrayIcon.cpp:332	<u>updateCurrentTheme()</u>	Core	icon: start
596	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/exit.png
597	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/informations.png
597	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/options.png
598	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/add.png
598	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
598	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
599	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
600	./SysTrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
600	./SysTrayIcon.cpp:444	<u>retranslateTheUI()</u>	Core	retranslateTheUI
600	./SysTrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
601	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
601	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
601	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
602	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
602	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
603	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
611	./EventDispatcher.cpp:316	<u>initFunction()</u>	Core	copyServerOneListenersLoaded(): 1
611	./SysTrayIcon.cpp:462	<u>addCopyEngine()</u>	Core	start
612	./SysTrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
612	./SysTrayIcon.cpp:541	<u>reloadEngineList()</u>	Core	engineEntryList.size(): 1
612	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
613	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
613	./SysTrayIcon.cpp:149	<u>listenerReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
613	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 0
614	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
614	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
615	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
615	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
616	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
616	./SysTrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
616	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
617	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
617	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
618	CopyEngineFactory.cpp:344	<u>newLanguageLoaded()</u>	Copy Engine plugin	start, retranslate the widget options
619	./Core.cpp:249	<u>loadInterface()</u>	Core	start
619	./CliParser.cpp:24	<u>cli()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
1612	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
1613	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Uncaught_Windows.png
1614	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Uncaught_Windows.png
55133	./SysTrayIcon.cpp:380	<u>CatchAction()</u>	Core	Double click on system tray icon
55134	./CopyListener.cpp:235	<u>listen()</u>	Core	start
55134	listener.cpp:23	<u>listen()</u>	Listener plugin	start: advanced-copier-2d002d00520061006b006b0061002d002d000
55135	./CopyListener.cpp:209	<u>newState()</u>	Core	start
55136	./CopyListener.cpp:223	<u>newState()</u>	Core	new state for the plugin 0: 2
55136	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
55137	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(2,1,0)
55137	./SysTrayIcon.cpp:149	<u>listenerReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
55137	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
55138	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Semiuncaught_Windows.png
55139	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Semiuncaught_Windows.png
55140	./PluginLoaderCore.cpp:222	<u>load()</u>	Core	start
55141	pluginLoader.cpp:239	<u>checkExistsDll()</u>	Plugin loader plugin	64Bits is important
55145	pluginLoader.cpp:89	<u>setEnabled()</u>	Plugin loader plugin	start, needBeRegistered: 1, allDllsImportant: 0, allDllsImportant: 0
55147	pluginLoader.cpp:355	<u>registerShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy64d.dll
56160	pluginLoader.cpp:429	<u>registerShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
56160	pluginLoader.cpp:149	<u>setEnabled()</u>	Plugin loader plugin	the important dll have been loaded: catchcopy64d.dll
56161	pluginLoader.cpp:355	<u>registerShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy32d.dll
56742	pluginLoader.cpp:429	<u>registerShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
56743	pluginLoader.cpp:171	<u>setEnabled()</u>	Plugin loader plugin	the second dll have been loaded: catchcopy32d.dll
56743	./PluginLoaderCore.cpp:319	<u>newState()</u>	Core	start, state: 2
56744	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
56744	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
56744	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
56745	./SysTrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
56745	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
56745	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Caught_Windows.png
56746	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Caught_Windows.png
56747	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
56747	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
56748	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
56748	./SysTrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
56748	./SysTrayIcon.cpp:191	<u>updateSysTrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
56749	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/sysTray_Caught_Windows.png
56749	./SysTrayIcon.cpp:266	<u>updateSysTrayIcon()</u>	Core	icon: sysTray_Caught_Windows.png
58430	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
58432	listener.cpp:119	<u>clientName()</u>	Listener plugin	clientName: Windows Explorer 64Bits, for the id: 1
58433	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
59708	listener.cpp:134	<u>copy()</u>	Listener plugin	copy(0,C:/Überprüfung,%3)
59709	./CopyListener.cpp:361	<u>newPluginCopy()</u>	Core	sources: C:/Überprüfung, destination: I:\
59709	./Core.cpp:66	<u>newTransfer()</u>	Core	start: C:/Überprüfung, dest: I/, mode: 0
59710	./Core.cpp:317	<u>openNewCopyEngineInstance()</u>	Core	start
59711	./CopyEngineManager.cpp:184	<u>getCopyEngine()</u>	Core	start, pluginList.size(): 1, mode: 0, and particular protocol
59711	./CopyEngineManager.cpp:191	<u>getCopyEngine()</u>	Core	pluginList.at(0).name: Ultracopier Spec
59712	./CopyEngineManager.cpp:199	<u>getCopyEngine()</u>	Core	copyEnginePlugin.supportedProtocolsForTheDestination: file
59712	./CopyEngineManager.cpp:200	<u>getCopyEngine()</u>	Core	protocolsUsedForTheDestination: file
59712	./CopyEngineManager.cpp:203	<u>getCopyEngine()</u>	Core	copyEnginePlugin.supportedProtocolsForTheSource: file
59713	./CopyEngineManager.cpp:204	<u>getCopyEngine()</u>	Core	protocolsUsedForTheSources.at(indexProto): file
59806	./ThemesManager.cpp:238	<u>getThemeInstance()</u>	Core	Send interface: Oxygen2
59836	./Core.cpp:657	<u>connectEngine()</u>	Core	start with index: 0: 13580000
59836	./Core.cpp:685	<u>connectInterfaceAndSync()</u>	Core	start with index: 0: 13580000

59885	CopyEngine.cpp:687	<a href="#">setFileCollision()</a>	Copy Engine plugin	action index: 0
59885	CopyEngine.cpp:724	<a href="#">setFileError()</a>	Copy Engine plugin	action index: 2
59886	CopyEngine.cpp:968	<a href="#">sendNewRenamingRules()</a>	Copy Engine plugin	new filter
59886	ThemesFactory.cpp:29	<a href="#">getInstanced()</a>	Theme plugin	start, currentSpeed: 0
59888	interface.cpp:808	<a href="#">forceCopyModel()</a>	Theme plugin	start
59888	CopyEngine.cpp:640	<a href="#">forceModel()</a>	Copy Engine plugin	Force mode to copy
59889	interface.cpp:801	<a href="#">setCopyType()</a>	Theme plugin	start
59889	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 0
59889	interface.cpp:833	<a href="#">isInPause()</a>	Theme plugin	isInPause: 0
59891	interface.cpp:827	<a href="#">haveExternalOrder()</a>	Theme plugin	start
59896	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59896	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59897	ListThreadOptions.cpp:146	<a href="#">setInodeThreads()</a>	Copy Engine plugin	inodeThreads: 16
59897	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59897	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59898	ListThread.cpp:1098	<a href="#">deleteTransferThread()</a>	Copy Engine plugin	start
59898	ListThreadOptions.cpp:154	<a href="#">setRenameTheOriginalDestination()</a>	Copy Engine plugin	renameTheOriginalDestination: 0
59898	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59899	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59899	ListThread.cpp:299	<a href="#">syncTransferList()</a>	Copy Engine plugin	start
59900	ListThreadNew.cpp:19	<a href="#">newCopy()</a>	Copy Engine plugin	start: C:\Überprüfung, destination: I\
59900	ListThreadScan.cpp:18	<a href="#">newScanThread()</a>	Copy Engine plugin	start with: 0
59900	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59901	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59901	ListThreadOptions.cpp:113	<a href="#">forceModel()</a>	Copy Engine plugin	Force mode to copy
59901	ListThreadOptions.cpp:146	<a href="#">setInodeThreads()</a>	Copy Engine plugin	inodeThreads: 16
59902	ListThread.cpp:366	<a href="#">updateTheStatus()</a>	Copy Engine plugin	start
59902	ListThread.cpp:379	<a href="#">updateTheStatus()</a>	Copy Engine plugin	emit actionInProgress(1)
59903	..Core.cpp:516	<a href="#">actionInProgress()</a>	Core	action: 1, from 0
59903	ListThreadNew.cpp:58	<a href="#">newCopy()</a>	Copy Engine plugin	destination: I\
59904	ListThreadNew.cpp:60	<a href="#">newCopy()</a>	Copy Engine plugin	destination: I\
59904	ListThreadScan.cpp:74	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 1
59904	ListThreadScan.cpp:89	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
59904	ListThreadScan.cpp:95	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	Start listing thread
59905	ListThreadMedia.cpp:103	<a href="#">detectDrivesOfCurrentTransfer()</a>	Copy Engine plugin	source informations, sourceDrive: C:\, sourceDriveMultiple: 0
59905	ListThreadMedia.cpp:123	<a href="#">detectDrivesOfCurrentTransfer()</a>	Copy Engine plugin	destination informations, destinationDrive: I\, destinationDriveMultiple: 0
59906	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59906	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59906	ListThread.cpp:1098	<a href="#">deleteTransferThread()</a>	Copy Engine plugin	start
59907	ListThreadOptions.cpp:154	<a href="#">setRenameTheOriginalDestination()</a>	Copy Engine plugin	renameTheOriginalDestination: 0
59907	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59907	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59908	ListThread.cpp:898	<a href="#">set_setFilters()</a>	Copy Engine plugin	include.size(): 0, exclude.size(): 0
59908	ListThread.cpp:452	<a href="#">syncTransferList_internall()</a>	Copy Engine plugin	start
59909	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 1
59909	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
59910	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59910	ScanFileOrFolder.cpp:211	<a href="#">setFilters()</a>	Copy Engine plugin	start
59911	ScanFileOrFolder.cpp:217	<a href="#">setFilters()</a>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
59911	ScanFileOrFolder.cpp:80	<a href="#">addToList()</a>	Copy Engine plugin	check symlink: I/, destination: I\
59912	ScanFileOrFolder.cpp:245	<a href="#">run()</a>	Copy Engine plugin	start the listing with destination: I\, mode: 0
59912	ScanFileOrFolder.cpp:267	<a href="#">run()</a>	Copy Engine plugin	size source to list: 0/1
59913	ScanFileOrFolder.cpp:321	<a href="#">run()</a>	Copy Engine plugin	source: C:/Überprüfung is file or symlink
59913	ListThread.cpp:583	<a href="#">addToTransfer()</a>	Copy Engine plugin	set space 0 needed, on: I\
59913	ListThread.cpp:602	<a href="#">addToTransfer()</a>	Copy Engine plugin	source: C:/Überprüfung, destination: I:/Überprüfung, add entry: 2, size: 0, size2: 0, isSymLink: 1
59914	ListThreadScan.cpp:74	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 0
59914	ListThreadScan.cpp:82	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
59914	ListThread.cpp:366	<a href="#">updateTheStatus()</a>	Copy Engine plugin	start
59915	..Core.cpp:1036	<a href="#">getActionOnList()</a>	Core	start
59915	..Core.cpp:1041	<a href="#">getActionOnList()</a>	Core	start2
59917	..Core.cpp:1044	<a href="#">getActionOnList()</a>	Core	start3
59917	..Core.cpp:1048	<a href="#">getActionOnList()</a>	Core	start4
59917	..Core.cpp:1115	<a href="#">getActionOnList()</a>	Core	start7
59918	..Core.cpp:1141	<a href="#">getActionOnList()</a>	Core	start8
59918	..Core.cpp:1143	<a href="#">getActionOnList()</a>	Core	start9
59918	..Core.cpp:1147	<a href="#">getActionOnList()</a>	Core	start end
59919	ListThread.cpp:379	<a href="#">updateTheStatus()</a>	Copy Engine plugin	emit actionInProgress(2)
59919	..Core.cpp:516	<a href="#">actionInProgress()</a>	Core	action: 2, from 0
59919	ListThreadScan.cpp:89	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 0
59920	ListThread.cpp:286	<a href="#">autoStartIfNeeded()</a>	Copy Engine plugin	Auto start the copy
59920	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
59921	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59921	ListThread.cpp:779	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	space needed removed: 0, space needed: 0, on: I\
59921	ListThread.cpp:802	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	[0] id: 2 is idle, use it for I:/Überprüfung
59921	ListThread.cpp:836	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	numberOfNodeOperation: 1
59922	ListThread.cpp:851	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	numberOfNodeOperation: 1
59923	interface.cpp:764	<a href="#">getActionOnList()</a>	Theme plugin	start, returnActions.size(): 1
59923	interface.cpp:796	<a href="#">getActionOnList()</a>	Theme plugin	transferModel.rowCount(): 1
59924	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 2
59925	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
59925	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59933	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
59934	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59934	ScanFileOrFolder.cpp:211	<a href="#">setFilters()</a>	Copy Engine plugin	start
59935	ScanFileOrFolder.cpp:217	<a href="#">setFilters()</a>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
59948	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
59948	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
59949	TransferThread.cpp:145	<a href="#">setFile()</a>	Copy Engine plugin	[0] start, source: C:/Überprüfung, destination: I:/Überprüfung
59949	async/TransferThreadAsync.cpp:154	<a href="#">preOperation()</a>	Copy Engine plugin	[0] start; source: C:/Überprüfung, destination: I:/Überprüfung
59949	async/TransferThreadAsync.cpp:162	<a href="#">preOperation()</a>	Copy Engine plugin	[0] after is same
59950	async/TransferThreadAsync.cpp:169	<a href="#">preOperation()</a>	Copy Engine plugin	[0] before destination exists
59950	TransferThread.cpp:278	<a href="#">destinationExists()</a>	Copy Engine plugin	[0] overwrite: 0, alwaysDoFileExistsAction: 0, readError: 0, writeError: 0
59950	TransferThread.cpp:286	<a href="#">destinationExists()</a>	Copy Engine plugin	[0] time to first FS access

59951	TransferThread.cpp:288	<u>destinationExists()</u>	Copy Engine plugin	[0] finish first FS access: 0
59951	async/TransferThreadAsync.cpp:175	<u>preOperation()</u>	Copy Engine plugin	[0] after destination exists
59951	async/TransferThreadAsync.cpp:182	<u>preOperation()</u>	Copy Engine plugin	[0] before keep date
59952	async/TransferThreadAsync.cpp:206	<u>preOperation()</u>	Copy Engine plugin	[0] before perm
59952	async/TransferThreadAsync.cpp:209	<u>preOperation()</u>	Copy Engine plugin	[0] after perm
59952	async/TransferThreadAsync.cpp:284	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] start
59953	async/TransferThreadAsync.cpp:289	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
59953	ListThread.cpp:649	<u>doNewActions_start_transfer()</u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOFTransferRuning: 0
59954	ListThread.cpp:649	<u>doNewActions_start_transfer()</u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOFTransferRuning: 0
59963	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
59963	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
59977	ListThread.cpp:1087	<u>createTransferThread()</u>	Copy Engine plugin	create the last of the 16 transferThread
59978	async/TransferThreadAsync.cpp:80	<u>startTheTransfer()</u>	Copy Engine plugin	[0] start
59978	async/TransferThreadAsync.cpp:80	<u>startTheTransfer()</u>	Copy Engine plugin	[0] start
59979	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59979	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59980	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59980	async/TransferThreadAsync.cpp:114	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59980	async/TransferThreadAsync.cpp:120	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] check how start the transfer
59981	async/TransferThreadAsync.cpp:123	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start directly the transfer
59981	async/TransferThreadAsync.cpp:284	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] start
59981	ListThreadStat.cpp:19	<u>newTransferStat()</u>	Copy Engine plugin	TransferStat: 3
59982	async/TransferThreadAsync.cpp:307	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] stop copy in error: Zugriff ve
59982	CopyEngine-collision-and-error.cpp:254	<u>errorOnFile()</u>	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
59982	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59983	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59983	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
59983	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
59984	../Core.cpp:1036	<u>getActionOnList()</u>	Core	start
59984	../Core.cpp:1041	<u>getActionOnList()</u>	Core	start2
59986	../Core.cpp:1044	<u>getActionOnList()</u>	Core	start3
59986	../Core.cpp:1048	<u>getActionOnList()</u>	Core	start4
59986	../Core.cpp:1115	<u>getActionOnList()</u>	Core	start7
59987	../Core.cpp:1141	<u>getActionOnList()</u>	Core	start8
59987	../Core.cpp:1143	<u>getActionOnList()</u>	Core	start9
59987	../Core.cpp:1147	<u>getActionOnList()</u>	Core	start end
59993	ListThread.cpp:215	<u>transferPutAtBottom()</u>	Copy Engine plugin	Put at the end: 2
59993	interface.cpp:764	<u>getActionOnList()</u>	Theme plugin	start, returnActions.size(): 2
59994	interface.cpp:796	<u>getActionOnList()</u>	Theme plugin	transferModel.rowCount(): 1
59994	ListThread.cpp:246	<u>transferPutAtBottom()</u>	Copy Engine plugin	countLocalParse: 1
59994	async/TransferThreadAsync.cpp:430	<u>skip()</u>	Copy Engine plugin	[0] start with stat: 3
59995	async/TransferThreadAsync.cpp:452	<u>skip()</u>	Copy Engine plugin	[0] transfer_stat=TransferStat_Idle
59995	ListThread.cpp:98	<u>transferNodeIsClosed()</u>	Copy Engine plugin	numberOfNodeOperation: 0
59995	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
59996	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
59996	ListThread.cpp:779	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	space needed removed: 0, space needed: 0, on: I\
59996	ListThread.cpp:802	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	[0] id: 2 is idle, use it for I:Überprüfung
59997	ListThread.cpp:836	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	numberOfNodeOperation: 1
59997	ListThread.cpp:851	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	numberOfNodeOperation: 1
59997	ListThread.cpp:649	<u>doNewActions_start_transfer()</u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOFTransferRuning: 0
59998	TransferThread.cpp:145	<u>setFile()</u>	Copy Engine plugin	[0] start, source: C:/Überprüfung, destination: I:/Überprüfung
59998	async/TransferThreadAsync.cpp:154	<u>preOperation()</u>	Copy Engine plugin	[0] start: source: C:/Überprüfung, destination: I:/Überprüfung
59998	async/TransferThreadAsync.cpp:162	<u>preOperation()</u>	Copy Engine plugin	[0] after is same
59999	async/TransferThreadAsync.cpp:80	<u>startTheTransfer()</u>	Copy Engine plugin	[0] start
59999	async/TransferThreadAsync.cpp:169	<u>preOperation()</u>	Copy Engine plugin	[0] before destination exists
59999	TransferThread.cpp:278	<u>destinationExists()</u>	Copy Engine plugin	[0] overwrite: 0, alwaysDoFileExistsAction: 0, readError: 0, writeError: 0
60000	TransferThread.cpp:286	<u>destinationExists()</u>	Copy Engine plugin	[0] time to first FS access
60000	TransferThread.cpp:288	<u>destinationExists()</u>	Copy Engine plugin	[0] finish first FS access: 0
60000	async/TransferThreadAsync.cpp:175	<u>preOperation()</u>	Copy Engine plugin	[0] after destination exists
60001	async/TransferThreadAsync.cpp:182	<u>preOperation()</u>	Copy Engine plugin	[0] before keep date
60001	async/TransferThreadAsync.cpp:206	<u>preOperation()</u>	Copy Engine plugin	[0] before perm
60001	async/TransferThreadAsync.cpp:209	<u>preOperation()</u>	Copy Engine plugin	[0] after perm
60002	async/TransferThreadAsync.cpp:284	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] start
60002	async/TransferThreadAsync.cpp:289	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
60002	ListThread.cpp:649	<u>doNewActions_start_transfer()</u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOFTransferRuning: 0
60003	ListThread.cpp:649	<u>doNewActions_start_transfer()</u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOFTransferRuning: 0
60003	async/TransferThreadAsync.cpp:150	<u>preOperation()</u>	Copy Engine plugin	[0] already used, source: C:/Überprüfung, destination: I:/Überprüfung
60003	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60004	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60004	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60004	async/TransferThreadAsync.cpp:114	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60005	async/TransferThreadAsync.cpp:120	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] check how start the transfer
60006	async/TransferThreadAsync.cpp:123	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start directly the transfer
60006	async/TransferThreadAsync.cpp:80	<u>startTheTransfer()</u>	Copy Engine plugin	[0] start
60006	async/TransferThreadAsync.cpp:284	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] start
60007	ListThreadStat.cpp:19	<u>newTransferStat()</u>	Copy Engine plugin	TransferStat: 3
60007	async/TransferThreadAsync.cpp:307	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] stop copy in error: Zugriff ve
60007	CopyEngine-collision-and-error.cpp:254	<u>errorOnFile()</u>	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
60008	CopyEngine-collision-and-error.cpp:296	<u>errorOnFile()</u>	Copy Engine plugin	show dialog
60013	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60013	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60014	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60014	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
60014	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60015	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60015	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60015	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
60016	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60016	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60016	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
60017	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
60017	interface.cpp:833	<u>isInPause()</u>	Theme plugin	isInPause: 1
60020	../Core.cpp:1036	<u>getActionOnList()</u>	Core	start

60020	../Core.cpp:1041	<u><a href="#">getActionOnList()</a></u>	Core	start2
60022	../Core.cpp:1044	<u><a href="#">getActionOnList()</a></u>	Core	start3
60023	../Core.cpp:1048	<u><a href="#">getActionOnList()</a></u>	Core	start4
60023	../Core.cpp:1115	<u><a href="#">getActionOnList()</a></u>	Core	start7
60023	../Core.cpp:1141	<u><a href="#">getActionOnList()</a></u>	Core	start8
60023	../Core.cpp:1143	<u><a href="#">getActionOnList()</a></u>	Core	start9
60024	../Core.cpp:1147	<u><a href="#">getActionOnList()</a></u>	Core	start end
60024	interface.cpp:764	<u><a href="#">getActionOnList()</a></u>	Theme plugin	start, returnActions.size(): 3
60024	<u><a href="#">TransferModel.cpp:367</a></u>	<u><a href="#">synchronizeItems()</a></u>	Theme plugin	id: 2, move at same position: 0
60025	interface.cpp:796	<u><a href="#">getActionOnList()</a></u>	Theme plugin	transferModel.rowCount(): 1
65487	../SysTrayIcon.cpp:394	<u><a href="#">CatchAction()</a></u>	Core	The action on the systray icon is unknown: 1
71095	../Core.cpp:440	<u><a href="#">resetSpeedDetected()</a></u>	Core	start on 0
71096	CopyEngine-collision-and-error.cpp:321	<u><a href="#">errorOnFile()</a></u>	Copy Engine plugin	close dialog: 2
71097	../Core.cpp:934	<u><a href="#">copyInstanceCanceledByEngine()</a></u>	Core	start
71098	../Core.cpp:956	<u><a href="#">copyInstanceCanceledByIndex()</a></u>	Core	start, remove with the index: 0
71106	../OptionEngine.cpp:182	<u><a href="#">setOptionValue()</a></u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionX", value: "39"
71107	../OptionEngine.cpp:182	<u><a href="#">setOptionValue()</a></u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionY", value: "50"
71111	../CopyListener.cpp:330	<u><a href="#">copyCanceled()</a></u>	Core	start
71112	../Core.cpp:974	<u><a href="#">copyInstanceCanceledByIndex()</a></u>	Core	copyList.size(): 0
71114	interface.cpp:833	<u><a href="#">isInPause()</a></u>	Theme plugin	isInPause: 0
71115	CopyEngine.cpp:585	<u><a href="#">cancel()</a></u>	Copy Engine plugin	start
71115	interface.cpp:433	<u><a href="#">~Themes()</a></u>	Theme plugin	start
71139	ListThreadActions.cpp:75	<u><a href="#">cancel()</a></u>	Copy Engine plugin	start
71139	ListThread.cpp:334	<u><a href="#">checkIfReadyToCancel()</a></u>	Copy Engine plugin	start
71140	../Core.cpp:994	<u><a href="#">deleteCopyEngine()</a></u>	Core	start, delete the copy engine
71141	../Core.cpp:996	<u><a href="#">deleteCopyEngine()</a></u>	Core	stop, delete the copy engine
73667	../SysTrayIcon.cpp:394	<u><a href="#">CatchAction()</a></u>	Core	The action on the systray icon is unknown: 1