

5	./ResourcesManager.cpp:46	ResourcesManager()	Core	Ultracopier is compiled as user privacy mode
6	./ResourcesManager.cpp:85	ResourcesManager()	Core	searchPath.at(0): C:/Program Files/Ultracopier\
6	./ResourcesManager.cpp:85	ResourcesManager()	Core	searchPath.at(1): C:/Users/~Rakka~/ultracopier\
6	./ResourcesManager.cpp:85	ResourcesManager()	Core	searchPath.at(2): /
7	./ResourcesManager.cpp:88	ResourcesManager()	Core	writablePath: C:/Users/~Rakka~/ultracopier\
8	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Ultracopier",[...])
9	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Ultracopier, group: Last_version_used, have value: 2.0.3.4
10	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Ultracopier, group: displayOSSpecific, have value: false
11	./OptionEngine.cpp:84	addOptionGroup()	Core	start("CopyEngine",[...])
11	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: CopyEngine, group: List, have value: Ultracopier Spec
12	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Write_log",[...])
13	./OptionEngine.cpp:84	addOptionGroup()	Core	start("CopyListener",[...])
13	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: CopyListener, group: CatchCopyAsDefault, have value: false
14	./OptionEngine.cpp:84	addOptionGroup()	Core	start("SessionLoader",[...])
15	./PluginsManager.cpp:21	PluginsManager()	Core	start
16	./LanguagesManager.cpp:16	LanguagesManager()	Core	start
17	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Language",[...])
18	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Themes",[...])
19	./ThemesManager.cpp:55	ThemesManager()	Core	Default style: ./Themes/Oxygen2/
22	./PluginsManager.cpp:100	run()	Core	pluginsList.size(): 0
23	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/CopyEngine\
29	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/Languages\
34	./ProductKey.cpp:24	parseKey()	Core	ultimate key
34	./HelpDialog.cpp:17	HelpDialog()	Core	start
37	./HelpDialog.cpp:70	reloadTextValue()	Core	start
37	./OptionDialog.cpp:24	OptionDialog()	Core	start
42	./PluginsManager.cpp:232	loadPluginInformation()	Core	informations.xml not found for the plugin: C:/Program Files/Ultracopier/Languages/en\
43	./PluginsManager.cpp:244	loadPluginInformation()	Core	Error detected, the not loaded: informations.xml not found for the plugin, for path: C:/Program Files/Ultracopier/Languages/en\
84	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/Listener\
88	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/PluginLoader\
92	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/SessionLoader\
95	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Program Files/Ultracopier/Themes\
102	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/CopyEngine\
103	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Languages\
104	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Listener\
105	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/PluginLoader\
106	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/SessionLoader\
107	./PluginsManager.cpp:109	run()	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Themes\
107	./PluginsManager.cpp:109	run()	Core	search plugin into: ./CopyEngine\
108	./PluginsManager.cpp:109	run()	Core	search plugin into: ./Languages\
109	./PluginsManager.cpp:109	run()	Core	search plugin into: ./Listener\
110	./PluginsManager.cpp:109	run()	Core	search plugin into: ./PluginLoader\
111	./PluginsManager.cpp:109	run()	Core	search plugin into: ./SessionLoader\
112	./PluginsManager.cpp:109	run()	Core	search plugin into: ./Themes\
113	./PluginsManager.cpp:126	run()	Core	Plugin 0 loaded (CopyEngine): C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec\
114	./PluginsManager.cpp:126	run()	Core	Plugin 1 loaded (Languages): C:/Program Files/Ultracopier/Languages/ar\
115	./PluginsManager.cpp:126	run()	Core	Plugin 2 loaded (Languages): C:/Program Files/Ultracopier/Languages/de\
116	./PluginsManager.cpp:126	run()	Core	Plugin 3 loaded (Languages): C:/Program Files/Ultracopier/Languages/el\
117	./PluginsManager.cpp:166	categoryToString()	Core	cat text not found: 0
118	./PluginsManager.cpp:126	run()	Core	Plugin 4 loaded (Unknown): C:/Program Files/Ultracopier/Languages/en\
119	./PluginsManager.cpp:126	run()	Core	Plugin 5 loaded (Languages): C:/Program Files/Ultracopier/Languages/es\
120	./PluginsManager.cpp:126	run()	Core	Plugin 6 loaded (Languages): C:/Program Files/Ultracopier/Languages/fr\
120	./PluginsManager.cpp:126	run()	Core	Plugin 7 loaded (Languages): C:/Program Files/Ultracopier/Languages/hi\
122	./PluginsManager.cpp:126	run()	Core	Plugin 8 loaded (Languages): C:/Program Files/Ultracopier/Languages/hu\
123	./PluginsManager.cpp:126	run()	Core	Plugin 9 loaded (Languages): C:/Program Files/Ultracopier/Languages/id\
123	./PluginsManager.cpp:126	run()	Core	Plugin 10 loaded (Languages): C:/Program Files/Ultracopier/Languages/ja\
124	./PluginsManager.cpp:126	run()	Core	Plugin 11 loaded (Languages): C:/Program Files/Ultracopier/Languages/ja\
125	./PluginsManager.cpp:126	run()	Core	Plugin 12 loaded (Languages): C:/Program Files/Ultracopier/Languages/ko\
126	./PluginsManager.cpp:126	run()	Core	Plugin 13 loaded (Languages): C:/Program Files/Ultracopier/Languages/nl\
127	./PluginsManager.cpp:126	run()	Core	Plugin 14 loaded (Languages): C:/Program Files/Ultracopier/Languages/no\
128	./PluginsManager.cpp:126	run()	Core	Plugin 15 loaded (Languages): C:/Program Files/Ultracopier/Languages/pl\
129	./PluginsManager.cpp:126	run()	Core	Plugin 16 loaded (Languages): C:/Program Files/Ultracopier/Languages/pt\
130	./PluginsManager.cpp:126	run()	Core	Plugin 17 loaded (Languages): C:/Program Files/Ultracopier/Languages/ru\
131	./PluginsManager.cpp:126	run()	Core	Plugin 18 loaded (Languages): C:/Program Files/Ultracopier/Languages/th\
132	./PluginsManager.cpp:126	run()	Core	Plugin 19 loaded (Languages): C:/Program Files/Ultracopier/Languages/tr\
133	./PluginsManager.cpp:126	run()	Core	Plugin 20 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh\
134	./PluginsManager.cpp:126	run()	Core	Plugin 21 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh_TW\
135	./PluginsManager.cpp:126	run()	Core	Plugin 22 loaded (Listener): C:/Program Files/Ultracopier/Listener/catchcopy-v0002\
136	./PluginsManager.cpp:126	run()	Core	Plugin 23 loaded (PluginLoader): C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002\
137	./PluginsManager.cpp:126	run()	Core	Plugin 24 loaded (SessionLoader): C:/Program Files/Ultracopier/SessionLoader/Windows\
138	./PluginsManager.cpp:126	run()	Core	Plugin 25 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen\
139	./PluginsManager.cpp:126	run()	Core	Plugin 26 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen2\
140	./PluginsManager.cpp:126	run()	Core	Plugin 27 loaded (Languages): ./Languages/en\
140	./PluginsManager.cpp:462	checkDependencies()	Core	start
201	./OptionDialog.cpp:56	OptionDialog()	Core	start: Ultracopier Spec (1)
202	./OptionDialog.cpp:56	OptionDialog()	Core	start: ar (2)
203	./OptionDialog.cpp:56	OptionDialog()	Core	start: de (2)
204	./OptionDialog.cpp:56	OptionDialog()	Core	start: el (2)
205	./OptionDialog.cpp:56	OptionDialog()	Core	start: ()
205	./OptionDialog.cpp:56	OptionDialog()	Core	start: es (2)
206	./OptionDialog.cpp:56	OptionDialog()	Core	start: fr (2)
207	./OptionDialog.cpp:56	OptionDialog()	Core	start: hi (2)
208	./OptionDialog.cpp:56	OptionDialog()	Core	start: hu (2)
208	./OptionDialog.cpp:56	OptionDialog()	Core	start: id (2)
209	./OptionDialog.cpp:56	OptionDialog()	Core	start: it (2)
210	./OptionDialog.cpp:56	OptionDialog()	Core	start: jp (2)
211	./OptionDialog.cpp:56	OptionDialog()	Core	start: ko (2)
212	./OptionDialog.cpp:56	OptionDialog()	Core	start: nl (2)
213	./OptionDialog.cpp:56	OptionDialog()	Core	start: no (2)
214	./OptionDialog.cpp:56	OptionDialog()	Core	start: pl (2)
214	./OptionDialog.cpp:56	OptionDialog()	Core	start: pt (2)
215	./OptionDialog.cpp:56	OptionDialog()	Core	start: ru (2)
216	./OptionDialog.cpp:56	OptionDialog()	Core	start: th (2)

217	./OptionDialog.cpp:56	OptionDialog()	Core	start: tr (2)
218	./OptionDialog.cpp:56	OptionDialog()	Core	start: ch (2)
219	./OptionDialog.cpp:56	OptionDialog()	Core	start: zh_tw (2)
219	./OptionDialog.cpp:56	OptionDialog()	Core	start: catchcopy-v0002 (3)
220	./OptionDialog.cpp:56	OptionDialog()	Core	start: catchcopy-v0002 (4)
221	./OptionDialog.cpp:56	OptionDialog()	Core	start: Windows (5)
222	./OptionDialog.cpp:56	OptionDialog()	Core	start: Oxygen (6)
223	./OptionDialog.cpp:56	OptionDialog()	Core	start: Oxygen2 (6)
224	./OptionDialog.cpp:56	OptionDialog()	Core	start: en (2)
226	./PluginLoaderCore.cpp:17	PluginLoaderCore()	Core	start
227	./SessionLoader.cpp:13	SessionLoader()	Core	start
227	./CopyEngineManager.cpp:18	CopyEngineManager()	Core	start
228	./LogThread.cpp:241	newOptionValue()	Core	sync flag is set on: true
229	./LogThread.cpp:241	newOptionValue()	Core	sync flag is set on: true
230	./Core.cpp:16	Core()	Core	start
230	./Core.cpp:249	loadInterface()	Core	start
231	./EventDispatcher.cpp:108	EventDispatcher()	Core	start
232	./EventDispatcher.cpp:111	EventDispatcher()	Core	Windows version: Windows 7 Ultimate Edition Service Pack 1 (build 7601), 64-bit
233	./EventDispatcher.cpp:116	EventDispatcher()	Core	ULTRACOPIER_VERSION: 2.0.3.4
234	./EventDispatcher.cpp:117	EventDispatcher()	Core	Qt version: 5.13.0 331008
235	./EventDispatcher.cpp:118	EventDispatcher()	Core	ULTRACOPIER_PLATFORM_NAME: Windows 32Bits
235	./EventDispatcher.cpp:119	EventDispatcher()	Core	Application path: C:/Program Files/Ultracopier/ultracopier.exe 5212
236	./EventDispatcher.cpp:121	EventDispatcher()	Core	Local socket: ultracopier-2d002d00520061006b006b0061002d002d00
253	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: C:/
254	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: D:/
255	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: E:/
256	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: F:/
257	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: G:/
258	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: H:/
259	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: I:/
259	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: K:/
260	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: L:/
261	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: M:/
262	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: N:/
263	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: O:/
264	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: P:/
265	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: Q:/
265	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: R:/
266	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: S:/
267	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: T:/
268	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: Y:/
269	./EventDispatcher.cpp:142	EventDispatcher()	Core	mountSysPoint: Z:/
270	./OptionEngine.cpp:182	setOptionValue()	Core	groupName: "Ultracopier", variableName: "Last_version_used", value: "2.0.3.4"
276	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
278	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
280	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
282	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
284	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
287	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
289	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
291	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
293	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
296	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
298	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
300	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
302	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
304	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
306	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
308	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
310	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
312	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
314	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
316	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
318	./ThemesManager.cpp:70	onePluginAdded()	Core	start: Oxygen
335	./ThemesManager.cpp:134	onePluginAdded()	Core	preload: Oxygen, at the index: 0
336	./LocalPluginOptions.cpp:10	LocalPluginOptions()	Core	start("Themes-Oxygen",[...])
336	./LocalPluginOptions.cpp:28	addOptionGroup()	Core	start("Themes-Oxygen",[...])
337	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Themes-Oxygen",[...])
338	./OptionDialog.cpp:743	newThemeOptions()	Core	start: isLoading: true, havePlugin: true, name: Oxygen
339	./OptionDialog.cpp:753	newThemeOptions()	Core	set the last page
339	./ThemesManager.cpp:70	onePluginAdded()	Core	start: Oxygen2
358	./ThemesManager.cpp:134	onePluginAdded()	Core	preload: Oxygen2, at the index: 1
359	./LocalPluginOptions.cpp:10	LocalPluginOptions()	Core	start("Themes-Oxygen2",[...])
359	./LocalPluginOptions.cpp:28	addOptionGroup()	Core	start("Themes-Oxygen2",[...])
360	./OptionEngine.cpp:84	addOptionGroup()	Core	start("Themes-Oxygen2",[...])
360	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Themes-Oxygen2, group: checkBoxShowSpeed, have value: 1
362	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Themes-Oxygen2, group: minimizeToSystray, have value: 1
362	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Themes-Oxygen2, group: savePosition, have value: 1
363	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Themes-Oxygen2, group: savePositionX, have value: 51
363	./OptionEngine.cpp:117	addOptionGroup()	Core	The current key: Themes-Oxygen2, group: savePositionY, have value: 56
364	./OptionDialog.cpp:743	newThemeOptions()	Core	start: isLoading: true, havePlugin: true, name: Oxygen2
364	./OptionDialog.cpp:753	newThemeOptions()	Core	set the last page
364	./LanguagesManager.cpp:239	onePluginAdded()	Core	start
365	./OptionDialog.cpp:86	onePluginAdded()	Core	start: Ultracopier Spec (1)
365	./OptionDialog.cpp:86	onePluginAdded()	Core	start: ar (2)
366	./OptionDialog.cpp:86	onePluginAdded()	Core	start: de (2)
367	./OptionDialog.cpp:86	onePluginAdded()	Core	start: el (2)
368	./OptionDialog.cpp:86	onePluginAdded()	Core	start: (0)
368	./OptionDialog.cpp:119	onePluginAdded()	Core	category not found for: C:/Program Files/Ultracopier/Languages/en
369	./OptionDialog.cpp:86	onePluginAdded()	Core	start: es (2)
369	./OptionDialog.cpp:86	onePluginAdded()	Core	start: fr (2)
370	./OptionDialog.cpp:86	onePluginAdded()	Core	start: hi (2)
371	./OptionDialog.cpp:86	onePluginAdded()	Core	start: hu (2)
372	./OptionDialog.cpp:86	onePluginAdded()	Core	start: id (2)

373	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: it (2)
373	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: jp (2)
374	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ko (2)
375	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: nl (2)
376	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: no (2)
376	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pl (2)
377	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pt (2)
378	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ru (2)
379	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: th (2)
379	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: tr (2)
380	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ch (2)
381	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: zh_tw (2)
382	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (3)
382	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (4)
383	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Windows (5)
383	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen (6)
383	./OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen
384	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen2 (6)
384	./OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen2
384	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: en (2)
385	./PluginLoaderCore.cpp:87	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/pluginLoader.dll
400	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
400	./LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
400	./OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
401	./OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: PluginLoader-catchcopy-v0002, group: allDllsImportant, have value: 0
401	./OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: PluginLoader-catchcopy-v0002, group: allUserIsImportant, have value: 0
402	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 4
403	./CopyListener.cpp:68	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
417	./CopyListener.cpp:123	<u>onePluginAdded()</u>	Core	Plugin correctly loaded
417	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("Listener-catchcopy-v0002",[...])
418	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 3
418	./SessionLoader.cpp:58	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/SessionLoader/Windows/sessionLoader.dll
429	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("SessionLoader-Windows",[...])
429	sessionLoader.cpp:20	<u>setEnabled()</u>	Session loader plugin	start, newValue: 1
430	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Windows, category: 5
430	./CopyEngineManager.cpp:50	<u>onePluginAdded()</u>	Core	start: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/copyEngine.dll
451	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
452	./LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
452	./OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
456	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "firstRenamingRule", value: ""
456	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "otherRenamingRule", value: ""
456	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Ultracopier Spec, category: 1
458	./CopyEngineManager.cpp:131	<u>onePluginAdded()</u>	Core	plugin: Ultracopier Spec loaded, send options
458	./CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
459	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
460	ThemesFactory.cpp:86	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen
460	ThemesFactory.cpp:116	<u>setResource()</u>	Theme plugin	__GNUC__ is set
461	ThemesFactory.cpp:192	<u>options()</u>	Theme plugin	return the options
461	./Core.cpp:249	<u>loadInterface()</u>	Core	start
462	ThemesFactory.cpp:87	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen2
462	ThemesFactory.cpp:130	<u>setResource()</u>	Theme plugin	__GNUC__ is set
462	ThemesFactory.cpp:408	<u>updateSpeed()</u>	Theme plugin	checked, currentSpeed: 0
463	ThemesFactory.cpp:198	<u>options()</u>	Theme plugin	return the options
463	./Core.cpp:249	<u>loadInterface()</u>	Core	start
463	./LanguagesManager.cpp:216	<u>allPluginsLoaded()</u>	Core	start
464	./LanguagesManager.cpp:69	<u>getTheRightLanguage()</u>	Core	start
464	./LanguagesManager.cpp:79	<u>getTheRightLanguage()</u>	Core	language auto-detection, QLocale::system().name(): de_DE, QLocale::languageToString(QLocale::system().language()): German
464	./LanguagesManager.cpp:201	<u>getMainShortName()</u>	Core	start
465	./LanguagesManager.cpp:104	<u>setCurrentLanguage()</u>	Core	start: de
471	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Languages/de/translation.qm
475	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/Languages/de/translation.qm
480	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/Languages/de/translation.qm
484	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Themes/Oxygen/Languages/de/translation.qm
488	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Themes/Oxygen2/Languages/de/translation.qm
494	./LanguagesManager.cpp:177	<u>setCurrentLanguage()</u>	Core	Unable to load the translation file: qt.qm, into: C:/Program Files/Ultracopier/Languages/de/
494	./LanguagesManager.cpp:189	<u>setCurrentLanguage()</u>	Core	emit newLanguageLoaded()
495	./ThemesManager.cpp:208	<u>allPluginsLoaded()</u>	Core	start
495	./OptionDialog.cpp:400	<u>loadOption()</u>	Core	start
496	./OptionDialog.cpp:482	<u>newOptionValue()</u>	Core	Themes located: Oxygen2
497	./LanguagesManager.cpp:222	<u>autoDetectLanguage()</u>	Core	language auto-detection, QLocale::system().name(): de_DE, QLocale::languageToString(QLocale::system().language()): German
497	./LanguagesManager.cpp:201	<u>getMainShortName()</u>	Core	start
498	./OptionDialog.cpp:619	<u>on_Ultracopier_current_theme_currentIndexChanged()</u>	Core	data value: Oxygen2, string value: Oxygen2, index: 1
498	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "Themes", variableName: "Ultracopier_current_theme", value: "Oxygen2"
500	./LocalListener.cpp:330	<u>allPluginsLoaded()</u>	Core	start
501	./PluginLoaderCore.cpp:260	<u>allPluginsLoaded()</u>	Core	with value: 1
501	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
501	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
502	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
502	./CopyListener.cpp:411	<u>allPluginsLoaded()</u>	Core	with value: 1
502	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
503	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
503	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
504	./CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
504	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
505	CopyEngineFactory.cpp:126	<u>setResource()</u>	Copy Engine plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec
506	CopyEngineFactory.cpp:136	<u>setResource()</u>	Copy Engine plugin	GCC 7.4.0
506	CopyEngineFactory.cpp:138	<u>setResource()</u>	Copy Engine plugin	CHECK LIST TYPE set
506	CopyEngineFactory.cpp:167	<u>setResource()</u>	Copy Engine plugin	detected memory: 3999MB
507	CopyEngineFactory.cpp:302	<u>setDoRightTransfer()</u>	Copy Engine plugin	the value have changed
507	CopyEngineFactory.cpp:451	<u>setFileError()</u>	Copy Engine plugin	action index: 2
507	CopyEngineFactory.cpp:330	<u>setCheckDestinationFolder()</u>	Copy Engine plugin	the value have changed
508	CopyEngineFactory.cpp:337	<u>setMkFullPath()</u>	Copy Engine plugin	the value have changed
508	CopyEngineFactory.cpp:469	<u>deletePartiallyTransferredFiles()</u>	Copy Engine plugin	the value have changed
508	CopyEngineFactory.cpp:520	<u>moveTheWholeFolder()</u>	Copy Engine plugin	the value have changed

509	CopyEngineFactory.cpp:483	<u>checkDiskSpace()</u>	Copy Engine plugin	the value have changed
509	./EventDispatcher.cpp:223	<u>initFunction()</u>	Core	Initialize the variable of event loop
509	./LocalListener.cpp:34	<u>tryConnect()</u>	Core	start
510	./LocalListener.cpp:115	<u>tryConnect()</u>	Core	connection failed, continue..
510	./LocalListener.cpp:116	<u>tryConnect()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
511	./SystrayIcon.cpp:25	<u>SystrayIcon()</u>	Core	start
530	./SystrayIcon.cpp:332	<u>updateCurrentTheme()</u>	Core	icon: start
530	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/exit.png
531	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/informations.png
531	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/options.png
531	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/add.png
532	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
532	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
533	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
534	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
534	./SystrayIcon.cpp:444	<u>retranslateTheUI()</u>	Core	retranslateTheUI
534	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
535	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
535	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
535	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
536	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
537	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
537	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
547	./EventDispatcher.cpp:316	<u>initFunction()</u>	Core	copyServer.onListenerIsLoaded(): 1
547	./SystrayIcon.cpp:462	<u>addCopyEngine()</u>	Core	start
548	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
548	./SystrayIcon.cpp:541	<u>reloadEngineList()</u>	Core	engineEntryList.size(): 1
548	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
549	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
549	./SystrayIcon.cpp:149	<u>listenReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
549	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 0
550	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
550	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
551	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
551	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
551	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
552	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
552	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
552	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
553	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
554	./HelpDialog.cpp:58	<u>changeEvent()</u>	Core	start
554	./HelpDialog.cpp:70	<u>reloadTextValue()</u>	Core	start
555	./OptionDialog.cpp:269	<u>changeEvent()</u>	Core	retranslate the ui
556	CopyEngineFactory.cpp:344	<u>newLanguageLoaded()</u>	Copy Engine plugin	start, retranslate the widget options
557	./Core.cpp:249	<u>loadInterface()</u>	Core	start
557	./CliParser.cpp:24	<u>cli()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
1537	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
1538	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
1538	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
13553	./SystrayIcon.cpp:380	<u>CatchAction()</u>	Core	Double click on system tray icon
13554	./CopyListener.cpp:235	<u>listen()</u>	Core	start
13555	listener.cpp:23	<u>listen()</u>	Listener plugin	start: advanced-copier-24002d00520061006b006b0061002d002d00
13557	./CopyListener.cpp:209	<u>newState()</u>	Core	start
13558	./CopyListener.cpp:223	<u>newState()</u>	Core	new state for the plugin 0: 2
13558	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
13559	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(2,1,0)
13560	./SystrayIcon.cpp:149	<u>listenReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
13561	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
13562	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Semiuncaught_Windows.png
13563	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Semiuncaught_Windows.png
13566	./PluginLoaderCore.cpp:222	<u>load()</u>	Core	start
13567	pluginLoader.cpp:239	<u>checkExistsDll()</u>	Plugin loader plugin	64Bits is important
13574	pluginLoader.cpp:89	<u>setEnabled()</u>	Plugin loader plugin	start, needBeRegistered: 1, allDllsImportant: 0, allDllsImportant: 0
13577	pluginLoader.cpp:355	<u>registerShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy64d.dll
18472	pluginLoader.cpp:429	<u>RegisterShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
18472	pluginLoader.cpp:149	<u>setEnabled()</u>	Plugin loader plugin	the important dll have been loaded: catchcopy64d.dll
18473	pluginLoader.cpp:355	<u>RegisterShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy32d.dll
20984	pluginLoader.cpp:429	<u>RegisterShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
20985	pluginLoader.cpp:171	<u>setEnabled()</u>	Plugin loader plugin	the second dll have been loaded: catchcopy32d.dll
20985	./PluginLoaderCore.cpp:319	<u>newState()</u>	Core	start, state: 2
20985	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
20986	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
20986	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
20986	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
20987	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
20987	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Caught_Windows.png
20988	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Caught_Windows.png
20989	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
20989	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
20989	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
20990	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
20990	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
20990	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Caught_Windows.png
20991	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Caught_Windows.png
24280	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
24281	listener.cpp:119	<u>clientName()</u>	Listener plugin	clientName: Windows Explorer 64Bits, for the id: 1
24281	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
25391	listener.cpp:134	<u>copy()</u>	Listener plugin	copy(0,C:/Überprüfung,%3)
25391	./CopyListener.cpp:361	<u>newPluginCopy()</u>	Core	sources: C:/Überprüfung, destination: C/
25392	./Core.cpp:66	<u>newTransfer()</u>	Core	start: C:/Überprüfung, dest: C/, mode: 0
25392	./Core.cpp:317	<u>openNewCopyEngineInstance()</u>	Core	start
25392	./CopyEngineManager.cpp:184	<u>getCopyEngine()</u>	Core	start, pluginList.size(): 1, mode: 0, and particular protocol
25393	./CopyEngineManager.cpp:191	<u>getCopyEngine()</u>	Core	pluginList.at(0).name: Ultracopier Spec
25393	./CopyEngineManager.cpp:199	<u>getCopyEngine()</u>	Core	copyEnginePlugin.supportedProtocolsForTheDestination: file

25394	./CopyEngineManager.cpp:200	<u>getCopyEngine()</u>	Core	protocolsUsedForTheDestination: file
25394	./CopyEngineManager.cpp:203	<u>getCopyEngine()</u>	Core	copyEnginePlugin.supportedProtocolsForTheSource: file
25394	./CopyEngineManager.cpp:204	<u>getCopyEngine()</u>	Core	protocolsUsedForTheSources.at(indexProto): file
25486	./ThemesManager.cpp:238	<u>getThemeInstance()</u>	Core	Send interface: Oxygen2
25516	./Core.cpp:657	<u>connectEngine()</u>	Core	start with index: 0: 6630632
25517	./Core.cpp:685	<u>connectInterfaceAndSync()</u>	Core	start with index: 0: 6630632
25572	CopyEngine.cpp:687	<u>setFileCollision()</u>	Copy Engine plugin	action index: 2
25572	CopyEngine.cpp:724	<u>setFileError()</u>	Copy Engine plugin	action index: 2
25572	CopyEngine.cpp:968	<u>scanNewRenamingRules()</u>	Copy Engine plugin	new filter
25573	ThemesFactory.cpp:29	<u>getInstance()</u>	Theme plugin	start, currentSpeed: 0
25574	interface.cpp:808	<u>forceCopyModel()</u>	Theme plugin	start
25574	CopyEngine.cpp:640	<u>forceModel()</u>	Copy Engine plugin	Force mode to copy
25575	interface.cpp:801	<u>setCopyType()</u>	Theme plugin	start
25575	interface.cpp:515	<u>actionInProgress()</u>	Theme plugin	start: 0
25576	interface.cpp:833	<u>isInPause()</u>	Theme plugin	isInPause: 0
25577	interface.cpp:827	<u>haveExternalOrder()</u>	Theme plugin	start
25583	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25583	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25584	ListThreadOptions.cpp:146	<u>setInodeThreads()</u>	Copy Engine plugin	inodeThreads: 16
25584	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25584	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25585	ListThread.cpp:1098	<u>deleteTransferThread()</u>	Copy Engine plugin	start
25585	ListThreadOptions.cpp:154	<u>setRenameTheOriginalDestination()</u>	Copy Engine plugin	renameTheOriginalDestination: 0
25585	ListThread.cpp:299	<u>syncTransferList()</u>	Copy Engine plugin	start
25586	ListThreadNew.cpp:19	<u>newCopy()</u>	Copy Engine plugin	start: C:\Überprüfung, destination: C:\
25586	ListThreadScan.cpp:18	<u>newScanThread()</u>	Copy Engine plugin	start with: 0
25587	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25587	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25587	ListThread.cpp:366	<u>updateTheStatus()</u>	Copy Engine plugin	start
25588	ListThread.cpp:379	<u>updateTheStatus()</u>	Copy Engine plugin	emit actionInProgress()
25588	./Core.cpp:516	<u>actionInProgress()</u>	Core	action: 1, from 0
25588	ListThreadNew.cpp:58	<u>newCopy()</u>	Copy Engine plugin	destination: C:\
25589	ListThreadNew.cpp:60	<u>newCopy()</u>	Copy Engine plugin	destination: C:\
25589	ListThreadScan.cpp:74	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 1
25590	ListThreadScan.cpp:89	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
25590	ListThreadScan.cpp:95	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	Start listing thread
25590	ListThreadMedia.cpp:103	<u>detectDrivesOfCurrentTransfer()</u>	Copy Engine plugin	source informations, sourceDrive: C:\, sourceDriveMultiple: 0
25591	ListThreadMedia.cpp:123	<u>detectDrivesOfCurrentTransfer()</u>	Copy Engine plugin	destination informations, destinationDrive: C:\, destinationDriveMultiple: 0
25591	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25592	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25592	ListThreadOptions.cpp:113	<u>forceModel()</u>	Copy Engine plugin	Force mode to copy
25592	ListThreadOptions.cpp:146	<u>setInodeThreads()</u>	Copy Engine plugin	inodeThreads: 16
25593	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25593	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25593	ListThread.cpp:1098	<u>deleteTransferThread()</u>	Copy Engine plugin	start
25594	ListThreadOptions.cpp:154	<u>setRenameTheOriginalDestination()</u>	Copy Engine plugin	renameTheOriginalDestination: 0
25594	ListThread.cpp:898	<u>set_setFilters()</u>	Copy Engine plugin	include.size(): 0, exclude.size(): 0
25595	ListThread.cpp:452	<u>syncTransferList_internal()</u>	Copy Engine plugin	start
25595	interface.cpp:515	<u>actionInProgress()</u>	Theme plugin	start: 1
25596	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 0
25596	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25596	ScanFileOrFolder.cpp:211	<u>setFilters()</u>	Copy Engine plugin	start
25597	ScanFileOrFolder.cpp:217	<u>setFilters()</u>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
25597	ScanFileOrFolder.cpp:80	<u>addToList()</u>	Copy Engine plugin	check symlink: C:/, destination: C:\
25597	ScanFileOrFolder.cpp:245	<u>run()</u>	Copy Engine plugin	start the listing with destination: C:\, mode: 0
25598	ScanFileOrFolder.cpp:267	<u>run()</u>	Copy Engine plugin	size source to list: 0/1
25598	ScanFileOrFolder.cpp:321	<u>run()</u>	Copy Engine plugin	source: C:\Überprüfung is file or symlink
25598	ListThread.cpp:583	<u>addToTransfer()</u>	Copy Engine plugin	set space 0 needed, on: C:\
25599	ListThread.cpp:602	<u>addToTransfer()</u>	Copy Engine plugin	source: C:\Überprüfung, destination: C:\Überprüfung, add entry: 2, size: 0, size2: 0, isSymLink: 1
25599	ListThreadScan.cpp:74	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 0
25600	ListThreadScan.cpp:82	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
25600	ListThread.cpp:366	<u>updateTheStatus()</u>	Copy Engine plugin	start
25601	./Core.cpp:1036	<u>getActionOnList()</u>	Core	start
25601	./Core.cpp:1041	<u>getActionOnList()</u>	Core	start2
25603	./Core.cpp:1044	<u>getActionOnList()</u>	Core	start3
25604	./Core.cpp:1048	<u>getActionOnList()</u>	Core	start4
25604	./Core.cpp:1115	<u>getActionOnList()</u>	Core	start7
25604	./Core.cpp:1141	<u>getActionOnList()</u>	Core	start8
25604	./Core.cpp:1143	<u>getActionOnList()</u>	Core	start9
25605	./Core.cpp:1147	<u>getActionOnList()</u>	Core	start end
25605	ListThread.cpp:379	<u>updateTheStatus()</u>	Copy Engine plugin	emit actionInProgress(2)
25606	./Core.cpp:516	<u>actionInProgress()</u>	Core	action: 2, from 0
25606	ListThreadScan.cpp:89	<u>scanThreadHaveFinish()</u>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 0
25608	ListThread.cpp:286	<u>autoStartIfNeeded()</u>	Copy Engine plugin	Auto start the copy
25609	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
25609	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25609	ListThread.cpp:779	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	space needed removed: 0, space needed: 0, on: C:\
25610	ListThread.cpp:802	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	[0] id: 2 is idle, use it for C:\Überprüfung
25610	ListThread.cpp:836	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	numberOfInodeOperation: 1
25611	ListThread.cpp:851	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	numberOfInodeOperation: 1
25611	interface.cpp:764	<u>getActionOnList()</u>	Theme plugin	start, returnActions.size(): 1
25612	interface.cpp:796	<u>getActionOnList()</u>	Theme plugin	transferModel.rowCount(): 1
25612	interface.cpp:515	<u>actionInProgress()</u>	Theme plugin	start: 2
25612	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
25613	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25617	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
25617	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25617	ScanFileOrFolder.cpp:211	<u>setFilters()</u>	Copy Engine plugin	start
25618	ScanFileOrFolder.cpp:217	<u>setFilters()</u>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
25633	ListThread.cpp:721	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	actionToDoList.size(): 1
25633	ListThread.cpp:728	<u>doNewActions_inode_manipulation()</u>	Copy Engine plugin	start
25640	TransferThread.cpp:145	<u>setFilter()</u>	Copy Engine plugin	[0] start, source: C:\Überprüfung, destination: C:\Überprüfung
25640	async/TransferThreadAsync.cpp:154	<u>preOperation()</u>	Copy Engine plugin	[0] start: source: C:\Überprüfung, destination: C:\Überprüfung
25641	TransferThread.cpp:246	<u>isSame()</u>	Copy Engine plugin	[0] start source: C:\Überprüfung not exists

25641	TransferThread.cpp:248	isSame()	Copy Engine plugin	[0] start source: C:/Überprüfung isSymLink
25642	TransferThread.cpp:250	isSame()	Copy Engine plugin	[0] start destination: C:/Überprüfung isSymLink
25642	CopyEngine-collision-and-error.cpp:53	fileAlreadyExists()	Copy Engine plugin	file is same: C:/Überprüfung
25642	CopyEngine-collision-and-error.cpp:76	fileAlreadyExists()	Copy Engine plugin	show dialog
25655	async/TransferThreadAsync.cpp:159	preOperation()	Copy Engine plugin	[0] is same C:/Überprüfung than C:/Überprüfung
25655	interface.cpp:833	isInPause()	Theme plugin	isInPause: 1
25658	ListThread.cpp:721	doNewActions_inode_manipulation()	Copy Engine plugin	actionToDoList.size(): 1
25659	ListThread.cpp:728	doNewActions_inode_manipulation()	Copy Engine plugin	start
25665	ListThread.cpp:721	doNewActions_inode_manipulation()	Copy Engine plugin	actionToDoList.size(): 1
25666	ListThread.cpp:728	doNewActions_inode_manipulation()	Copy Engine plugin	start
25681	ListThread.cpp:1087	createTransferThread()	Copy Engine plugin	create the last of the 16 transferThread
25682	./Core.cpp:1036	getActionOnList()	Core	start
25682	./Core.cpp:1041	getActionOnList()	Core	start2
25685	./Core.cpp:1044	getActionOnList()	Core	start3
25685	./Core.cpp:1048	getActionOnList()	Core	start4
25685	./Core.cpp:1115	getActionOnList()	Core	start7
25686	./Core.cpp:1141	getActionOnList()	Core	start8
25686	./Core.cpp:1143	getActionOnList()	Core	start9
25686	./Core.cpp:1147	getActionOnList()	Core	start end
25687	interface.cpp:764	getActionOnList()	Theme plugin	start, returnActions.size(): 1
25687	interface.cpp:796	getActionOnList()	Theme plugin	transferModel.rowCount(): 1
31823	./Core.cpp:440	resetSpeedDetected()	Core	start on 0
31824	CopyEngine-collision-and-error.cpp:82	fileAlreadyExists()	Copy Engine plugin	close dialog: 7
31825	CopyEngine.cpp:687	setFileCollision()	Copy Engine plugin	action index: 6
31825	CopyEngine-collision-and-error.cpp:111	fileAlreadyExists()	Copy Engine plugin	emit queryOneNewDialog()
31834	interface.cpp:833	isInPause()	Theme plugin	isInPause: 0
31835	CopyEngine-collision-and-error.cpp:618	showOneNewDialog()	Copy Engine plugin	alreadyExistsQueue.size(): 0
31835	CopyEngine-collision-and-error.cpp:619	showOneNewDialog()	Copy Engine plugin	errorQueue.size(): 0
31836	async/TransferThreadAsync.cpp:600	setFileExistsAction()	Copy Engine plugin	[0] action: 7
31837	async/TransferThreadAsync.cpp:154	preOperation()	Copy Engine plugin	[0] start: source: C:/Überprüfung, destination: C:/Überprüfung
31837	TransferThread.cpp:246	isSame()	Copy Engine plugin	[0] start source: C:/Überprüfung not exists
31838	TransferThread.cpp:248	isSame()	Copy Engine plugin	[0] start source: C:/Überprüfung isSymLink
31838	TransferThread.cpp:250	isSame()	Copy Engine plugin	[0] start destination: C:/Überprüfung isSymLink
31839	async/TransferThreadAsync.cpp:162	preOperation()	Copy Engine plugin	[0] after is same
31840	async/TransferThreadAsync.cpp:169	preOperation()	Copy Engine plugin	[0] before destination exists
31841	TransferThread.cpp:278	destinationExists()	Copy Engine plugin	[0] overwrite: 7, alwaysDoFileExistsAction: 7, readError: 0, writeError: 0
31842	TransferThread.cpp:286	destinationExists()	Copy Engine plugin	[0] time to first FS access
31842	TransferThread.cpp:288	destinationExists()	Copy Engine plugin	[0] finish first FS access: 0
31843	async/TransferThreadAsync.cpp:175	preOperation()	Copy Engine plugin	[0] after destination exists
31843	async/TransferThreadAsync.cpp:182	preOperation()	Copy Engine plugin	[0] before keep date
31843	async/TransferThreadAsync.cpp:206	preOperation()	Copy Engine plugin	[0] before perm
31844	async/TransferThreadAsync.cpp:209	preOperation()	Copy Engine plugin	[0] after perm
31844	async/TransferThreadAsync.cpp:284	ifCanStartTransfer()	Copy Engine plugin	[0] start
31845	async/TransferThreadAsync.cpp:289	ifCanStartTransfer()	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
31845	ListThread.cpp:649	doNewActions_start_transfer()	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
31845	ListThread.cpp:649	doNewActions_start_transfer()	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
31846	async/TransferThreadAsync.cpp:80	startTheTransfer()	Copy Engine plugin	[0] start
31846	async/TransferThreadAsync.cpp:92	internalStartTheTransfer()	Copy Engine plugin	[0] start
31847	async/TransferThreadAsync.cpp:102	internalStartTheTransfer()	Copy Engine plugin	[0] start
31847	async/TransferThreadAsync.cpp:108	internalStartTheTransfer()	Copy Engine plugin	[0] start
31847	async/TransferThreadAsync.cpp:114	internalStartTheTransfer()	Copy Engine plugin	[0] start
31848	async/TransferThreadAsync.cpp:80	startTheTransfer()	Copy Engine plugin	[0] start
31848	async/TransferThreadAsync.cpp:120	internalStartTheTransfer()	Copy Engine plugin	[0] check how start the transfer
31849	async/TransferThreadAsync.cpp:123	internalStartTheTransfer()	Copy Engine plugin	[0] start directly the transfer
31849	async/TransferThreadAsync.cpp:284	ifCanStartTransfer()	Copy Engine plugin	[0] start
31849	ListThreadStat.cpp:19	newTransferStat()	Copy Engine plugin	TransferStat: 3
31850	async/TransferThreadAsync.cpp:307	ifCanStartTransfer()	Copy Engine plugin	[0] stop copy in error: Zugriff ve
31850	CopyEngine-collision-and-error.cpp:254	errorOnFile()	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
31851	async/TransferThreadAsync.cpp:92	internalStartTheTransfer()	Copy Engine plugin	[0] start
31851	async/TransferThreadAsync.cpp:102	internalStartTheTransfer()	Copy Engine plugin	[0] start
31852	async/TransferThreadAsync.cpp:108	internalStartTheTransfer()	Copy Engine plugin	[0] start
31858	async/TransferThreadAsync.cpp:111	internalStartTheTransfer()	Copy Engine plugin	[0] can't start transfer at Transfer
31858	ListThread.cpp:215	transferPutAtBottom()	Copy Engine plugin	Put at the end: 2
31859	ListThread.cpp:246	transferPutAtBottom()	Copy Engine plugin	countLocalParse: 1
31859	async/TransferThreadAsync.cpp:430	skip()	Copy Engine plugin	[0] start with stat: 3
31859	async/TransferThreadAsync.cpp:452	skip()	Copy Engine plugin	[0] transfer_stat=TransferStat_Idle
31860	ListThread.cpp:98	transferNodeIsClosed()	Copy Engine plugin	numberOfNodeOperation: 0
31860	ListThread.cpp:721	doNewActions_inode_manipulation()	Copy Engine plugin	actionToDoList.size(): 1
31861	ListThread.cpp:728	doNewActions_inode_manipulation()	Copy Engine plugin	start
31861	ListThread.cpp:779	doNewActions_inode_manipulation()	Copy Engine plugin	space needed removed: 0, space needed: 0, on: C:\
31861	ListThread.cpp:802	doNewActions_inode_manipulation()	Copy Engine plugin	[0] id: 2 is idle, use it for C:/Überprüfung
31862	ListThread.cpp:836	doNewActions_inode_manipulation()	Copy Engine plugin	numberOfNodeOperation: 1
31862	ListThread.cpp:851	doNewActions_inode_manipulation()	Copy Engine plugin	numberOfNodeOperation: 1
31862	ListThread.cpp:649	doNewActions_start_transfer()	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
31863	TransferThread.cpp:145	setFiles()	Copy Engine plugin	[0] start, source: C:/Überprüfung, destination: C:/Überprüfung
31863	async/TransferThreadAsync.cpp:80	startTheTransfer()	Copy Engine plugin	[0] start
31864	async/TransferThreadAsync.cpp:154	preOperation()	Copy Engine plugin	[0] start: source: C:/Überprüfung, destination: C:/Überprüfung
31864	TransferThread.cpp:246	isSame()	Copy Engine plugin	[0] start source: C:/Überprüfung not exists
31864	TransferThread.cpp:248	isSame()	Copy Engine plugin	[0] start source: C:/Überprüfung isSymLink
31865	TransferThread.cpp:250	isSame()	Copy Engine plugin	[0] start destination: C:/Überprüfung isSymLink
31865	async/TransferThreadAsync.cpp:162	preOperation()	Copy Engine plugin	[0] after is same
31866	async/TransferThreadAsync.cpp:169	preOperation()	Copy Engine plugin	[0] before destination exists
31866	TransferThread.cpp:278	destinationExists()	Copy Engine plugin	[0] overwrite: 0, alwaysDoFileExistsAction: 7, readError: 0, writeError: 0
31866	TransferThread.cpp:286	destinationExists()	Copy Engine plugin	[0] time to first FS access
31867	TransferThread.cpp:288	destinationExists()	Copy Engine plugin	[0] finish first FS access: 0
31867	async/TransferThreadAsync.cpp:175	preOperation()	Copy Engine plugin	[0] after destination exists
31868	async/TransferThreadAsync.cpp:182	preOperation()	Copy Engine plugin	[0] before keep date
31868	async/TransferThreadAsync.cpp:206	preOperation()	Copy Engine plugin	[0] before perm
31868	async/TransferThreadAsync.cpp:209	preOperation()	Copy Engine plugin	[0] after perm
31869	async/TransferThreadAsync.cpp:284	ifCanStartTransfer()	Copy Engine plugin	[0] start
31869	async/TransferThreadAsync.cpp:289	ifCanStartTransfer()	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
31870	ListThread.cpp:649	doNewActions_start_transfer()	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
31870	ListThread.cpp:649	doNewActions_start_transfer()	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
31870	async/TransferThreadAsync.cpp:150	preOperation()	Copy Engine plugin	[0] already used, source: C:/Überprüfung, destination: C:/Überprüfung - copy

31871	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31871	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31872	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31872	async/TransferThreadAsync.cpp:114	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31872	async/TransferThreadAsync.cpp:120	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] check how start the transfer
31873	async/TransferThreadAsync.cpp:123	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start directly the transfer
31873	async/TransferThreadAsync.cpp:284	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] start
31874	async/TransferThreadAsync.cpp:80	<u>startTheTransfer()</u>	Copy Engine plugin	[0] start
31874	ListThreadStat.cpp:19	<u>newTransferStat()</u>	Copy Engine plugin	TransferStat: 3
31874	async/TransferThreadAsync.cpp:307	<u>ifCanStartTransfer()</u>	Copy Engine plugin	[0] stop copy in error: Zugriff ve
31875	CopyEngine-collision-and-error.cpp:254	<u>errorOnFile()</u>	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
31875	CopyEngine-collision-and-error.cpp:296	<u>errorOnFile()</u>	Copy Engine plugin	show dialog
31879	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31880	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31880	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31880	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
31881	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31881	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31882	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31882	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
31882	async/TransferThreadAsync.cpp:92	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31883	async/TransferThreadAsync.cpp:102	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31883	async/TransferThreadAsync.cpp:108	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] start
31883	async/TransferThreadAsync.cpp:111	<u>internalStartTheTransfer()</u>	Copy Engine plugin	[0] can't start transfert at Transfer
31884	interface.cpp:833	<u>isInPaused()</u>	Theme plugin	isInPause: 1
31888	./Core.cpp:1036	<u>getActionOnList()</u>	Core	start
31889	./Core.cpp:1041	<u>getActionOnList()</u>	Core	start2
31891	./Core.cpp:1044	<u>getActionOnList()</u>	Core	start3
31891	./Core.cpp:1048	<u>getActionOnList()</u>	Core	start4
31892	./Core.cpp:1115	<u>getActionOnList()</u>	Core	start7
31892	./Core.cpp:1141	<u>getActionOnList()</u>	Core	start8
31892	./Core.cpp:1143	<u>getActionOnList()</u>	Core	start9
31893	./Core.cpp:1147	<u>getActionOnList()</u>	Core	start end
31893	interface.cpp:764	<u>getActionOnList()</u>	Theme plugin	start, returnActions.size(): 4
31893	TransferModel.cpp:367	<u>synchronizeItemst()</u>	Theme plugin	id: 2, move at same position: 0
31894	interface.cpp:796	<u>getActionOnList()</u>	Theme plugin	transferModel.rowCount(): 1
34003	./Core.cpp:440	<u>resetSpeedDetected()</u>	Core	start on 0
34003	CopyEngine-collision-and-error.cpp:321	<u>errorOnFile()</u>	Copy Engine plugin	close dialog: 2
34004	./Core.cpp:934	<u>copyInstanceCanceledByEngine()</u>	Core	start
34004	./Core.cpp:956	<u>copyInstanceCanceledByIndex()</u>	Core	start, remove with the index: 0
34007	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionX", value: "51"
34008	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionY", value: "56"
34010	./CopyListener.cpp:330	<u>copyCanceled()</u>	Core	start
34011	./Core.cpp:974	<u>copyInstanceCanceledByIndex()</u>	Core	copyList.size(): 0
34012	interface.cpp:833	<u>isInPaused()</u>	Theme plugin	isInPause: 0
34012	CopyEngine.cpp:585	<u>cancel()</u>	Copy Engine plugin	start
34012	interface.cpp:433	<u>~Themes()</u>	Theme plugin	start
34013	ListThreadActions.cpp:75	<u>cancel()</u>	Copy Engine plugin	start
34013	ListThread.cpp:334	<u>checkIfReadyToCancel()</u>	Copy Engine plugin	start
34013	./Core.cpp:994	<u>deleteCopyEngine()</u>	Core	start, delete the copy engine
34015	./Core.cpp:996	<u>deleteCopyEngine()</u>	Core	stop, delete the copy engine
35814	./SstrayIcon.cpp:394	<u>CatchAction()</u>	Core	The action on the strayray icon is unknown: 1