

4	./ResourcesManager.cpp:46	<a href="#">ResourcesManager()</a>	Core	Ultracopier is compiled as user privacy mode
5	./ResourcesManager.cpp:85	<a href="#">ResourcesManager()</a>	Core	searchPath.at(0): C:/Program Files/Ultracopier/
5	./ResourcesManager.cpp:85	<a href="#">ResourcesManager()</a>	Core	searchPath.at(1): C:/Users/~Rakka~/ultracopier/
5	./ResourcesManager.cpp:85	<a href="#">ResourcesManager()</a>	Core	searchPath.at(2): /
6	./ResourcesManager.cpp:88	<a href="#">ResourcesManager()</a>	Core	writablePath: C:/Users/~Rakka~/ultracopier/
7	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Ultracopier",[...])
7	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Ultracopier, group: Last_version_used, have value: 2.0.3.4
8	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Ultracopier, group: displayOSSpecific, have value: false
9	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("CopyEngine",[...])
10	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: CopyEngine, group: List, have value: Ultracopier Spec
10	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Write_log",[...])
11	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("CopyListener",[...])
12	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: CopyListener, group: CatchCopyAsDefault, have value: false
12	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("SessionLoader",[...])
14	./PluginsManager.cpp:21	<a href="#">PluginsManager()</a>	Core	start
14	./LanguagesManager.cpp:16	<a href="#">LanguagesManager()</a>	Core	start
16	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Language",[...])
17	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Themes",[...])
18	./ThemesManager.cpp:55	<a href="#">ThemesManager()</a>	Core	Default style: ./Themes/Oxygen2/
20	./PluginsManager.cpp:100	<a href="#">run()</a>	Core	pluginsList.size(): 0
21	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/CopyEngine/
28	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/Languages/
33	./ProductKey.cpp:24	<a href="#">parseKey()</a>	Core	ultimate key
34	./HelpDialog.cpp:17	<a href="#">HelpDialog()</a>	Core	start
37	./HelpDialog.cpp:70	<a href="#">reloadTexValue()</a>	Core	start
38	./OptionDialog.cpp:24	<a href="#">OptionDialog()</a>	Core	start
40	./PluginsManager.cpp:232	<a href="#">loadPluginInformation()</a>	Core	informations.xml not found for the plugin: C:/Program Files/Ultracopier/Languages/en/
41	./PluginsManager.cpp:244	<a href="#">loadPluginInformation()</a>	Core	Error detected, the not loaded: informations.xml not found for the plugin, for path: C:/Program Files/Ultracopier/Languages/en/
82	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/Listener/
85	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/PluginLoader/
89	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/SessionLoader/
93	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Program Files/Ultracopier/Themes/
99	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/CopyEngine/
100	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Languages/
101	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Listener/
102	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/PluginLoader/
103	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/SessionLoader/
105	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: C:/Users/~Rakka~/ultracopier/Themes/
106	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./CopyEngine/
107	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./Languages/
109	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./Listener/
109	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./PluginLoader/
110	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./SessionLoader/
111	./PluginsManager.cpp:109	<a href="#">run()</a>	Core	search plugin into: ./Themes/
113	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 0 loaded (CopyEngine): C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/
114	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 1 loaded (Languages): C:/Program Files/Ultracopier/Languages/ar/
115	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 2 loaded (Languages): C:/Program Files/Ultracopier/Languages/de/
116	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 3 loaded (Languages): C:/Program Files/Ultracopier/Languages/el/
116	./PluginsManager.cpp:166	<a href="#">categoryToString()</a>	Core	cat text not found: 0
117	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 4 loaded (Unknown): C:/Program Files/Ultracopier/Languages/en/
118	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 5 loaded (Languages): C:/Program Files/Ultracopier/Languages/es/
119	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 6 loaded (Languages): C:/Program Files/Ultracopier/Languages/fr/
120	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 7 loaded (Languages): C:/Program Files/Ultracopier/Languages/hi/
121	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 8 loaded (Languages): C:/Program Files/Ultracopier/Languages/hu/
122	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 9 loaded (Languages): C:/Program Files/Ultracopier/Languages/id/
123	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 10 loaded (Languages): C:/Program Files/Ultracopier/Languages/ja/
124	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 11 loaded (Languages): C:/Program Files/Ultracopier/Languages/ja/
125	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 12 loaded (Languages): C:/Program Files/Ultracopier/Languages/ko/
126	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 13 loaded (Languages): C:/Program Files/Ultracopier/Languages/nl/
127	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 14 loaded (Languages): C:/Program Files/Ultracopier/Languages/no/
128	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 15 loaded (Languages): C:/Program Files/Ultracopier/Languages/pl/
129	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 16 loaded (Languages): C:/Program Files/Ultracopier/Languages/pt/
130	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 17 loaded (Languages): C:/Program Files/Ultracopier/Languages/ru/
131	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 18 loaded (Languages): C:/Program Files/Ultracopier/Languages/th/
132	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 19 loaded (Languages): C:/Program Files/Ultracopier/Languages/tr/
133	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 20 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh/
134	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 21 loaded (Languages): C:/Program Files/Ultracopier/Languages/zh_TW/
135	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 22 loaded (Listener): C:/Program Files/Ultracopier/Listener/catchcopy-v0002/
136	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 23 loaded (PluginLoader): C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/
137	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 24 loaded (SessionLoader): C:/Program Files/Ultracopier/SessionLoader/Windows/
138	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 25 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen/
140	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 26 loaded (Themes): C:/Program Files/Ultracopier/Themes/Oxygen2/
141	./PluginsManager.cpp:126	<a href="#">run()</a>	Core	Plugin 27 loaded (Languages): ./Languages/en/
142	./PluginsManager.cpp:462	<a href="#">checkDependencies()</a>	Core	start
192	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: Ultracopier Spec (1)
194	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: ar (2)
195	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: de (2)
196	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: el (2)
197	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: ()
198	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: es (2)
199	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: fr (2)
200	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: hi (2)
201	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: hu (2)
202	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: id (2)
203	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: it (2)
204	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: jp (2)
206	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: ko (2)
208	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: nl (2)
210	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: no (2)
211	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: pl (2)
213	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: pt (2)
214	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: ru (2)
216	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: th (2)

218	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: tr (2)
219	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: ch (2)
220	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: zh_tw (2)
222	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: catchcopy-v0002 (3)
223	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: catchcopy-v0002 (4)
224	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: Windows (5)
225	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: Oxygen (6)
226	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: Oxygen2 (6)
227	./OptionDialog.cpp:56	<a href="#">OptionDialog()</a>	Core	start: en (2)
229	./PluginLoaderCore.cpp:17	<a href="#">PluginLoaderCore()</a>	Core	start
230	./SessionLoader.cpp:13	<a href="#">SessionLoader()</a>	Core	start
231	./CopyEngineManager.cpp:18	<a href="#">CopyEngineManager()</a>	Core	start
232	./LogThread.cpp:241	<a href="#">newOptionValue()</a>	Core	sync flag is set on: true
233	./LogThread.cpp:241	<a href="#">newOptionValue()</a>	Core	sync flag is set on: true
234	./Core.cpp:16	<a href="#">Core()</a>	Core	start
234	./Core.cpp:249	<a href="#">loadInterface()</a>	Core	start
235	./EventDispatcher.cpp:108	<a href="#">EventDispatcher()</a>	Core	start
236	./EventDispatcher.cpp:111	<a href="#">EventDispatcher()</a>	Core	Windows version: Windows 7 Ultimate Edition Service Pack 1 (build 7601), 64-bit
237	./EventDispatcher.cpp:116	<a href="#">EventDispatcher()</a>	Core	ULTRACOPIER_VERSION: 2.0.3.4
238	./EventDispatcher.cpp:117	<a href="#">EventDispatcher()</a>	Core	Qt version: 5.13.0 331008
239	./EventDispatcher.cpp:118	<a href="#">EventDispatcher()</a>	Core	ULTRACOPIER_PLATFORM_NAME: Windows 32Bits
239	./EventDispatcher.cpp:119	<a href="#">EventDispatcher()</a>	Core	Application path: C:/Program Files/Ultracopier/ultracopier.exe 8508
240	./EventDispatcher.cpp:121	<a href="#">EventDispatcher()</a>	Core	Local socket: ultracopier-2d002d00520061006b006b0061002d002d00
254	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: C:/
254	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: D:/
255	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: E:/
256	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: F:/
257	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: G:/
258	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: H:/
259	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: I:/
260	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: K:/
261	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: L:/
261	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: M:/
262	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: N:/
263	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: O:/
264	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: P:/
265	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: Q:/
266	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: R:/
267	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: S:/
268	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: T:/
269	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: Y:/
270	./EventDispatcher.cpp:142	<a href="#">EventDispatcher()</a>	Core	mountSysPoint: Z:/
270	./OptionEngine.cpp:182	<a href="#">setOptionValue()</a>	Core	groupName: "Ultracopier", variableName: "Last_version_used", value: "2.0.3.4"
276	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
278	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
280	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
282	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
284	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
286	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
288	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
290	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
292	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
294	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
296	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
298	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
300	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
302	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
304	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
306	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
308	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
310	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
311	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
313	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
314	./ThemesManager.cpp:70	<a href="#">onePluginAdded()</a>	Core	start: Oxygen
331	./ThemesManager.cpp:134	<a href="#">onePluginAdded()</a>	Core	preload: Oxygen, at the index: 0
331	./LocalPluginOptions.cpp:10	<a href="#">LocalPluginOptions()</a>	Core	start("Themes-Oxygen",[...])
332	./LocalPluginOptions.cpp:28	<a href="#">addOptionGroup()</a>	Core	start("Themes-Oxygen",[...])
332	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Themes-Oxygen",[...])
335	./OptionDialog.cpp:743	<a href="#">newThemeOptions()</a>	Core	start: isLoading: true, havePlugin: true, name: Oxygen
335	./OptionDialog.cpp:753	<a href="#">newThemeOptions()</a>	Core	set the last page
336	./ThemesManager.cpp:70	<a href="#">onePluginAdded()</a>	Core	start: Oxygen2
356	./ThemesManager.cpp:134	<a href="#">onePluginAdded()</a>	Core	preload: Oxygen2, at the index: 1
357	./LocalPluginOptions.cpp:10	<a href="#">LocalPluginOptions()</a>	Core	start("Themes-Oxygen2",[...])
357	./LocalPluginOptions.cpp:28	<a href="#">addOptionGroup()</a>	Core	start("Themes-Oxygen2",[...])
357	./OptionEngine.cpp:84	<a href="#">addOptionGroup()</a>	Core	start("Themes-Oxygen2",[...])
358	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Themes-Oxygen2, group: checkBoxShowSpeed, have value: 1
359	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Themes-Oxygen2, group: minimizeToSystray, have value: 1
360	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Themes-Oxygen2, group: savePosition, have value: 1
360	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Themes-Oxygen2, group: savePositionX, have value: 51
361	./OptionEngine.cpp:117	<a href="#">addOptionGroup()</a>	Core	The current key: Themes-Oxygen2, group: savePositionY, have value: 56
361	./OptionDialog.cpp:743	<a href="#">newThemeOptions()</a>	Core	start: isLoading: true, havePlugin: true, name: Oxygen2
362	./OptionDialog.cpp:753	<a href="#">newThemeOptions()</a>	Core	set the last page
362	./LanguagesManager.cpp:239	<a href="#">onePluginAdded()</a>	Core	start
363	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: Ultracopier Spec (1)
363	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: ar (2)
364	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: de (2)
365	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: el (2)
366	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: (0)
366	./OptionDialog.cpp:119	<a href="#">onePluginAdded()</a>	Core	category not found for: C:/Program Files/Ultracopier/Languages/en
367	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: es (2)
367	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: fr (2)
368	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: hi (2)
369	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: hu (2)
369	./OptionDialog.cpp:86	<a href="#">onePluginAdded()</a>	Core	start: id (2)

370	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: it (2)
371	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: jp (2)
372	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ko (2)
372	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: nl (2)
373	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: no (2)
374	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pl (2)
375	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: pt (2)
375	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ru (2)
376	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: th (2)
377	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: tr (2)
378	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: ch (2)
378	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: zh_tw (2)
379	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (3)
380	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: catchcopy-v0002 (4)
380	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Windows (5)
381	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen (6)
381	./OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen
381	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: Oxygen2 (6)
382	./OptionDialog.cpp:253	<u>addTheme()</u>	Core	plugin.name: Oxygen2
382	./OptionDialog.cpp:86	<u>onePluginAdded()</u>	Core	start: en (2)
382	./PluginLoaderCore.cpp:87	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/pluginLoader.dll
397	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
398	./LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
398	./OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("PluginLoader-catchcopy-v0002",[...])
399	./OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: PluginLoader-catchcopy-v0002, group: allDllsImportant, have value: 0
399	./OptionEngine.cpp:117	<u>addOptionGroup()</u>	Core	The current key: PluginLoader-catchcopy-v0002, group: allUserIsImportant, have value: 0
400	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 4
401	./CopyListener.cpp:68	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
415	./CopyListener.cpp:123	<u>onePluginAdded()</u>	Core	Plugin correctly loaded
415	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("Listener-catchcopy-v0002",[...])
416	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: catchcopy-v0002, category: 3
416	./SessionLoader.cpp:58	<u>onePluginAdded()</u>	Core	try load: C:/Program Files/Ultracopier/SessionLoader/Windows/sessionLoader.dll
427	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("SessionLoader-Windows",[...])
427	./SessionLoader.cpp:20	<u>setEnabled()</u>	Session loader plugin	start, newValue: 1
428	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Windows, category: 5
428	./CopyEngineManager.cpp:50	<u>onePluginAdded()</u>	Core	start: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/copyEngine.dll
449	./LocalPluginOptions.cpp:10	<u>LocalPluginOptions()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
450	./LocalPluginOptions.cpp:28	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
450	./OptionEngine.cpp:84	<u>addOptionGroup()</u>	Core	start("CopyEngine-Ultracopier Spec",[...])
453	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "firstRenamingRule", value: ""
454	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine-Ultracopier Spec", variableName: "otherRenamingRule", value: ""
454	./OptionDialog.cpp:760	<u>addPluginOptionWidget()</u>	Core	start: Ultracopier Spec, category: 1
456	./CopyEngineManager.cpp:131	<u>onePluginAdded()</u>	Core	plugin: Ultracopier Spec loaded, send options
456	./CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
457	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
458	./ThemesFactory.cpp:86	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen
458	./ThemesFactory.cpp:116	<u>setResource()</u>	Theme plugin	__GNUC__ is set
458	./ThemesFactory.cpp:192	<u>options()</u>	Theme plugin	return the options
459	./Core.cpp:249	<u>loadInterface()</u>	Core	start
459	./ThemesFactory.cpp:87	<u>setResource()</u>	Theme plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/Themes/Oxygen2
460	./ThemesFactory.cpp:130	<u>setResource()</u>	Theme plugin	__GNUC__ is set
460	./ThemesFactory.cpp:408	<u>updateSpeed()</u>	Theme plugin	checked, currentSpeed: 0
460	./ThemesFactory.cpp:198	<u>options()</u>	Theme plugin	return the options
461	./Core.cpp:249	<u>loadInterface()</u>	Core	start
461	./LanguagesManager.cpp:216	<u>allPluginsLoaded()</u>	Core	start
461	./LanguagesManager.cpp:69	<u>getTheRightLanguage()</u>	Core	start
462	./LanguagesManager.cpp:79	<u>getTheRightLanguage()</u>	Core	language auto-detection, QLocale::system().name(): de_DE, QLocale::languageToString(QLocale::system().language()): German
462	./LanguagesManager.cpp:201	<u>getMainShortName()</u>	Core	start
463	./LanguagesManager.cpp:104	<u>setCurrentLanguage()</u>	Core	start: de
469	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Languages/de/translation.qm
472	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/Languages/de/translation.qm
477	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/Languages/de/translation.qm
481	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Themes/Oxygen/Languages/de/translation.qm
486	./LanguagesManager.cpp:153	<u>setCurrentLanguage()</u>	Core	Translation to load: C:/Program Files/Ultracopier/Themes/Oxygen2/Languages/de/translation.qm
491	./LanguagesManager.cpp:177	<u>setCurrentLanguage()</u>	Core	Unable to load the translation file: qt.qm, into: C:/Program Files/Ultracopier/Languages/de/
492	./LanguagesManager.cpp:189	<u>setCurrentLanguage()</u>	Core	emit newLanguageLoaded()
492	./ThemesManager.cpp:208	<u>allPluginsLoaded()</u>	Core	start
493	./OptionDialog.cpp:400	<u>loadOption()</u>	Core	start
493	./OptionDialog.cpp:482	<u>newOptionValue()</u>	Core	Themes located: Oxygen2
494	./LanguagesManager.cpp:222	<u>autoDetectLanguage()</u>	Core	language auto-detection, QLocale::system().name(): de_DE, QLocale::languageToString(QLocale::system().language()): German
494	./LanguagesManager.cpp:201	<u>getMainShortName()</u>	Core	start
495	./OptionDialog.cpp:619	<u>on_Ultracopier_current_theme_currentIndexChanged()</u>	Core	data value: Oxygen2, string value: Oxygen2, index: 1
495	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "Themes", variableName: "Ultracopier_current_theme", value: "Oxygen2"
497	./LocalListener.cpp:330	<u>allPluginsLoaded()</u>	Core	start
498	./PluginLoaderCore.cpp:260	<u>allPluginsLoaded()</u>	Core	with value: 1
498	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
498	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
499	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
499	./CopyListener.cpp:411	<u>allPluginsLoaded()</u>	Core	with value: 1
499	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
500	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
500	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
501	./CopyEngineManager.cpp:320	<u>allPluginsLoaded()</u>	Core	start
501	./OptionEngine.cpp:182	<u>setOptionValue()</u>	Core	groupName: "CopyEngine", variableName: "List", value: "Ultracopier Spec"
502	./CopyEngineFactory.cpp:126	<u>setResource()</u>	Copy Engine plugin	start, writePath: , pluginPath: C:/Program Files/Ultracopier/CopyEngine/Ultracopier-Spec/
502	./CopyEngineFactory.cpp:136	<u>setResource()</u>	Copy Engine plugin	GCC 7.4.0
503	./CopyEngineFactory.cpp:138	<u>setResource()</u>	Copy Engine plugin	CHECK LIST TYPE set
503	./CopyEngineFactory.cpp:167	<u>setResource()</u>	Copy Engine plugin	detected memory: 3999MB
503	./CopyEngineFactory.cpp:302	<u>setDoRightTransfer()</u>	Copy Engine plugin	the value have changed
504	./CopyEngineFactory.cpp:451	<u>setFileError()</u>	Copy Engine plugin	action index: 2
504	./CopyEngineFactory.cpp:330	<u>setCheckDestinationFolder()</u>	Copy Engine plugin	the value have changed
505	./CopyEngineFactory.cpp:337	<u>setMkFullPath()</u>	Copy Engine plugin	the value have changed
505	./CopyEngineFactory.cpp:469	<u>deletePartiallyTransferredFiles()</u>	Copy Engine plugin	the value have changed
505	./CopyEngineFactory.cpp:520	<u>moveTheWholeFolder()</u>	Copy Engine plugin	the value have changed

506	CopyEngineFactory.cpp:483	<u>checkDiskSpace()</u>	Copy Engine plugin	the value have changed
506	./EventDispatcher.cpp:223	<u>initFunction()</u>	Core	Initialize the variable of event loop
506	./LocalListener.cpp:34	<u>tryConnect()</u>	Core	start
507	./LocalListener.cpp:115	<u>tryConnect()</u>	Core	connection failed, continue..
507	./LocalListener.cpp:116	<u>tryConnect()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
508	./SystrayIcon.cpp:25	<u>SystrayIcon()</u>	Core	start
527	./SystrayIcon.cpp:332	<u>updateCurrentTheme()</u>	Core	icon: start
527	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/exit.png
528	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/informations.png
528	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/options.png
529	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/add.png
529	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
530	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
530	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
531	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
532	./SystrayIcon.cpp:444	<u>retranslateTheUI()</u>	Core	retranslateTheUI
532	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
532	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
533	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
533	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
534	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 0, havePluginLoaderInfo: 0
535	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
535	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
546	./EventDispatcher.cpp:316	<u>initFunction()</u>	Core	copyServer.onListenerIsLoaded(): 1
546	./SystrayIcon.cpp:462	<u>addCopyEngine()</u>	Core	start
546	./SystrayIcon.cpp:512	<u>reloadEngineList()</u>	Core	start
547	./SystrayIcon.cpp:541	<u>reloadEngineList()</u>	Core	engineEntryList.size(): 1
547	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
548	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(0,1,0)
548	./SystrayIcon.cpp:149	<u>listenerReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
548	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 0
549	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
549	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
550	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
551	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
551	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(0,1,0)
551	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 0, havePlugin: 1, someAreInWaitOfReply: 0
552	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
552	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
553	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
554	./HelpDialog.cpp:58	<u>changeEvent()</u>	Core	start
554	./HelpDialog.cpp:70	<u>reloadTextValue()</u>	Core	start
555	./OptionDialog.cpp:269	<u>changeEvent()</u>	Core	retranslate the ui
556	CopyEngineFactory.cpp:344	<u>newLanguageLoaded()</u>	Copy Engine plugin	start, retranslate the widget options
556	./Core.cpp:249	<u>loadInterface()</u>	Core	start
556	./CliParser.cpp:24	<u>cli()</u>	Core	ultracopierArguments: C:/Program Files/Ultracopier
1538	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
1539	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Uncaught_Windows.png
1539	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Uncaught_Windows.png
42451	./SystrayIcon.cpp:380	<u>CatchAction()</u>	Core	Double click on system tray icon
42452	./CopyListener.cpp:235	<u>listen()</u>	Core	start
42452	listener.cpp:23	<u>listen()</u>	Listener plugin	start: advanced-copier-2d002d00520061006b006b0061002d002d00
42453	./CopyListener.cpp:209	<u>newState()</u>	Core	start
42453	./CopyListener.cpp:223	<u>newState()</u>	Core	new state for the plugin 0: 2
42454	./CopyListener.cpp:440	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
42454	./CopyListener.cpp:473	<u>sendState()</u>	Core	send listenerReady(2,1,0)
42455	./SystrayIcon.cpp:149	<u>listenerReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
42455	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
42455	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Semiuncaught_Windows.png
42456	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Semiuncaught_Windows.png
42457	./PluginLoaderCore.cpp:222	<u>load()</u>	Core	start
42458	pluginLoader.cpp:239	<u>checkExistsDll()</u>	Plugin loader plugin	64Bits is important
42461	pluginLoader.cpp:89	<u>setEnabled()</u>	Plugin loader plugin	start, needBeRegistered: 1, allDllsImportant: 0, allDllsImportant: 0
42463	pluginLoader.cpp:355	<u>registerShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy64d.dll
43377	pluginLoader.cpp:429	<u>RegisterShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
43377	pluginLoader.cpp:149	<u>setEnabled()</u>	Plugin loader plugin	the important dll have been loaded: catchcopy64d.dll
43378	pluginLoader.cpp:355	<u>RegisterShellExtDll()</u>	Plugin loader plugin	start: regsvr32 /s C:/Program Files/Ultracopier/PluginLoader/catchcopy-v0002/catchcopy32d.dll
43914	pluginLoader.cpp:429	<u>RegisterShellExtDll()</u>	Plugin loader plugin	regsvr32 terminated with: 0
43915	pluginLoader.cpp:171	<u>setEnabled()</u>	Plugin loader plugin	the second dll have been loaded: catchcopy32d.dll
43915	./PluginLoaderCore.cpp:319	<u>newState()</u>	Core	start, state: 2
43915	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
43916	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
43916	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
43916	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
43917	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
43917	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Caught_Windows.png
43918	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Caught_Windows.png
43919	./PluginLoaderCore.cpp:268	<u>sendState()</u>	Core	start, pluginList.size(): 1, force: 1
43919	./PluginLoaderCore.cpp:287	<u>sendState()</u>	Core	current_state: 0
43920	./PluginLoaderCore.cpp:305	<u>sendState()</u>	Core	send pluginLoaderReady(2,1,0)
43920	./SystrayIcon.cpp:161	<u>pluginLoaderReady()</u>	Core	state: 2, havePlugin: 1, someAreInWaitOfReply: 0
43920	./SystrayIcon.cpp:191	<u>updateSystrayIcon()</u>	Core	start, haveListenerInfo: 1, havePluginLoaderInfo: 1
43921	./ThemesManager.cpp:202	<u>loadIcon()</u>	Core	Send interface pixmap: SystemTrayIcon/systray_Caught_Windows.png
43921	./SystrayIcon.cpp:266	<u>updateSystrayIcon()</u>	Core	icon: systray_Caught_Windows.png
46402	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
46403	listener.cpp:119	<u>clientName()</u>	Listener plugin	clientName: Windows Explorer 64Bits, for the id: 1
46403	./CopyListener.cpp:429	<u>reloadClientList()</u>	Core	ask client to: C:/Program Files/Ultracopier/Listener/catchcopy-v0002/listener.dll
47483	listener.cpp:134	<u>copy()</u>	Listener plugin	copy(0,C:/Überprüfung,%3)
47483	./CopyListener.cpp:361	<u>newPluginCopy()</u>	Core	sources: C:/Überprüfung, destination: C:/TEMP-
47484	./Core.cpp:66	<u>newTransfer()</u>	Core	start: C:/Überprüfung, dest: C:/TEMP-, mode: 0
47484	./Core.cpp:317	<u>openNewCopyEngineInstance()</u>	Core	start
47485	./CopyEngineManager.cpp:184	<u>getCopyEngine()</u>	Core	start, pluginList.size(): 1, mode: 0, and particular protocol
47485	./CopyEngineManager.cpp:191	<u>getCopyEngine()</u>	Core	pluginList.at(0).name: Ultracopier Spec
47485	./CopyEngineManager.cpp:199	<u>getCopyEngine()</u>	Core	copyEnginePlugin.supportedProtocolsForTheDestination: file

47486	..CopyEngineManager.cpp:200	<a href="#">getCopyEngine()</a>	Core	protocolsUsedForTheDestination: file
47486	..CopyEngineManager.cpp:203	<a href="#">getCopyEngine()</a>	Core	copyEnginePlugin.supportedProtocolsForTheSource: file
47486	..CopyEngineManager.cpp:204	<a href="#">getCopyEngine()</a>	Core	protocolsUsedForTheSources.at(indexProto): file
47576	..ThemesManager.cpp:238	<a href="#">getThemeInstance()</a>	Core	Send interface: Oxygen2
47611	..Core.cpp:657	<a href="#">connectEngine()</a>	Core	start with index: 0: 40224064
47612	..Core.cpp:685	<a href="#">connectInterfaceAndSync()</a>	Core	start with index: 0: 40224064
47673	CopyEngine.cpp:687	<a href="#">setFileCollision()</a>	Copy Engine plugin	action index: 0
47673	CopyEngine.cpp:724	<a href="#">setFileError()</a>	Copy Engine plugin	action index: 2
47674	CopyEngine.cpp:968	<a href="#">scanNewRenamingRules()</a>	Copy Engine plugin	new filter
47674	ThemesFactory.cpp:29	<a href="#">getInstance()</a>	Theme plugin	start, currentSpeed: 0
47676	interface.cpp:808	<a href="#">forceCopyModel()</a>	Theme plugin	start
47676	CopyEngine.cpp:640	<a href="#">forceModel()</a>	Copy Engine plugin	Force mode to copy
47676	interface.cpp:801	<a href="#">setCopyType()</a>	Theme plugin	start
47677	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 0
47677	interface.cpp:833	<a href="#">isInPause()</a>	Theme plugin	isInPause: 0
47679	interface.cpp:827	<a href="#">haveExternalOrder()</a>	Theme plugin	start
47687	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47687	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47688	ListThreadOptions.cpp:146	<a href="#">setInodeThreads()</a>	Copy Engine plugin	inodeThreads: 16
47688	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47688	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47689	ListThread.cpp:1098	<a href="#">deleteTransferThread()</a>	Copy Engine plugin	start
47689	ListThreadOptions.cpp:154	<a href="#">setRenameTheOriginalDestination()</a>	Copy Engine plugin	renameTheOriginalDestination: 0
47690	ListThread.cpp:299	<a href="#">syncTransferList()</a>	Copy Engine plugin	start
47690	ListThreadNew.cpp:19	<a href="#">newCopy()</a>	Copy Engine plugin	start: C:\Überprüfung, destination: C:\TEMP-
47690	ListThreadScan.cpp:18	<a href="#">newScanThread()</a>	Copy Engine plugin	start with: 0
47691	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47691	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47691	ListThread.cpp:366	<a href="#">updateTheStatus()</a>	Copy Engine plugin	start
47692	ListThread.cpp:379	<a href="#">updateTheStatus()</a>	Copy Engine plugin	emit actionInProgress()
47692	..Core.cpp:516	<a href="#">actionInProgress()</a>	Core	action: 1, from 0
47692	ListThreadNew.cpp:58	<a href="#">newCopy()</a>	Copy Engine plugin	destination: C:\TEMP-
47693	ListThreadNew.cpp:60	<a href="#">newCopy()</a>	Copy Engine plugin	destination: C:\TEMP-
47693	ListThreadScan.cpp:74	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 1
47694	ListThreadScan.cpp:89	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
47694	ListThreadScan.cpp:95	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	Start listing thread
47694	ListThreadMedia.cpp:103	<a href="#">detectDrivesOfCurrentTransfer()</a>	Copy Engine plugin	source informations, sourceDrive: C:\, sourceDriveMultiple: 0
47695	ListThreadMedia.cpp:123	<a href="#">detectDrivesOfCurrentTransfer()</a>	Copy Engine plugin	destination informations, destinationDrive: C:\, destinationDriveMultiple: 0
47695	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47696	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47696	ListThreadOptions.cpp:113	<a href="#">forceModel()</a>	Copy Engine plugin	Force mode to copy
47697	ListThreadOptions.cpp:146	<a href="#">setInodeThreads()</a>	Copy Engine plugin	inodeThreads: 16
47697	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47697	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47698	ListThread.cpp:1098	<a href="#">deleteTransferThread()</a>	Copy Engine plugin	start
47698	ListThreadOptions.cpp:154	<a href="#">setRenameTheOriginalDestination()</a>	Copy Engine plugin	renameTheOriginalDestination: 0
47698	ListThread.cpp:898	<a href="#">set_setFilters()</a>	Copy Engine plugin	include.size(): 0, exclude.size(): 0
47699	ListThread.cpp:452	<a href="#">syncTransferList_internal()</a>	Copy Engine plugin	start
47700	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 0
47701	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47701	ScanFileOrFolder.cpp:211	<a href="#">setFilters()</a>	Copy Engine plugin	start
47702	ScanFileOrFolder.cpp:217	<a href="#">setFilters()</a>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
47702	ScanFileOrFolder.cpp:80	<a href="#">addToList()</a>	Copy Engine plugin	check symlink: C:\TEMP-, destination: C:\TEMP-
47703	ScanFileOrFolder.cpp:245	<a href="#">run()</a>	Copy Engine plugin	start the listing with destination: C:\TEMP-, mode: 0
47703	ScanFileOrFolder.cpp:267	<a href="#">run()</a>	Copy Engine plugin	size source to list: 0/1
47703	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 1
47704	ScanFileOrFolder.cpp:321	<a href="#">run()</a>	Copy Engine plugin	source: C:\Überprüfung is file or symlink
47704	ListThread.cpp:583	<a href="#">addToTransfer()</a>	Copy Engine plugin	set space 0 needed, on: C:\
47705	ListThread.cpp:602	<a href="#">addToTransfer()</a>	Copy Engine plugin	source: C:\Überprüfung, destination: C:\TEMP-/Überprüfung, add entry: 2, size: 0, size2: 0, isSymLink: 1
47705	ListThreadScan.cpp:74	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	listing thread have finish, skipFirstRemove: 0
47706	ListThreadScan.cpp:82	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 1
47706	ListThread.cpp:366	<a href="#">updateTheStatus()</a>	Copy Engine plugin	start
47706	..Core.cpp:1036	<a href="#">getActionOnList()</a>	Core	start
47707	..Core.cpp:1041	<a href="#">getActionOnList()</a>	Core	start2
47709	..Core.cpp:1044	<a href="#">getActionOnList()</a>	Core	start3
47709	..Core.cpp:1048	<a href="#">getActionOnList()</a>	Core	start4
47709	..Core.cpp:1115	<a href="#">getActionOnList()</a>	Core	start7
47710	..Core.cpp:1141	<a href="#">getActionOnList()</a>	Core	start8
47710	..Core.cpp:1143	<a href="#">getActionOnList()</a>	Core	start9
47710	..Core.cpp:1147	<a href="#">getActionOnList()</a>	Core	start end
47711	ListThread.cpp:379	<a href="#">updateTheStatus()</a>	Copy Engine plugin	emit actionInProgress(2)
47711	..Core.cpp:516	<a href="#">actionInProgress()</a>	Core	action: 2, from 0
47712	ListThreadScan.cpp:89	<a href="#">scanThreadHaveFinish()</a>	Copy Engine plugin	start the next thread, scanFileOrFolderThreadsPool.size(): 0
47712	ListThread.cpp:286	<a href="#">autoStartIfNeeded()</a>	Copy Engine plugin	Auto start the copy
47712	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
47713	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47713	ListThread.cpp:779	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	space needed removed: 0, space needed: 0, on: C:\
47714	ListThread.cpp:802	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	[0] id: 2 is idle, use it for C:\TEMP-/Überprüfung
47714	ListThread.cpp:836	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	numberOfNodeOperation: 1
47715	ListThread.cpp:851	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	numberOfNodeOperation: 1
47716	interface.cpp:764	<a href="#">getActionOnList()</a>	Theme plugin	start, returnActions.size(): 1
47716	interface.cpp:796	<a href="#">getActionOnList()</a>	Theme plugin	transferModel.rowCount(): 1
47717	interface.cpp:515	<a href="#">actionInProgress()</a>	Theme plugin	start: 2
47717	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
47717	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47718	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
47718	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47719	ScanFileOrFolder.cpp:211	<a href="#">setFilters()</a>	Copy Engine plugin	start
47719	ScanFileOrFolder.cpp:217	<a href="#">setFilters()</a>	Copy Engine plugin	haveFilters: 0, include_send.size(): 0, exclude_send.size(): 0
47729	ListThread.cpp:721	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	actionToDoList.size(): 1
47730	ListThread.cpp:728	<a href="#">doNewActions_inode_manipulation()</a>	Copy Engine plugin	start
47731	TransferThread.cpp:145	<a href="#">setFiles()</a>	Copy Engine plugin	[0] start, source: C:\Überprüfung, destination: C:\TEMP-/Überprüfung
47731	async/TransferThreadAsync.cpp:154	<a href="#">preOperation()</a>	Copy Engine plugin	[0] start: source: C:\Überprüfung, destination: C:\TEMP-/Überprüfung
47732	async/TransferThreadAsync.cpp:162	<a href="#">preOperation()</a>	Copy Engine plugin	[0] after is same

47732	async/TransferThreadAsync.cpp:169	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before destination exists
47732	TransferThread.cpp:278	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] overwrite: 0, alwaysDoFileExistsAction: 0, readError: 0, writeError: 0
47733	TransferThread.cpp:286	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] time to first FS access
47733	TransferThread.cpp:288	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] finish first FS access: 0
47734	async/TransferThreadAsync.cpp:175	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] after destination exists
47734	async/TransferThreadAsync.cpp:182	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before keep date
47735	async/TransferThreadAsync.cpp:206	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before perm
47735	async/TransferThreadAsync.cpp:209	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] after perm
47735	async/TransferThreadAsync.cpp:284	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] start
47736	async/TransferThreadAsync.cpp:289	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
47736	ListThread.cpp:649	<u><a href="#">doNewActions_start_transfer()</a></u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
47737	ListThread.cpp:649	<u><a href="#">doNewActions_start_transfer()</a></u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
47752	ListThread.cpp:721	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	actionToDoList.size(): 1
47753	ListThread.cpp:728	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	start
47762	ListThread.cpp:721	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	actionToDoList.size(): 1
47763	ListThread.cpp:728	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	start
47780	ListThread.cpp:721	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	actionToDoList.size(): 1
47780	ListThread.cpp:728	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	start
47781	async/TransferThreadAsync.cpp:80	<u><a href="#">startTheTransfer()</a></u>	Copy Engine plugin	[0] start
47781	async/TransferThreadAsync.cpp:80	<u><a href="#">startTheTransfer()</a></u>	Copy Engine plugin	[0] start
47781	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47782	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47782	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47782	async/TransferThreadAsync.cpp:114	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47783	async/TransferThreadAsync.cpp:120	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] check how start the transfer
47783	async/TransferThreadAsync.cpp:123	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start directly the transfer
47784	async/TransferThreadAsync.cpp:284	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] start
47784	ListThreadStat.cpp:19	<u><a href="#">newTransferStat()</a></u>	Copy Engine plugin	TransferStat: 3
47784	async/TransferThreadAsync.cpp:307	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] stop copy in error: Zugriff ve
47785	CopyEngine-collision-and-error.cpp:254	<u><a href="#">errorOnFile()</a></u>	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
47785	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47786	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47786	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47786	async/TransferThreadAsync.cpp:111	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] can't start transfert at Transfer
47799	ListThread.cpp:1087	<u><a href="#">createTransferThread()</a></u>	Copy Engine plugin	create the last of the 16 transferThread
47800	./Core.cpp:1036	<u><a href="#">getActionOnList()</a></u>	Core	start
47800	./Core.cpp:1041	<u><a href="#">getActionOnList()</a></u>	Core	start2
47802	./Core.cpp:1044	<u><a href="#">getActionOnList()</a></u>	Core	start3
47803	./Core.cpp:1048	<u><a href="#">getActionOnList()</a></u>	Core	start4
47803	./Core.cpp:1115	<u><a href="#">getActionOnList()</a></u>	Core	start7
47803	./Core.cpp:1141	<u><a href="#">getActionOnList()</a></u>	Core	start8
47804	./Core.cpp:1143	<u><a href="#">getActionOnList()</a></u>	Core	start9
47804	./Core.cpp:1147	<u><a href="#">getActionOnList()</a></u>	Core	start end
47804	ListThread.cpp:215	<u><a href="#">transferPutAtBottom()</a></u>	Copy Engine plugin	Put at the end: 2
47805	interface.cpp:764	<u><a href="#">getActionOnList()</a></u>	Theme plugin	start, returnActions.size(): 2
47810	interface.cpp:796	<u><a href="#">getActionOnList()</a></u>	Theme plugin	transferModel.rowCount(): 1
47811	ListThread.cpp:246	<u><a href="#">transferPutAtBottom()</a></u>	Copy Engine plugin	countLocalParse: 1
47811	async/TransferThreadAsync.cpp:430	<u><a href="#">skip()</a></u>	Copy Engine plugin	[0] start with stat: 3
47812	async/TransferThreadAsync.cpp:452	<u><a href="#">skip()</a></u>	Copy Engine plugin	[0] transfer_stat=TransferStat_Idle
47812	ListThread.cpp:98	<u><a href="#">transferNodeIsClosed()</a></u>	Copy Engine plugin	numberOfNodeOperation: 0
47813	ListThread.cpp:721	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	actionToDoList.size(): 1
47813	ListThread.cpp:728	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	start
47813	ListThread.cpp:779	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	space needed removed: 0, space needed: 0, on: C:\
47814	ListThread.cpp:802	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	[0] id: 2 is idle, use it for C:/TEMP-/Überprüfung
47814	ListThread.cpp:836	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	numberOfNodeOperation: 1
47814	ListThread.cpp:851	<u><a href="#">doNewActions_inode_manipulation()</a></u>	Copy Engine plugin	numberOfNodeOperation: 1
47815	ListThread.cpp:649	<u><a href="#">doNewActions_start_transfer()</a></u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
47815	TransferThread.cpp:145	<u><a href="#">setFiles()</a></u>	Copy Engine plugin	[0] start, source: C:/Überprüfung, destination: C:/TEMP-/Überprüfung
47816	async/TransferThreadAsync.cpp:80	<u><a href="#">startTheTransfer()</a></u>	Copy Engine plugin	[0] start
47816	async/TransferThreadAsync.cpp:154	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] start: source: C:/Überprüfung, destination: C:/TEMP-/Überprüfung
47816	async/TransferThreadAsync.cpp:162	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] after is same
47817	async/TransferThreadAsync.cpp:169	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before destination exists
47817	TransferThread.cpp:278	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] overwrite: 0, alwaysDoFileExistsAction: 0, readError: 0, writeError: 0
47818	TransferThread.cpp:286	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] time to first FS access
47818	TransferThread.cpp:288	<u><a href="#">destinationExists()</a></u>	Copy Engine plugin	[0] finish first FS access: 0
47818	async/TransferThreadAsync.cpp:175	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] after destination exists
47819	async/TransferThreadAsync.cpp:182	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before keep date
47819	async/TransferThreadAsync.cpp:206	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] before perm
47819	async/TransferThreadAsync.cpp:209	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] after perm
47820	async/TransferThreadAsync.cpp:284	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] start
47820	async/TransferThreadAsync.cpp:289	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] transfer_stat:2, wait start call: 0
47820	ListThread.cpp:649	<u><a href="#">doNewActions_start_transfer()</a></u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
47821	ListThread.cpp:649	<u><a href="#">doNewActions_start_transfer()</a></u>	Copy Engine plugin	actionToDoListTransfer.size(): 1, numberOfTransferRunning: 0
47821	async/TransferThreadAsync.cpp:150	<u><a href="#">preOperation()</a></u>	Copy Engine plugin	[0] already used, source: C:/Überprüfung, destination: C:/TEMP-/Überprüfung
47822	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47822	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47823	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47823	async/TransferThreadAsync.cpp:114	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47823	async/TransferThreadAsync.cpp:120	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] check how start the transfer
47824	async/TransferThreadAsync.cpp:123	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start directly the transfer
47824	async/TransferThreadAsync.cpp:80	<u><a href="#">startTheTransfer()</a></u>	Copy Engine plugin	[0] start
47824	async/TransferThreadAsync.cpp:284	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] start
47825	ListThreadStat.cpp:19	<u><a href="#">newTransferStat()</a></u>	Copy Engine plugin	TransferStat: 3
47825	async/TransferThreadAsync.cpp:307	<u><a href="#">ifCanStartTransfer()</a></u>	Copy Engine plugin	[0] stop copy in error: Zugriff ve
47826	CopyEngine-collision-and-error.cpp:254	<u><a href="#">errorOnFile()</a></u>	Copy Engine plugin	file have error: C:/Überprüfung, error: No such file or directory
47826	CopyEngine-collision-and-error.cpp:296	<u><a href="#">errorOnFile()</a></u>	Copy Engine plugin	show dialog
47830	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47831	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47831	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47831	async/TransferThreadAsync.cpp:111	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] can't start transfert at Transfer
47832	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47832	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47833	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47833	async/TransferThreadAsync.cpp:111	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] can't start transfert at Transfer

47833	async/TransferThreadAsync.cpp:92	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47834	async/TransferThreadAsync.cpp:102	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47834	async/TransferThreadAsync.cpp:108	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] start
47834	async/TransferThreadAsync.cpp:111	<u><a href="#">internalStartTheTransfer()</a></u>	Copy Engine plugin	[0] can't start transfert at Transfer
47835	interface.cpp:833	<u><a href="#">isInPause()</a></u>	Theme plugin	isInPause: 1
47841	./Core.cpp:1036	<u><a href="#">getActionOnList()</a></u>	Core	start
47842	./Core.cpp:1041	<u><a href="#">getActionOnList()</a></u>	Core	start2
47844	./Core.cpp:1044	<u><a href="#">getActionOnList()</a></u>	Core	start3
47844	./Core.cpp:1048	<u><a href="#">getActionOnList()</a></u>	Core	start4
47844	./Core.cpp:1115	<u><a href="#">getActionOnList()</a></u>	Core	start7
47845	./Core.cpp:1141	<u><a href="#">getActionOnList()</a></u>	Core	start8
47845	./Core.cpp:1143	<u><a href="#">getActionOnList()</a></u>	Core	start9
47845	./Core.cpp:1147	<u><a href="#">getActionOnList()</a></u>	Core	start end
47846	interface.cpp:764	<u><a href="#">getActionOnList()</a></u>	Theme plugin	start, returnActions.size(): 3
47846	TransferModel.cpp:367	<u><a href="#">synchronizeItems()</a></u>	Theme plugin	id: 2, move at same position: 0
47846	interface.cpp:796	<u><a href="#">getActionOnList()</a></u>	Theme plugin	transferModel.rowCount(): 1
63413	./Core.cpp:440	<u><a href="#">resetSpeedDetected()</a></u>	Core	start on 0
63413	CopyEngine-collision-and-error.cpp:321	<u><a href="#">errorOnFile()</a></u>	Copy Engine plugin	close dialog: 2
63413	./Core.cpp:934	<u><a href="#">copyInstanceCanceledByEngine()</a></u>	Core	start
63414	./Core.cpp:956	<u><a href="#">copyInstanceCanceledByIndex()</a></u>	Core	start, remove with the index: 0
63417	./OptionEngine.cpp:182	<u><a href="#">getOptionValue()</a></u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionX", value: "51"
63419	./OptionEngine.cpp:182	<u><a href="#">getOptionValue()</a></u>	Core	groupName: "Themes-Oxygen2", variableName: "savePositionY", value: "56"
63421	./CopyListener.cpp:330	<u><a href="#">copyCanceled()</a></u>	Core	start
63422	./Core.cpp:974	<u><a href="#">copyInstanceCanceledByIndex()</a></u>	Core	copyList.size(): 0
63423	interface.cpp:833	<u><a href="#">isInPause()</a></u>	Theme plugin	isInPause: 0
63424	CopyEngine.cpp:585	<u><a href="#">cancel()</a></u>	Copy Engine plugin	start
63424	interface.cpp:433	<u><a href="#">~Themex()</a></u>	Theme plugin	start
63424	ListThreadActions.cpp:75	<u><a href="#">cancel()</a></u>	Copy Engine plugin	start
63425	ListThread.cpp:334	<u><a href="#">checkIfReadyToCancel()</a></u>	Copy Engine plugin	start
63425	./Core.cpp:994	<u><a href="#">deleteCopyEngine()</a></u>	Core	start, delete the copy engine
63427	./Core.cpp:996	<u><a href="#">deleteCopyEngine()</a></u>	Core	stop, delete the copy engine
65376	./SystrayIcon.cpp:394	<u><a href="#">CatchAction()</a></u>	Core	The action on the systray icon is unknown: 1