RoundFi User Guide

How to Use the RoundFi Prototype

Document type	User guide
Project	RoundFi
Network	Solana Devnet
Status	Hackathon-stage prototype and technical validation

Recurring payments -> portable reputation -> lower collateral

Executive Summary

RoundFi is a Solana-native behavioral credit protocol.

It helps users build portable on-chain reputation through recurring payment behavior. Over time, that reputation can reduce collateral requirements in DeFi.

The user experience is designed around a simple flow:

> ***Join a group -> make recurring payments -> build reputation -> unlock lower collateral requirements.***

RoundFi is not only a savings group app.

The group is the mechanism that generates behavior. The product is the behavioral reputation created through that behavior.

This guide explains how a user interacts with RoundFi, what each screen means, what is currently functional in the prototype, and what remains roadmap.

Important Prototype Notice

RoundFi is currently in hackathon-stage validation.

The prototype includes a live front-end, Solana Devnet deployment, Stress Lab simulation, wallet connection, selected app-to-chain flows, and open-source protocol architecture.

However, RoundFi is not a fully audited mainnet credit product yet.

Users should understand the current scope:

- The product is running on Solana Devnet.
- Devnet funds are not real money.
- Some flows are fully wired to Devnet.
- Some flows are simulated in the front-end session layer.
- The B2B reputation oracle is roadmap.
- Mainnet deployment requires external audit, production indexer, and further legal review.

The goal of the prototype is to demonstrate the mechanism, user experience, and technical architecture.

1. What RoundFi Does for Users

RoundFi gives users a way to turn recurring financial behavior into on-chain reputation.

The practical benefit is not reputation for its own sake.

The practical benefit is lower collateral over time.

In many DeFi lending markets, users must lock more capital than they borrow. That makes credit inefficient for users who do not already have large amounts of capital.

RoundFi introduces a different path:

1. The user joins a group.
2. The user makes recurring payments.
3. Successful cycles generate reputation.
4. Reputation improves the user's level.

5. Higher levels reduce required collateral.

The simplified model is:

Payments -> Reputation -> Credit

2. Who RoundFi Is For

RoundFi's initial user is not necessarily a traditional unbanked user with no crypto experience.

The first target users are DeFi participants who already understand:

- wallets;
- USDC;
- borrowing;
- collateral;
- DeFi capital efficiency.

These users may be attracted to RoundFi because they want:

- lower collateral requirements;
- better capital efficiency;
- a portable financial reputation;
- a way to prove discipline on-chain;
- a path toward undercollateralized credit.

Long term, RoundFi can also serve fintech users, neobank users, and emerging-market borrowers, but the first wedge is DeFi-native users who already feel the pain of overcollateralization.

3. Core User Journey

The core RoundFi user journey has five steps.

Step 1 - Connect wallet

The user connects a Solana wallet such as Phantom, Solflare, or Backpack.

In the current prototype, the app runs on Devnet. The user may need Devnet SOL and Devnet USDC to interact with on-chain flows.

Step 2 - Choose a group

The user selects an available group from the group catalog.

Groups have parameters such as:

- installment amount;
- number of members;
- credit size;
- cycle duration;
- level requirement;
- collateral requirement.

Step 3 - Join and commit

The user joins a group and commits to recurring payments.

This commitment is what creates the behavioral signal.

Step 4 - Pay on time

The user makes scheduled payments over time.

Each successful payment cycle improves the user's reputation profile.

Step 5 - Unlock better terms

As the user completes cycles, their reputation level improves.

Higher levels can reduce collateral requirements:

> ***Level 1: 50%***
>
> ***Level 2: 30%***
>
> ***Level 3: 10%***

The more successful payment cycles a user completes, the stronger the reputation signal becomes.

4. The Home Dashboard

The Home dashboard is the user's main control panel.

It shows:

- wallet connection status;
- balance;
- active groups;
- current score;
- collateral level;
- payment actions;
- activity feed;
- Triple Shield information;
- reputation progress.

The dashboard is designed to answer three user questions quickly:

6. What is my current position?
7. What do I need to do next?
8. How is my reputation improving?

The most important action on the Home screen is the recurring payment action.

That payment is what connects the user behavior to the reputation system.

5. Groups

The Groups screen shows available savings groups.

A group is a structured payment environment where users commit to recurring contributions.

A user can browse groups, filter by level, inspect requirements, and join eligible groups.

Each group may include:

- contribution amount;
- credit amount;
- total members;
- current cycle;
- required level;
- collateral requirement;
- status;
- expected benefits.

Some groups may be locked if the user's reputation level is not high enough.

This is intentional.

RoundFi uses level gating to encourage users to build a history before accessing higher-capital opportunities.

6. Payments

Payments are the heart of RoundFi.

A user does not build reputation by simply holding tokens.

A user builds reputation by completing recurring payment cycles.

A successful payment may update:

- group progress;
- user score;
- reputation level;
- activity history;
- collateral requirement;
- on-chain or simulated attestation state, depending on the current flow.

In the current prototype, selected payment flows are wired through Phantom to Solana Devnet. Other flows may be simulated in the front-end session layer for demonstration.

The long-term goal is for every qualifying payment to generate a verifiable on-chain attestation.

7. Reputation

The Reputation screen shows the user's behavioral credit profile.

This is one of the most important parts of the product.

RoundFi's reputation is based on recurring behavior, not just wallet balance.

A user can improve reputation by:

- making payments on time;
- completing cycles;
- participating consistently;
- avoiding defaults;
- maintaining commitment over time.

Reputation is designed to become portable.

That means the user's financial behavior should eventually be readable by other protocols, applications, and financial partners.

The long-term idea is that a user should not have to rebuild trust from zero in every application.

8. The 50-30-10 Collateral Ladder

RoundFi uses a simple reputation ladder.

The better the user's behavior, the lower the required collateral.

Level	User state	Collateral requirement	Meaning
Level 1	Beginner	50%	New or limited history
Level 2	Proven	30%	Repeated successful behavior
Level 3	Veteran	10%	Strong behavioral reputation

This is the clearest user benefit.

The user is not only collecting points.

The user is earning better financial terms.

The core incentive is:

> ***Better behavior -> lower collateral.***

9. Wallet

The Wallet screen helps the user manage their connected wallet and prototype balances.

Depending on the current prototype state, the Wallet may include:

- receive flow;
- send flow;
- withdraw yield flow;
- wallet connection management;
- Devnet faucet guidance;
- transaction feedback;
- balance updates.

Because the current environment is Devnet, users may need test funds.

Devnet assets are for testing only and do not represent real financial value.

10. Market and Escape Valve

RoundFi includes an Escape Valve concept.

The Escape Valve is designed for users who cannot continue in a group but do not want to default.

Instead of disappearing or breaking the group, a user can list their position for sale.

A buyer can take over the position.

This matters because it creates a non-default exit path.

The purpose is to protect:

- the user;
- the group;
- the protocol;
- the user's reputation.

In simple terms:

> ***If a user cannot continue, they should have a way to exit without destroying their reputation.***

The current prototype includes market screens and Escape Valve flows. Some flows are wired to Devnet; others may remain demo-mode depending on the state of the app-to-chain integration.

11. Insights

The Insights screen helps the user understand why their reputation changes.

It may show:

- score evolution;
- payment consistency;
- on-time behavior;
- engagement;
- recommendations;
- reputation factors;
- progress toward the next level.

This screen is important because reputation must be understandable.

A user should not feel that the score is random or hidden.

RoundFi's reputation should be explainable:

> ***Pay on time. Complete cycles. Avoid default. Improve level. Reduce collateral.***

12. Stress Lab

The Stress Lab is not a normal user feature.

It is a transparency and testing tool.

It allows reviewers, builders, and advanced users to explore how the protocol behaves under different economic scenarios.

Examples include:

- healthy group;
- pre-default state;
- post-default state;
- cascade scenario;
- triple-default stress scenario;
- zero-yield assumptions;
- solvency calculations.

The Stress Lab does not prove that the protocol can never fail.

It shows how the model behaves under defined assumptions and modeled conditions.

This is important for honest evaluation.

RoundFi should not claim infinite safety.

It should claim that the economic model is explicit, testable, and visible.

13. What Happens if a User Pays Late

Late payment is a negative signal.

A late user may experience:

- slower reputation growth;
- lower score;
- reduced access to better groups;
- delayed level progression;
- risk of default if not corrected.

The exact effects depend on the protocol rules and current implementation stage.

The important principle is simple:

> ***RoundFi rewards consistency and penalizes missed commitments.***

14. What Happens if a User Defaults

Default is the strongest negative signal.

In RoundFi, default can affect:

- reputation;
- group accounting;
- collateral/stake;
- escrow treatment;
- future access;
- attestation history.

The protocol includes protection mechanisms called the Triple Shield.

These are designed to bound losses and preserve solvency inside modeled conditions.

A user should understand that joining a group is a financial commitment.

RoundFi is not a risk-free savings app.

It is a behavioral credit protocol.

15. Triple Shield in Simple Terms

The Triple Shield is the protocol's protection architecture.

For users, it can be understood simply:

9. The protocol does not release all capital too early.

10. Part of the value can remain locked and released over time.
11. A solidarity/reserve mechanism helps protect the group.

The goal is not to make losses impossible.

The goal is to limit damage, align incentives, and keep the system solvent under modeled stress conditions.

16. Devnet vs. Mainnet

RoundFi currently runs on Solana Devnet.

This means:

- transactions are real Devnet transactions;
- programs can be inspected on Solscan;
- wallets can sign interactions;
- test funds are used;
- no production financial claims should be made.

Mainnet requires additional work:

- external smart contract audit;
- production indexer;
- production SAS issuance;
- legal review;
- risk controls;
- partner integrations;
- liquidity planning.

The Devnet prototype is proof of execution, not final production launch.

17. What Is Functional Today

The current prototype includes:

- live front-end demo;
- wallet connection;
- group browsing;
- reputation dashboard;
- wallet screen;
- market screen;
- insights screen;
- Stress Lab;
- Demo Studio;
- selected browser-to-Devnet write flows;
- Solscan-verifiable transactions;
- open-source codebase.

The front-end is designed to show the full user journey.

Some interactions are live Devnet flows.

Some interactions are simulated to demonstrate the intended product experience.

18. What Is Roadmap

The following are roadmap or post-hackathon items:

- full production indexer;
- B2B reputation oracle API;
- mainnet beta;
- external audit;
- production-grade SAS issuance;
- additional partner integrations;
- expanded anti-gaming controls;
- hosted infrastructure for reputation queries;
- legal/compliance review for real-market deployment.

RoundFi should be understood as a serious prototype with meaningful technical execution, not a fully launched financial product.

19. User Risks

Users should understand the following risks:

- DeFi protocols involve smart contract risk.
- Devnet is not production.
- Reputation systems may be gamed if not carefully designed.
- Credit and savings group products may face regulation.
- Yield integrations can fluctuate or fail.
- Mainnet deployment requires external audit.
- Financial commitments should not be entered casually.

The prototype is for demonstration and validation.

It is not financial advice.

20. Simple User Summary

RoundFi lets users build financial reputation by making recurring payments.

That reputation can reduce collateral requirements over time.

The product is not the group itself.

The product is the reputation created by repeated, verifiable behavior.

The user journey is simple:

> ***Connect wallet -> join group -> pay monthly -> build reputation -> unlock lower collateral.***

21. Frequently Asked Questions

Is RoundFi a savings group app?

Not exactly.

RoundFi uses savings groups as the mechanism to generate financial behavior. The long-term product is portable behavioral reputation.

Why would a user join?

Because the user wants lower collateral requirements, better credit access, and a portable reputation signal.

Is reputation the final benefit?

No.

Reputation is the mechanism. The benefit is better financial access and lower collateral.

Is RoundFi live on mainnet?

No.

RoundFi is currently a Devnet prototype with meaningful technical validation.

Are all app actions on-chain today?

No.

Some flows are wired to Devnet, while some prototype actions are simulated in the front-end session layer.

What does 50-30-10 mean?

It means collateral requirements may decrease as the user builds reputation:

- Level 1: 50%
- Level 2: 30%
- Level 3: 10%

What is SAS?

SAS stands for Solana Attestation Service. RoundFi uses SAS-compatible concepts to make reputation portable and verifiable on-chain.

What is the Stress Lab?

The Stress Lab is an economic simulation tool that shows how the protocol behaves under different modeled stress scenarios.

What is the Escape Valve?

The Escape Valve is a secondary-market exit path that lets a user sell their position instead of defaulting.

Is this financial advice?

No.

RoundFi documentation is educational and technical. It is not financial, legal, or investment advice.

22. Related Documents

- `01-roundfi-overview.md`
- `02-technical-whitepaper.md`

- `03-architecture-spec.md`
- `04-behavioral-reputation-score.md`
- `05-stress-lab-economic-model.md`
- `06-market-and-gtm.md`
- `07-business-model-b2b-oracle.md`
- `08-competitive-analysis.md`
- `09-risk-and-compliance.md`
- `11-devnet-status-and-proof.md`

23. References

- RoundFi GitHub README
- RoundFi Project Status Register
- RoundFi Devnet Deployment Record
- RoundFi Architecture Specification
- RoundFi Behavioral Reputation Score documentation
- RoundFi Stress Lab and Economic Model documentation
- Solana developer documentation
- Solana Attestation Service documentation
- Kamino documentation
- Switchboard documentation