

# login

## Execution Environment

Host name	vvany - MSI
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

## Summary

ID	Test Suites/login		
Description			
Total	6		
Passed	6	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-07 21:21:16	End	2023-06-07 21:24:09
Elapsed	2m - 53.371s		

#	ID	Description	Status
1	Test Cases/feature login/berhasil login		PASSED
2	Test Cases/feature login/email benar pw salah		PASSED
3	Test Cases/feature login/email kosong pw kosong		PASSED
4	Test Cases/feature login/email salah pw benar		PASSED
5	Test Cases/feature login/email kosong pw terisi		PASSED
6	Test Cases/feature login/email terisi pw kosong		PASSED

# berhasil login

## Information

ID	Test Cases/feature login/berhasil login		
Description			
Tag			
Start	2023-06-07 21:21:16	End	2023-06-07 21:21:51
Elapsed	34.547s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.003s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	12.474s	PASSED

## berhasil login

---

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik akun' successfully	14.027s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik masuk' successfully	2.169s	PASSED
5	callTestCase(findTestCase("step login/input email"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/input email' successfully	1.534s	PASSED
6	callTestCase(findTestCase("step login/input pw"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/input pw' successfully	1.613s	PASSED
7	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik login' successfully	2.472s	PASSED

## berhasil login

#	Description	Elapsed	Status
8	Start listener action : afterTestCase	0.002s	ERROR
	<pre>groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook     at Hook.afterTestCase(Hook.groovy:39)     at Hook.invokeMethod(Hook.groovy)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)</pre>		

# email benar pw salah

## Information

ID	Test Cases/feature login/email benar pw salah		
Description			
Tag			
Start	2023-06-07 21:21:51	End	2023-06-07 21:22:16
Elapsed	25.859s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.001s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	7.397s	PASSED

## email benar pw salah

---

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik akun' successfully</a>	12.122s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik masuk' successfully</a>	1.582s	PASSED
5	callTestCase(findTestCase("step login/input email"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/input email' successfully</a>	1.609s	PASSED
6	callTestCase(findTestCase("step login/input pw salah"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/input pw salah' successfully</a>	1.642s	PASSED
7	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik login' successfully</a>	1.245s	PASSED

## email benar pw salah

#	Description	Elapsed	Status
8	Start listener action : afterTestCase	0.007s	ERROR
	<pre>groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook     at Hook.afterTestCase(Hook.groovy:39)     at Hook.invokeMethod(Hook.groovy)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)</pre>		

# email kosong pw kosong

## Information

ID	Test Cases/feature login/email kosong pw kosong		
Description			
Tag			
Start	2023-06-07 21:22:17	End	2023-06-07 21:22:37
Elapsed	20.755s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.003s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	11.814s	PASSED



## email kosong pw kosong

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik akun' successfully	5.135s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik masuk' successfully	2.846s	PASSED
5	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik login' successfully	0.711s	PASSED
6	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(Hook.groovy:39) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.005s	ERROR

# email salah pw benar

## Information

ID	Test Cases/feature login/email salah pw benar		
Description			
Tag			
Start	2023-06-07 21:22:37	End	2023-06-07 21:23:04
Elapsed	26.397s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.004s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	12.397s	PASSED

## email salah pw benar

---

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik akun' successfully</a>	4.827s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik masuk' successfully</a>	3.795s	PASSED
5	callTestCase(findTestCase("step login/input email"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/input email' successfully</a>	2.004s	PASSED
6	callTestCase(findTestCase("step login/input pw"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/input pw' successfully</a>	1.847s	PASSED
7	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik login' successfully</a>	0.899s	PASSED

## email salah pw benar

#	Description	Elapsed	Status
8	Start listener action : afterTestCase	0.004s	ERROR
	<pre>groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook     at Hook.afterTestCase(Hook.groovy:39)     at Hook.invokeMethod(Hook.groovy)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)</pre>		

# email kosong pw terisi

## Information

ID	Test Cases/feature login/email kosong pw terisi		
Description			
Tag			
Start	2023-06-07 21:23:04	End	2023-06-07 21:23:39
Elapsed	35.704s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.005s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	15.126s	PASSED

## email kosong pw terisi

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik akun' successfully	13.988s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik masuk' successfully	3.129s	PASSED
5	callTestCase(findTestCase("step login/input pw"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/input pw' successfully	1.764s	PASSED
6	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/step login/klik login' successfully	0.804s	PASSED
7	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(Hook.groovy:39) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.003s	ERROR

# email terisi pw kosong

## Information

ID	Test Cases/feature login/email terisi pw kosong		
Description			
Tag			
Start	2023-06-07 21:23:39	End	2023-06-07 21:24:07
Elapsed	27.230s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(Hook.groovy:33) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.004s	ERROR
2	startApplication("C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk", false)  Started app at: 'C:\Users\vpany\Katalon Studio\android\Plugins\APK\app-release.apk'	14.716s	PASSED

## email terisi pw kosong

#	Description	Elapsed	Status
3	callTestCase(findTestCase("step login/klik akun"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik akun' successfully</a>	5.772s	PASSED
4	callTestCase(findTestCase("step login/klik masuk"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik masuk' successfully</a>	3.198s	PASSED
5	callTestCase(findTestCase("step login/input email"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/input email' successfully</a>	2.137s	PASSED
6	callTestCase(findTestCase("step login/klik login"), [:], STOP_ON_FAILURE) <a href="#">Call Test Case 'Test Cases/step login/klik login' successfully</a>	0.805s	PASSED
7	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(Hook.groovy:39) at Hook.invokeMethod(Hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686147659545.run(TempTestSuite1686147659545.groovy:36)	0.003s	ERROR