

# login

## Execution Environment

Host name	vvany - MSI
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/login		
Description			
Total	5		
Passed	5	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-07 21:40:36	End	2023-06-07 21:42:19
Elapsed	1m - 42.838s		

#	ID	Description	Status
1	Test Cases/Step/Feature Login/Blank email and password		PASSED
2	Test Cases/Step/Feature Login/blank email valid pw		PASSED
3	Test Cases/Step/Feature Login/Login with correct credential		PASSED
4	Test Cases/Step/Feature Login/valid email blank pw		PASSED
5	Test Cases/Step/Feature Login/wrong email validpw		PASSED

# Blank email and password

## Information

ID	Test Cases/Step/Feature Login/Blank email and password		
Description			
Tag			
Start	2023-06-07 21:40:37	End	2023-06-07 21:41:10
Elapsed	33.546s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(hook.groovy:33) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.006s	ERROR
2	openBrowser("https://secondhand-store.herokuapp.com/")  Browser is opened with url: 'https://secondhand-store.herokuapp.com/'	7.226s	PASSED

## Blank email and password

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Pages/User login/Click signin"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Click signin' successfully	25.037s	PASSED
4	callTestCase(findTestCase("Pages/User login/click login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/click login' successfully	0.767s	PASSED
5	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(hook.groovy:39) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.008s	ERROR

# blank email valid pw

## Information

ID	Test Cases/Step/Feature Login/blank email valid pw		
Description			
Tag			
Start	2023-06-07 21:41:10	End	2023-06-07 21:41:27
Elapsed	16.312s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(hook.groovy:33) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.007s	ERROR
2	openBrowser("https://secondhand-store.herokuapp.com/")  Browser is opened with url: 'https://secondhand-store.herokuapp.com/'	9.112s	PASSED

## blank email valid pw

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Pages/User login/Click signin"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Click signin' successfully	4.417s	PASSED
4	callTestCase(findTestCase("Pages/User login/Input password"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input password' successfully	1.547s	PASSED
5	callTestCase(findTestCase("Pages/User login/click login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/click login' successfully	0.600s	PASSED
6	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(hook.groovy:39) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.004s	ERROR

# Login with correct credential

## Information

ID	Test Cases/Step/Feature Login/Login with correct credential		
Description			
Tag			
Start	2023-06-07 21:41:27	End	2023-06-07 21:41:41
Elapsed	13.940s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(hook.groovy:33) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.006s	ERROR
2	openBrowser("https://secondhand-store.herokuapp.com/")  Browser is opened with url: 'https://secondhand-store.herokuapp.com/'	6.596s	PASSED

## Login with correct credential

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Pages/User login/Click signin"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Click signin' successfully	3.849s	PASSED
4	callTestCase(findTestCase("Pages/User login/Input email"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input email' successfully	1.397s	PASSED
5	callTestCase(findTestCase("Pages/User login/Input password"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input password' successfully	0.951s	PASSED
6	callTestCase(findTestCase("Pages/User login/click login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/click login' successfully	0.539s	PASSED
7	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(hook.groovy:39) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.002s	ERROR

# valid email blank pw

## Information

ID	Test Cases/Step/Feature Login/valid email blank pw		
Description			
Tag			
Start	2023-06-07 21:41:41	End	2023-06-07 21:42:01
Elapsed	20.224s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(hook.groovy:33) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.002s	ERROR
2	openBrowser("https://secondhand-store.herokuapp.com/")  Browser is opened with url: 'https://secondhand-store.herokuapp.com/'	6.749s	PASSED



## valid email blank pw

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Pages/User login/Click signin"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Click signin' successfully	11.547s	PASSED
4	callTestCase(findTestCase("Pages/User login/Input email"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input email' successfully	0.942s	PASSED
5	callTestCase(findTestCase("Pages/User login/click login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/click login' successfully	0.538s	PASSED
6	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(hook.groovy:39) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.002s	ERROR

# wrong email validpw

## Information

ID	Test Cases/Step/Feature Login/wrong email validpw		
Description			
Tag			
Start	2023-06-07 21:42:01	End	2023-06-07 21:42:17
Elapsed	16.141s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.beforeTestCase(hook.groovy:33) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.003s	ERROR
2	openBrowser("https://secondhand-store.herokuapp.com/")  Browser is opened with url: 'https://secondhand-store.herokuapp.com/'	6.827s	PASSED

## wrong email validpw

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Pages/User login/Click signin"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Click signin' successfully	6.002s	PASSED
4	callTestCase(findTestCase("Pages/User login/Input email (-)"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input email (-)' successfully	1.399s	PASSED
5	callTestCase(findTestCase("Pages/User login/Input password"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/Input password' successfully	0.955s	PASSED
6	callTestCase(findTestCase("Pages/User login/click login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/User login/click login' successfully	0.507s	PASSED
7	Start listener action : afterTestCase  groovy.lang.MissingPropertyException: No such property: KeywordUtil for class: Hook at Hook.afterTestCase(hook.groovy:39) at Hook.invokeMethod(hook.groovy) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686148818312.run(TempTestSuite1686148818312.groovy:36)	0.002s	ERROR