

Fundamentals of Database

IT403

Project

Deadline: Monday 09/08/2026 @ 23:59

[Total Mark is 20]

Name: Mohammed Alsaleem

ID: S220012336

Name: Mohammed Alhumud

ID: S230038199

Name: Adel Almalki

ID: S230051018

Name: Abdulrahman Alabdulwahid

ID: S220030249

Instructions:

- You must submit two separate copies (**one Word file and one PDF file**) using the Assignment Template on Blackboard via the allocated folder. These files **must not be in compressed format**.
- It is your responsibility to check and make sure that you have uploaded both the correct files.
- Zero mark will be given if you try to bypass the SafeAssign (e.g. misspell words, remove spaces between words, hide characters, use different character sets, **convert text into image** or languages other than English or any kind of manipulation).
- Email submission will not be accepted.
- You are advised to make your work clear and well-presented. This includes filling your information on the cover page.
- You must use this template, failing which will result in zero mark.
- You **MUST** show all your work, and text must not be converted into an image, unless specified otherwise by the question.
- Late submission will result in ZERO mark.
- The work should be your own, copying from students or other resources will result in ZERO mark.
- Use **Times New Roman** font for all your answers.

Project Instructions

- You can work on this project as a group (minimum 3 and maximum 4 students). Each group member must submit the project individually with all group member names mentioned on the cover page.
- This project **worth 20 marks** and will be distributed as in the following:
 - Database Design. (6 marks)
 - Database Implementation. (6 marks)
 - SQL Operations. (6 marks)
 - Project Reflection. (2 marks)
- Each leader in the group must submit one report about their chosen Project via the Blackboard **(Email submission will not be accepted and will be awarded ZERO marks)** containing the following:
 - A. Task 1 : database design
 - B. Task 2: database implementation
 - C. All requested queries/results
 - D. Screenshots from MySQL (or any other software you use) of all the tables after population and query results.
 - E. Reflection (300–500 words) describing the team's experience, challenges, design decisions, and AI usage (if applicable).
- Submit one SQL file containing the complete database implementation, including database creation, tables, data insertion, required queries, VIEW, and TRIGGER.
- Submit a GitHub (or GitLab) repository containing the complete project with regular commits and meaningful commit messages.
- Submit a progress report describing the completed work, key decisions, challenges, future plan, and contribution of each group member.
- Include links to the live report document, GitHub/GitLab repository, and Google Colab notebook (if applicable) in the **Project Artifacts** section of the final report.
- You are advised to make your work clear and well presented; marks may be reduced for poor presentation. This includes filling in your information on the cover page.
- You **MUST** show all your work, and text must not be converted into an image unless specified otherwise by the question.

- Late submission will result in ZERO marks being awarded.
- The work should be your own. Copying **from students or other resources, including AI software, will result in ZERO marks.**

Learning
Outcome(s):

CLO1, CLO2,
CLO3, CLO4, CLO5

Project Description

Design and Implementation of a Smart Clinic Database System

A private clinic currently manages its patient information manually, making it difficult to organize appointments, treatments, and payments. The clinic has decided to develop a database system to improve data organization and retrieval.

Your team is required to design, implement, and test a complete relational database using the concepts learned throughout this course. The project should demonstrate your understanding of database design, ER/EER modeling, relational mapping, SQL implementation, and advanced SQL queries. The project must be completed using MySQL.

Task 1 – Database Design (6 Marks)

- Design a complete database for the clinic that includes at least six entities such as Patients, Doctors, Appointments, Treatments, Medicines, Payments, or any other appropriate entities.
- A complete ER/EER diagram.
- Primary and foreign keys.
- Appropriate relationships with cardinality.
- At least one specialization/generalization (EER feature).
- Any assumptions made during the design process.

Answer:

ER diagram:





Table	Primary Key	Foreign Key
Patient	PatientID	-
Doctor	DoctorID	DoctorID
Appointment	AppointmentID	PatientID, DoctorID
Treatment	TreatmentID	AppointmentID
Medicine	MedicineID	TreatmentID
Payment	PaymentID	PatientID

EER diagram:**Assumptions:**

- Each patient can have multiple appointments
- Each appointment belongs to one patient
- Each appointment is handled by one doctor
- Each treatment is linked to one appointment

- A treatment may include multiple medicines
- A patient may make multiple payments
- Every doctor and receptionist is an employee

Task 2 – Database Implementation (6 Marks)

Complete the following tasks using MySQL. Include screenshots of both your SQL code and the corresponding output (results) for each task:

- Create the database and all required tables.
- Use appropriate data types and constraints (PRIMARY KEY, FOREIGN KEY, NOT NULL, UNIQUE, etc.).
- Insert at least 5 records into each main table.

Answer:

CREATE DATABASE SmartClinic;

Screenshot:

Table	Action	Rows	Type	Collation	Size	Overhead
☐ appointment	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	48.0 KiB	-
☐ doctor	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	16.0 KiB	-
☐ employee	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ medicine	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ patient	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ payment	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ receptionist	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	16.0 KiB	-
☐ treatment	Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
8 tables	Sum		InnoDB	utf8mb4_general_ci	240.0 KiB	0 B

CREATE TABLE Patient (

PatientID INT AUTO_INCREMENT PRIMARY KEY,

FirstName VARCHAR(50) NOT NULL,

LastName VARCHAR(50) NOT NULL,

Gender ENUM('Male','Female'),

BirthDate DATE,

Phone VARCHAR(20) UNIQUE,

Address VARCHAR(100)
);

Screenshot:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	PatientID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	FirstName	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
3	LastName	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
4	Gender	enum('Male', 'Female')	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	BirthDate	date			Yes	NULL			Change Drop More
6	Phone	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
7	Address	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More

CREATE TABLE Employee (
EmployeeID INT AUTO_INCREMENT PRIMARY KEY,
Name VARCHAR(100) NOT NULL,
Phone VARCHAR(20),
Email VARCHAR(100) UNIQUE,
Salary DECIMAL(10,2)
);

Screenshot:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	EmployeeID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	Name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
3	Phone	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	Email	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	Salary	decimal(10,2)			Yes	NULL			Change Drop More

CREATE TABLE Doctor (
EmployeeID INT PRIMARY KEY,
Specialization VARCHAR(50),

```
RoomNumber VARCHAR(10),
FOREIGN KEY (EmployeeID) REFERENCES Employee(EmployeeID)
);
```

Screenshot:

The screenshot shows the 'Table structure' view for a table named 'doctor'. The table has three columns: 'EmployeeID' (int(11), No, None), 'Specialization' (varchar(50), Yes, NULL), and 'RoomNumber' (varchar(10), Yes, NULL). The 'Specialization' column is highlighted.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	EmployeeID	int(11)		No	None				Change Drop More
2	Specialization	varchar(50)	utf8mb4_general_ci	Yes	NULL				Change Drop More
3	RoomNumber	varchar(10)	utf8mb4_general_ci	Yes	NULL				Change Drop More

```
CREATE TABLE Receptionist (
EmployeeID INT PRIMARY KEY,
Shift VARCHAR(20),
FOREIGN KEY (EmployeeID) REFERENCES Employee(EmployeeID)
);
```

Screenshot:

The screenshot shows the 'Table structure' view for a table named 'receptionist'. The table has two columns: 'EmployeeID' (int(11), No, None) and 'Shift' (varchar(20), Yes, NULL). The 'Shift' column is highlighted.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	EmployeeID	int(11)		No	None				Change Drop More
2	Shift	varchar(20)	utf8mb4_general_ci	Yes	NULL				Change Drop More

```
CREATE TABLE Appointment (
AppointmentID INT AUTO_INCREMENT PRIMARY KEY,
AppointmentDate DATE NOT NULL,
AppointmentTime TIME NOT NULL,
Status VARCHAR(20),
PatientID INT NOT NULL,
DoctorID INT NOT NULL,
FOREIGN KEY (PatientID) REFERENCES Patient(PatientID),
```

FOREIGN KEY (DoctorID) REFERENCES Doctor(EmployeeID)
);

Screenshot:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	AppointmentID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	AppointmentDate	date			No	None			Change Drop More
3	AppointmentTime	time			No	None			Change Drop More
4	Status	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	PatientID	int(11)			No	None			Change Drop More
6	DoctorID	int(11)			No	None			Change Drop More

CREATE TABLE Treatment (
 TreatmentID INT AUTO_INCREMENT PRIMARY KEY,
 Diagnosis TEXT,
 Notes TEXT,
 AppointmentID INT UNIQUE,
 FOREIGN KEY (AppointmentID) REFERENCES Appointment(AppointmentID)
);

Screenshot:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	TreatmentID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	Diagnosis	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	Notes	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	AppointmentID	int(11)			Yes	NULL			Change Drop More

CREATE TABLE Medicine (
 MedicineID INT AUTO_INCREMENT PRIMARY KEY,
 MedicineName VARCHAR(100),
 Dosage VARCHAR(50),
 Price DECIMAL(8,2),

TreatmentID INT,
 FOREIGN KEY (TreatmentID) REFERENCES Treatment(TreatmentID)
);

Screenshot:

The screenshot shows a database management interface for a table named 'medicine'. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	MedicineID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	MedicineName	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	Dosage	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	Price	decimal(8,2)			Yes	NULL			Change Drop More
5	TreatmentID	int(11)			Yes	NULL			Change Drop More

CREATE TABLE Payment (
 PaymentID INT AUTO_INCREMENT PRIMARY KEY,
 Amount DECIMAL(8,2),
 PaymentDate DATE,
 PaymentMethod VARCHAR(30),
 PatientID INT,
 FOREIGN KEY (PatientID) REFERENCES Patient(PatientID)
);

Screenshot:

The screenshot shows a database management interface for a table named 'payment'. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	PaymentID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	Amount	decimal(8,2)			Yes	NULL			Change Drop More
3	PaymentDate	date			Yes	NULL			Change Drop More
4	PaymentMethod	varchar(30)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	PatientID	int(11)			Yes	NULL			Change Drop More

```
INSERT INTO Patient(FirstName,LastName,Gender,BirthDate,Phone,Address)
VALUES
('Mohammed','Alsaleem','Male','2002-01-10','0101111111','Cairo'),
('Mohammed','Alhumud','Male','2001-05-11','0102222222','Giza'),
('Adel','Almalki','Male','1998-08-20','0103333333','Alex'),
('Mona','Ibrahim','Female','2000-12-15','0104444444','Tanta'),
('Abdulrahman','Alabdulwahid','Male','1997-03-30','0105555555','Mansoura');
```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: patient

Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

`SELECT * FROM `patient``

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	PatientID	FirstName	LastName	Gender	BirthDate	Phone	Address
☐ Edit Copy Delete	1	Mohammed	Alsaleem	Male	2002-01-10	0101111111	Cairo
☐ Edit Copy Delete	2	Mohammed	Alhumud	Male	2001-05-11	0102222222	Giza
☐ Edit Copy Delete	3	Adel	Almalki	Male	1998-08-20	0103333333	Alex
☐ Edit Copy Delete	4	Mona	Ibrahim	Female	2000-12-15	0104444444	Tanta
☐ Edit Copy Delete	5	Abdulrahman	Alabdulwahid	Male	1997-03-30	0105555555	Mansoura

```
INSERT INTO Employee(Name,Phone,Email,Salary) VALUES
('Dr. Ahmed','0111111111','ahmed@clinic.com',20000),
('Dr. Sara','0112222222','sara@clinic.com',18000),
('Nour','0113333333','nour@clinic.com',6000),
('Mona','0114444444','mona@clinic.com',6500),
('Dr. Ali','0115555555','ali@clinic.com',22000),
('Dr. Omar','0116666666','omar@clinic.com',21000),
('Dr. Hany','0117777777','hany@clinic.com',19500),
```

('Salma', '01188888888', 'salma@clinic.com', 6200),
 ('Yasmine', '01199999999', 'yasmine@clinic.com', 6400),
 ('Laila', '01200000000', 'laila@clinic.com', 6100);

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: employee

Showing rows 0 - 9 (10 total, Query took 0.0008 seconds.)

`SELECT * FROM `employee``

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: Non

Extra options

	EmployeeID	Name	Phone	Email	Salary
☐ Edit Copy Delete	1	Dr. Ahmed	01111111111	ahmed@clinic.com	20000.00
☐ Edit Copy Delete	2	Dr. Sara	01122222222	sara@clinic.com	18000.00
☐ Edit Copy Delete	3	Nour	01133333333	nour@clinic.com	6000.00
☐ Edit Copy Delete	4	Mona	01144444444	mona@clinic.com	6500.00
☐ Edit Copy Delete	5	Dr. Ali	01155555555	ali@clinic.com	22000.00
☐ Edit Copy Delete	6	Dr. Omar	01166666666	omar@clinic.com	21000.00
☐ Edit Copy Delete	7	Dr. Hany	01177777777	hany@clinic.com	19500.00
☐ Edit Copy Delete	8	Salma	01188888888	salma@clinic.com	6200.00
☐ Edit Copy Delete	9	Yasmine	01199999999	yasmine@clinic.com	6400.00
☐ Edit Copy Delete	10	Laila	01200000000	laila@clinic.com	6100.00

INSERT INTO Doctor VALUES

(1, 'Cardiology', 'A1'),
 (2, 'Dentistry', 'B3'),
 (5, 'Orthopedics', 'C2'),
 (6, 'Dermatology', 'D1'),

(7, 'Neurology', 'E2');

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: doctor

Browse Structure SQL Search Insert Export

Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

`SELECT * FROM `doctor``

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

	EmployeeID	Specialization	RoomNumber
☐ Edit Copy Delete	1	Cardiology	A1
☐ Edit Copy Delete	2	Dentistry	B3
☐ Edit Copy Delete	5	Orthopedics	C2
☐ Edit Copy Delete	6	Dermatology	D1
☐ Edit Copy Delete	7	Neurology	E2

INSERT INTO Receptionist VALUES

(3, 'Morning'),

(4, 'Evening'),

(8, 'Morning'),

(9, 'Evening'),

(10, 'Morning');

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: receptionist

[Browse](#) [Structure](#) [SQL](#) [Search](#)

✓ Showing rows 0 - 4 (5 total, Query took 0.0005 seconds.)

```
SELECT * FROM `receptionist`
```

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)]

☐ Show all | Number of rows: 25 ▼ Filter rows

Extra options

	EmployeeID	Shift
☐ Edit Copy Delete	3	Morning
☐ Edit Copy Delete	4	Evening
☐ Edit Copy Delete	8	Morning
☐ Edit Copy Delete	9	Evening
☐ Edit Copy Delete	10	Morning

```
INSERT INTO Appointment
(AppointmentDate,AppointmentTime,Status,PatientID,DoctorID) VALUES
('2026-08-01', '10:00:00', 'Completed', 1, 1),
('2026-08-01', '11:00:00', 'Completed', 2, 2),
('2026-08-02', '09:30:00', 'Pending', 3, 5),
('2026-08-03', '12:00:00', 'Completed', 4, 6),
('2026-08-04', '01:00:00', 'Pending', 5, 7);
```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: appointment

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)
[Operat](#)

✓ Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

`SELECT * FROM `appointment``

☐ Profiling
 [\[Edit inline \]](#)
[\[Edit \]](#)
[\[Explain SQL \]](#)
[\[Create PHP code \]](#)
[\[Refresh \]](#)

☐ Show all |
 Number of rows: 25 ▼ |
 Filter rows: |
 Sort by key: None ▼

Extra options

		AppointmentID	AppointmentDate	AppointmentTime	Status	PatientID	DoctorID
☐	Edit Copy Delete	1	2026-08-01	10:00:00	Completed	1	1
☐	Edit Copy Delete	2	2026-08-01	11:00:00	Completed	2	2
☐	Edit Copy Delete	3	2026-08-02	09:30:00	Pending	3	5
☐	Edit Copy Delete	4	2026-08-03	12:00:00	Completed	4	6
☐	Edit Copy Delete	5	2026-08-04	01:00:00	Pending	5	7

INSERT INTO Treatment(Diagnosis,Notes,AppointmentID) VALUES

('Flu','Take rest',1),

('Tooth Pain','Need filling',2),

('Back Pain','Physiotherapy',3),

('Fracture','X-Ray',4),

('Checkup','Healthy',5);

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: treatment

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)

✓ Showing rows 0 - 4 (5 total, Query took 0.0005 seconds.)

`SELECT * FROM `treatment``

☐ Profiling
 [\[Edit inline \]](#)
[\[Edit \]](#)
[\[Explain SQL \]](#)
[\[Create PHP code \]](#)
[\[Refresh \]](#)

☐ Show all
 | Number of rows: 25
 | Filter rows: Search this table
 | Sort by:

Extra options

		TreatmentID	Diagnosis	Notes	AppointmentID
☐	Edit Copy Delete	1	Flu	Take rest	1
☐	Edit Copy Delete	2	Tooth Pain	Need filling	2
☐	Edit Copy Delete	3	Back Pain	Physiotherapy	3
☐	Edit Copy Delete	4	Fracture	X-Ray	4
☐	Edit Copy Delete	5	Checkup	Healthy	5

```
INSERT INTO Medicine(MedicineName,Dosage,Price,TreatmentID) VALUES
('Panadol','2/day',50,1),
('Augmentin','3/day',120,1),
('Ibuprofen','1/day',70,2),
('Vitamin D','1/day',90,3),
('Calcium','1/day',110,4);
```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: payment

Browse

Structure

SQL

Search

Insert

Export

Import

Pr

Showing rows 0 - 4 (5 total, Query took 0.0005 seconds.)

SELECT * FROM `payment`

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: No

Extra options

					PaymentID	Amount	PaymentDate	PaymentMethod	PatientID
☐	Edit	Copy	Delete		1	300.00	2026-08-01	Cash	1
☐	Edit	Copy	Delete		2	450.00	2026-08-01	Visa	2
☐	Edit	Copy	Delete		3	350.00	2026-08-02	Cash	3
☐	Edit	Copy	Delete		4	700.00	2026-08-03	Visa	4
☐	Edit	Copy	Delete		5	250.00	2026-08-04	Cash	5



Task 3 – SQL Operations (6 Marks)

Complete the following tasks using MySQL. For each task, include screenshots of both your SQL code and the corresponding output (results), along with a brief description (one to two sentences) explaining the purpose of the query and the information it is intended to retrieve.

- Write SELECT statements.
- Write JOIN queries.
- Write nested queries.
- Use aggregate functions with GROUP BY.
- Write UPDATE and DELETE statements.
- Create one VIEW.
- Create one TRIGGER.

Answer:

-- **SELECT statement**

SELECT * FROM Patient;

Screenshot:

	PatientID	FirstName	LastName	Gender	BirthDate	Phone	Address
☐ Edit Copy Delete	1	Mohammed	Alsalem	Male	2002-01-10	01011111111	Cairo
☐ Edit Copy Delete	2	Mohammed	Alhumud	Male	2001-05-11	01022222222	Giza
☐ Edit Copy Delete	3	Adel	Almalki	Male	1998-08-20	01033333333	Alex
☐ Edit Copy Delete	4	Mona	Ibrahim	Female	2000-12-15	01044444444	Tanta
☐ Edit Copy Delete	5	Abdulrahman	Alabdulwahid	Male	1997-03-30	01055555555	Mansoura

Description:

This query retrieves all records from the Patient table to display patient information

-- Another SELECT statement

SELECT FirstName, LastName, Phone FROM Patient;

Screenshot:

The screenshot shows a database management interface with the following components:

- Navigation Bar:** Server: 127.0.0.1 » Database: smartclinic » Table: Patient. Buttons: Browse, Structure, SQL, Search, Insert.
- Query Execution:** A button labeled "Show query box" is present.
- Query Results:** A green banner indicates "Showing rows 0 - 4 (5 total, Query took 0.0003 seconds.)".
- SQL Query:** The query displayed is `SELECT FirstName, LastName, Phone FROM Patient;`.
- Options:** A checkbox for "Profiling" and links for "Edit inline", "Edit", "Explain SQL", "Create PHP code", and "Refresh".
- Display Settings:** "Show all" checkbox, "Number of rows: 25" dropdown, and "Filter rows: Search this tab" input.
- Table Data:** A table with columns FirstName, LastName, and Phone. Each row includes checkboxes for Edit, Copy, and Delete.

	FirstName	LastName	Phone
☐ Edit Copy Delete	Mohammed	Alsalem	01011111111
☐ Edit Copy Delete	Mohammed	Alhumud	01022222222
☐ Edit Copy Delete	Adel	Almalki	01033333333
☐ Edit Copy Delete	Mona	Ibrahim	01044444444
☐ Edit Copy Delete	Abdulrahman	Alabdulwahid	01055555555

Description:

This query displays the patient's first name and last name and phone number only

-- JOIN query

```

SELECT
P.FirstName,
P.LastName,
D.Specialization,
A.AppointmentDate,
A.AppointmentTime
FROM Appointment A
JOIN Patient P ON A.PatientID = P.PatientID
JOIN Doctor D ON A.DoctorID = D.EmployeeID;

```

Screenshot:

Server: 127.0.0.1 > Database: smartclinic > Table: Patient

ⓘ Browse ⚙ Structure ⚙ SQL 🔍 Search ➕ Insert 📄 Export 📄 Import ⚙ Privileges ⚙ Operations ⚙ Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 4 (5 total, Query took 0.0093 seconds.)

```

SELECT P.FirstName, P.LastName, D.Specialization, A.AppointmentDate, A.AppointmentTime FROM Appointment A JOIN Patient P ON A.PatientID = P.PatientID JOIN Doctor D ON A.DoctorID = D.EmployeeID;

```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

FirstName	LastName	Specialization	AppointmentDate	AppointmentTime
Mohammed	Alsaleem	Cardiology	2026-08-01	10:00:00
Mohammed	Alhumud	Dentistry	2026-08-01	11:00:00
Adel	Almalki	Orthopedics	2026-08-02	09:30:00
Mona	Ibrahim	Dermatology	2026-08-03	12:00:00
Abdulrahman	Alabdulwahid	Neurology	2026-08-04	01:00:00

Description:

This query joins the Patient's first name and Patient's last name from Patient table and Appointment date and time from Appointment table and Doctor's specialization from Doctor table to display appointment details along with patient and doctor information

-- Nested query

```

SELECT Name FROM Employee WHERE EmployeeID
IN (SELECT DoctorID FROM Appointment);

```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: Employee

Browse Structure SQL Search Insert Export Import

Show query box

✓ Showing rows 0 - 4 (5 total, Query took 0.0082 seconds.)

```
SELECT Name FROM Employee WHERE EmployeeID IN (SELECT DoctorID FROM Appointment);
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by

Extra options

	Name
☐ Edit Copy Delete	Dr. Ahmed
☐ Edit Copy Delete	Dr. Sara
☐ Edit Copy Delete	Dr. Ali
☐ Edit Copy Delete	Dr. Omar
☐ Edit Copy Delete	Dr. Hany

Description:

This query retrieves the names of doctors who have scheduled appointments

-- Aggregate function with GROUP BY

```
SELECT DoctorID, COUNT(*) AS TotalAppointments
FROM Appointment GROUP BY DoctorID;
```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: Appointment

Browse Structure SQL Search Insert Export Import

Show query box

✓ Showing rows 0 - 4 (5 total, Query took 0.0067 seconds.)

```
SELECT DoctorID, COUNT(*) AS TotalAppointments FROM Appointment GROUP BY DoctorID;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

DoctorID	TotalAppointments
1	1
2	1
5	1
6	1
7	1

Description:

This query counts the total number of appointments assigned to each doctor

-- UPDATE statement

UPDATE Patient SET Phone='01099999999' WHERE PatientID=1;

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: Appointment

Browse Structure SQL Search Insert Export Import

Show query box

✓ 1 row affected. (Query took 0.0052 seconds.)

```
UPDATE Patient SET Phone='01099999999' WHERE PatientID=1;
```

[Edit inline] [Edit] [Create PHP code]

Server: 127.0.0.1 » Database: smartclinic » Table: patient

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)

✓ Showing rows 0 - 4 (5 total, Query took 0.0007 seconds.)

`SELECT * FROM `patient``

☐ Profiling
 [\[Edit inline \]](#)
[\[Edit \]](#)
[\[Explain SQL \]](#)
[\[Create PHP code \]](#)
[\[Refresh \]](#)

☐ Show all | Number of rows: 25 | Filter rows: Sort by key:

Extra options

		PatientID	FirstName	LastName	Gender	BirthDate	Phone	Address
☐	Edit	Copy	Delete	1	Mohammed	Alsalem	Male	2002-01-10 01099999999 Cairo
☐	Edit	Copy	Delete	2	Mohammed	Alhumud	Male	2001-05-11 01022222222 Giza
☐	Edit	Copy	Delete	3	Adel	Almalki	Male	1998-08-20 01033333333 Alex
☐	Edit	Copy	Delete	4	Mona	Ibrahim	Female	2000-12-15 01044444444 Tanta
☐	Edit	Copy	Delete	5	Abdulrahman	Alabdulwahid	Male	1997-03-30 01055555555 Mansoura

Description:

This query updates the phone number of a specific patient that his PatientID is 1

-- DELETE statement

DELETE FROM Payment WHERE PaymentID=5;

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: patient

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)

Show query box

✓ 1 row deleted. (Query took 0.0018 seconds.)

`DELETE FROM Payment WHERE PaymentID=5;`

[\[Edit inline \]](#)
[\[Edit \]](#)
[\[Create PHP code \]](#)

Server: 127.0.0.1 » Database: smartclinic » Table: payment

Showing rows 0 - 3 (4 total, Query took 0.0004 seconds.)

`SELECT * FROM `payment``

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: No

Extra options

		PaymentID	Amount	PaymentDate	PaymentMethod	PatientID
☐	Edit Copy Delete	1	300.00	2026-08-01	Cash	1
☐	Edit Copy Delete	2	450.00	2026-08-01	Visa	2
☐	Edit Copy Delete	3	350.00	2026-08-02	Cash	3
☐	Edit Copy Delete	4	700.00	2026-08-03	Visa	4

Description:

This query removes a payment record from the Payment table that his PaymentID is 5

-- Create one VIEW

```
CREATE VIEW PatientAppointments AS
```

```
SELECT
```

```
P.FirstName,
```

```
P.LastName,
```

```
A.AppointmentDate,
```

```
A.AppointmentTime,
```

```
A.Status
```

```
FROM Patient P
```

```
JOIN Appointment A ON P.PatientID=A.PatientID;
```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » View: patientappointments

Browse Structure SQL Search Insert Export Privileges Operations

⚠ Current selection does not contain a unique column. Grid edit, Edit, Copy and Delete features may result in undesired behavior.

✓ Showing rows 0 - 4 (5 total, Query took 0.0007 seconds.)

```
SELECT * FROM `patientappointments`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

	FirstName	LastName	AppointmentDate	AppointmentTime	Status
☐ Edit Copy Delete	Mohammed	Alsalem	2026-08-01	10:00:00	Completed
☐ Edit Copy Delete	Mohammed	Alhumud	2026-08-01	11:00:00	Completed
☐ Edit Copy Delete	Adel	Almalki	2026-08-02	09:30:00	Pending
☐ Edit Copy Delete	Mona	Ibrahim	2026-08-03	12:00:00	Completed
☐ Edit Copy Delete	Abdulrahman	Alabdulwahid	2026-08-04	01:00:00	Pending

Server: 127.0.0.1 » Database: smartclinic » Table: payment

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0049 seconds.)

```
CREATE VIEW PatientAppointments AS SELECT P.FirstName, P.LastName, A.AppointmentDate, A.AppointmentTime, A.Status FROM Patient P JOIN Appointment A ON P.PatientID=A.PatientID;
```

[Edit inline] [Edit] [Create PHP code]

Description:

This view displays patient names together with their appointment details

-- Create one TRIGGER

DELIMITER \$\$

CREATE TRIGGER CheckPaymentAmount

BEFORE INSERT ON Payment

FOR EACH ROW

```

BEGIN
IF NEW.Amount < 0 THEN
SET NEW.Amount = 0;
END IF;
END $$
DELIMITER ;

```

Screenshot:

Server: 127.0.0.1 » Database: smartclinic » Table: Payment

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Priv](#)

Show query box

✓ Showing rows 0 - 4 (5 total, Query took 0.0004 seconds.)

`SELECT * FROM Payment;`

☐ Profiling [[Edit inline](#)] [[Edit](#)] [[Explain SQL](#)] [[Create PHP code](#)] [[Refresh](#)]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

		PaymentID	Amount	PaymentDate	PaymentMethod	PatientID
☐	Edit Copy Delete	1	300.00	2026-08-01	Cash	1
☐	Edit Copy Delete	2	450.00	2026-08-01	Visa	2
☐	Edit Copy Delete	3	350.00	2026-08-02	Cash	3
☐	Edit Copy Delete	4	700.00	2026-08-03	Visa	4
☐	Edit Copy Delete	6	0.00	2026-08-05	Cash	1

The first screenshot shows a successful SQL insert operation. The status bar indicates '1 row inserted.' and 'Inserted row id: 6 (Query took 0.0072 seconds.)'. The SQL query executed is: `INSERT INTO Payment (Amount, PaymentDate, PaymentMethod, PatientID) VALUES (-500, '2026-08-05', 'Cash', 1);`. Below the query, there are links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.

The second screenshot shows a successful SQL trigger creation operation. The status bar indicates 'MySQL returned an empty result set (i.e. zero rows). (Query took 0.0177 seconds.)'. The SQL query executed is: `CREATE TRIGGER CheckPaymentAmount BEFORE INSERT ON Payment FOR EACH ROW BEGIN IF NEW.Amount < 0 THEN SET NEW.Amount = 0; END IF; END;`. Below the query, there are links for '[Edit inline]', '[Edit]', and '[Create PHP code]'.

Description:

This trigger validates the payment amount before inserting a new record if the amount is negative it automatically replaces it with 0 to maintain data integrity and make example to insert negative amount

Task 4 – Reflection (2 Marks)

Write a **300–500-word reflection** on your experience while completing this project by answering the following questions. Your responses should be clear, concise, and supported with specific examples from your own work.

1. Describe one specific challenge or obstacle you encountered during this project and explain in detail how you identified and resolved it.
2. Explain why you chose your specific approach/method/model over at least one alternative you considered, and what tradeoffs informed that decision.
3. If you used any AI tools during this project (e.g., ChatGPT, Claude, Copilot), disclose which tool(s), for what specific purpose (e.g., debugging, grammar checking, brainstorming), and how you verified or modified the output.
4. What would you do differently if you were to redo this project with more time or resources?

Answer:

Completing the Smart Clinic Database project was a valuable learning experience that improved my understanding of database design and SQL implementation. One of the biggest challenges I faced was designing the relationships between the tables while maintaining proper normalization. At first, I was unsure how to connect the Employee and Doctor and Receptionist entities without creating redundant data. After reviewing the project requirements and analyzing the relationships, we decided to use specialization in the EER model where Employee became the superclass and Doctor and Receptionist became subclasses. This approach reduced data duplication and made the database structure more organized.

When designing the database, I considered two different approaches. The first approach was to create completely separate tables for doctors and receptionists, each containing all employee information. The second approach was to use a superclass Employee with specialized subclasses. I chose the second approach because it follows good database design principles and avoids repeating common attributes such as name and phone number and email and salary. Although this method required additional foreign key

relationships and slightly increased the complexity of the design it provided better scalability and easier maintenance if new employee types were added in the future.

We didn't use any AI tools while completing this project. All aspects of the database design and SQL and implementation were completed independently.

If i had more time and resources we would expand the project by adding more advanced features for example we would create additional tables for departments and prescriptions and medical records we would also implement stored procedures more complex triggers and additional SQL views to improve the functionality of the system we would spend more time testing different scenarios and improving the user documentation overall this project strengthened my practical knowledge of database design and SQL programming and the importance of careful planning before implementation

Deliverables

1. **Project Report (PDF)** – System description, ER/EER diagram, relational schema, SQL code, screenshots, and reflection.
2. **SQL Script (.sql)** – Complete SQL implementation of the project.
3. **GitHub Repository** – Repository link with the complete project and commit history.
4. **Mid-Project Progress Report** – Summary of progress, challenges, decisions, and team contributions.
5. **Project Artifacts**
 - Live report document (with edit history): [link]
 - GitHub/GitLab repository (with commit history): [link]
 - Google Colab notebook (if applicable): [link]

Live report document:

https://docs.google.com/document/d/1t8yur5ryPM2rHABlqd1xwSC6OzaoQex7-j6-s_HIZio/edit?usp=sharing

GitHub/GitLab repository:

<https://github.com/alsaleemmohammed076-crypto/Smart-Clinic-Database.git>