

십보강호

Ten Paces: Hidden Moves

MASTER PRODUCTION GDD

Issue #264 - 핵심 시스템 설명 확장 개정

기준: origin/main@768cc67 · 2026-08-28 KST

이 PDF는 repository 원본 `docs/design/PROJECT\_AI\_PRODUCTION\_SPEC.md`의 사람용 파생본이다.

게임 규칙·코드·자산·Scene을 새로 승인하거나 구현했다는 뜻이 아니다.

목적: 이 문서는 GPT/Codex가 후속 기획·구현·검증을 안전하게 이어가기 위한 검색 가능한 통합 생산 명세다. 실제 코드·Scene·Resource·JSON·테스트 및 각 분야의 책임 원본을 대체하지 않는다. 새 규칙을 승인하거나 기존 owner를 하나로 병합하지 않으며, 충돌과 미검증은 그대로 표시한다.

00. CANON SNAPSHOT

항목	값
프로젝트	Ten Paces: Hidden Moves / 십보강호
source branch	origin/main
기준 commit	768cc67e369ae992d9f92ef51024c677fa217cb6 (Issue #264 문서 개정 시작 기준)
기준일	2026-08-28 (KST)
기준 PR	#261 feat: reconcile Phase 2 combat canon, #263 docs: require adversarial research feasibility gate, squash-merged
현재 작업 성격	Issue #264 문서 정본화-REVIEW. 제품 구현 계약을 새로 승인하지 않음.
플랫폼	Windows + Android, 공유 코어/플랫폼 adapter (TEN-DEC-20260806-WINDOWS-ANDROID-DUAL-TARGET-01)
엔진	Godot 4.7, scenes/run/vertical_slice_shell.tscn
문서 상태 표기	DOCUMENTED / CONFIRMED / IMPLEMENTED / AUTOMATED_TEST_PASS / RUNTIME_VERIFIED / UX_VERIFIED / RELEASE_READY

00.1 읽기 우선순위

최신 사용자 승인 → AGENTS.md → 분야별 repository owner/Decision → latest completed main의 코드·테스트 → open/draft PR → Base → optional historical migration input → historical chat 순서다. migration input이 repository current truth와 다르면 코드 또는 문서 중 하나를 자동 정본화하지 않고 CANON_CONFLICT로 남긴다.

00.2 상태 요약

구분	판정	근거
core combat / Phase 2	IMPLEMENTED + AUTOMATED_TEST_PASS	#261과 src/combat/, src/ui/, tests/
Godot headless runtime	RUNTIME_VERIFIED는 이 문서 생성 시 재검증 대상으로 둔다	실제 창·사람 입력의 대체 아님
Human usability / player fun	NOT_RUN	사람이 플레이한 관찰·설문·영상 없음
Android	NOT_RUN	export, 설치, touch, back, safe area, lifecycle 증거 없음
Visual runtime	PARTIAL	일부 배틀러·초상·카드 atlas·VFX consumer 있음; 전체 캐릭터/표현 검증 없음
Audio	NOT_RUN	승인된 runtime audio consumer 및 검증 증거 없음
release	NOT_RELEASE_READY	권리·스토어·실기기·성능·접근성 근거 미완성

01. SOURCE REGISTRY

source	identity / readback	역할	상태
Repository	origin/main@768cc67	코드·데이터·Scene-test runtime truth	CURRENT
GitHub PR #261 / #263	merged, checks success	Phase 2 정본 reconciliation / every-task adversarial-research gate	CURRENT
GitHub PR #200, #199	open draft	미병합 후보, READ_ONLY	CURRENT_META DATA
AGENTS.md	repo root	작업 경계·코어 불변식	CURRENT
[기획서]/00_프로젝트_허브 /ACTIVE_CONTEXT.md	#261 병합·repository-only current-state sync readback	mutable context	CURRENT_AFTER_SYNC
docs/planning-data/current_user_planning_status.json	#261 병합·human-test next readback	structured mutable state	CURRENT_AFTER_SYNC
Notion Project Home / Flow	2026-08-28 10:18Z readback	historical migration input; Phase 2 pre-merge content migrated below	HISTORICAL_INPUT_ONLY
Notion Visual Bible / Asset Library	2026-08-28 00:17Z readback	historical visual/asset migration input	HISTORICAL_INPUT_ONLY
docs/01_GAME_DESIGN.md 등 분야별 owner	repository	game rules, content, architecture, test owners	CURRENT/PARTIAL (각 항목 참조)
docs/decisions/*2026-08-28*	repository	opening distance, retry, CTA, Phase 2 decisions	CURRENT
docs/visual-assets/approved/...	repository	approved source-set locator	CURRENT
historical chat / memory	discovery only	이전 탐색 보조	HISTORICAL_ONLY

01.1 Notion migration gap

Notion은 이 문서의 입력으로만 읽었다. #261 병합 후의 GitHub 상태는 Notion Home/Flow의 10:18Z 읽기 시점보다 늦으므로, Phase 2를 “handoff issued / merge pending”으로 표기한 부분은 이 문서의 기준 SHA와 충돌했다. 그 고유 Flow/Visual/asset 상태는 이 문서 §03-§12와 repository owners로 흡수했다. 이어서 Active Context-current planning JSON-Documentation Map-entry router를 repository-only current state로 동기화하고 readback했다. TEN-DEC-20260828-REPOSITORY-ONLY-CANONICAL-WORKSPACE-01에 따라 Notion 신규 출력은 만들지 않았으며 앞으로 current authority로 사용하지 않는다.

02. CURRENT PROJECT STATE

02.1 프로젝트 한 문장

십보강호는 공개된 거리·해결 이력만으로 상대의 다음 수를 가설화하고, 3개의 수(슬롯)에 1수 또는 2수 [전조] → [실행]을 비공개 배치한 뒤 실행·복기로 가설을 검증하는 1대1 무협 심리전이다.

02.2 Current / historical / conflict 분류

ID	항목	분류	현재 판정
DEC-CORE-001	10칸 직선 전장, 공개 시작 거리 2, 거리 중심 HUD	CURRENT	CONFIRMED / IMPLEMENTED
SYS-PLAN-001	3수 → 해결 → 3수 → 해결 → 4수 → 해결	CURRENT	CONFIRMED / IMPLEMENTED
SYS-PLAN-002	3수 = 3슬롯, 2슬롯 행동은 [전조] → [실행]으로 2수를 소모	CURRENT	CONFIRMED / IMPLEMENTED
UI-COMBAT-001	CTA 행동계획 실행; 실행 뒤 전투 표현으로 전환	CURRENT	CONFIRMED / IMPLEMENTED
SYS-AI-001	AI는 공개 상태·해결 이력만 사용, 미확정 계획/UI 의도를 읽지 않음	CURRENT	CONFIRMED / IMPLEMENTED
UX-RETRY-001	첫 패배 후 실제 원인 복기·동일 seed 1회 무료 재도전	CURRENT	CONFIRMED / IMPLEMENTED
CNT-MANUAL-001	덱·손패·드로우·장착 제한 없이 해금 기술을 슬롯에 배치	CURRENT	CONFIRMED / IMPLEMENTED
AST-VIS-001	WARM DUSK v2	CURRENT	planning anchor only; runtime asset 승인 아님
DEC-OPS-001	repository-only canonical workspace	CURRENT	user confirmed; Notion is historical migration input only
DEC-STALE-001	Phase 2 merge 전 Active Context/JSON/Notion 상태	RESOLVED	repository owner sync-governance regression-readback 완료
DEC-HIST-001	행동계획 잠금, 4/7 슬롯 등 과거 표기	SUPERSEDED	current CTA/3-3-4 계약으로 대체
QA-HUMAN-001	사람 플레이·가독성·감정 evidence	UNKNOWN_UNVERIFIED	NOT_RUN

02.3 현재 Work 5단계 위치

UNKNOWN_UNVERIFIED: 프로젝트에는 공통의 “Work 5단계” 정본 모델이 없고 PLAN / BUILD / REVIEW work mode만 확인된다. 이 문서 작업은 REVIEW이며, Phase 2 제품 코드는 main에 병합됐다. 새로운 단계 번호나 완료율을 발명하지 않는다.

03. CONFIRMED DECISIONS

ID	결정	owner / evidence	구현 영향
DEC-CORE-001	1v1, 10 logical cells, start distance 2, distance-first player HUD	AGENTS.md, opening-distance decision	board preview, resolution, UI
DEC-PLAN-001	3/3/4 bundle rhythm; one turn is one slot	AGENTS.md, combat rules	plan controller / resolver
DEC-PLAN-002	2-slot action occupies telegraph then action	user-approved + Phase 2 contract	action span/timing / animation
DEC-CTA-001	action planning is executed, not locked	2026-08-28_ACTION_PLAN_EXECUTION_CTA_DECISION.md	button text, plan→presentation transition
DEC-AI-001	public state only AI	AGENTS.md, Phase 2 observation test	planner snapshot / observation boundary
DEC-RETRY-001	first loss: Review→same-seed retry once; retry win commits once; second loss ends run	retry decision, vertical_slice_run_state.gd	result state / persistence boundary
DEC-VIS-001	WARM DUSK v2 planning visual direction	visual decision + Visual Bible	future visual briefs, not runtime proof
DEC-PLATFORM-001	Windows/Android dual target, one core with adapters	AGENTS platform decision	input/layout/test matrix
DEC-OPS-001	repository-only human-facing and structured canon	2026-08-28_REPOSITORY-ONLY-CANONICAL-WORKSPACE_DECISION.md	no future Notion write/readback

04. DESIGN PILLARS

1. 공개 단서에서 가설을 세운다. 결과·거리·자원·해결 이력을 보고 다음 수를 추론한다.
2. 슬롯의 희소성이 고민을 만든다. 강한 2수 행동은 첫 수의 유연성을 포기하게 한다.
3. 실행은 판결, 복기는 학습이다. 입력을 되돌려 계산하지 않고, 애니메이션과 인과 기록으로 왜 이겼거나 졌는지 읽는다.
4. 무협의 거리는 감각으로 읽힌다. 절대 칸보다 “거리 N”, 합·방어·회피·중단·강건이라는 대련 언어를 쓴다.
5. 성장은 정답을 대체하지 않는다. 해금은 파훼 선택지를 넓히지만 독해와 계획을 대신하지 않는다.

05. PLAYER EXPERIENCE CONTRACT

SYS-EXPERIENCE-001 - Player Promise

항목	계약
player action	공개 정보로 상대 수를 예측하고 내 행동을 3개의 수에 배치한다.
meaningful choice	지금의 확실한 방어/이동/관찰과, 전조를 감수한 2수 고위력·거리 제어 중 고른다.
observable outcome	해결 순서·거리 변화·합·방어·회피·중단·자원·피해와 Review의 인과 기록.
reward / failure learning	유효한 가설은 다음 bundle의 정보 우위와 승리로, 틀린 가설은 실제 원인 1~3개와 동일 조건 재시도로 이어진다.
target emotion	“읽었다/읽혔다”는 긴장, 실행 순간의 판결감, 복기 후의 납득.
next-action drive	공개 이력에서 새 가설을 만들고 상대의 반복을 끊는다.
sales hook	턴제 전술의 가독성과 비공개 동시 계획의 심리전을 무협 1대1 거리전으로 결합.

05.1 첫 5·15·30분 계약

시간	목표 경험	evidence 상태
첫 5분	거리 2에서 슬롯 배치→행동계획 실행→해결의 기본 리듬을 1회 이해	IMPLEMENTED path / UX_NOT_RUN
첫 15분	합·중단 또는 방어·강건의 실패 원인을 Review로 읽고 같은 seed를 한 번 다시 푼다	DOCUMENTED + PARTIAL_IMPLEMENTED / UX_NOT_RUN
첫 30분	5대련의 대응·거리·반복 파훼를 보고, 성장이 답이 아니라 선택지 확장임을 이해	DOCUMENTED vertical-slice goal / NOT_RUN

06. CORE / SESSION / META LOOP

공개 거리·해결 이력 관찰
 → 가설과 3수 계획
 → 행동계획 실행 (편집 종료)
 → 동시 해결·전투 표현
 → 결과/복기: 실제 원인·거리·자원 변화
 → 다음 bundle 또는 결과
 → route 정보/성장 선택 → 다음 대련

loop	ID	규칙	상태
Core	SYS-PLAN-001	bundle당 3/3/4 슬롯, 1/2 슬롯 행동, 해결 순서	IMPLEMENTED
Session	UX-RUN-001	Main→Setup→Intro→Briefing→Combat/Review→Result→Route→Completion	DOCUMENTED / PARTIAL_IMPLEMENTED
Meta	SYS-GROWTH-001	무공 성장·해금으로 대응 선택지 확대, 판단을 대체하지 않음	DOCUMENTED / balance NOT_RUN

07. SYSTEM REGISTRY

ID	시스템	player value	owner / implementation	status
SYS-BOARD-001	거리 전장	도달·이탈·사거리 판단	combat_board_preview*.gd, combat_resolution_engine.gd	IMPLEMENTED
SYS-PLAN-001	행동 계획	3수 제한 안의 예측·배치	action_placement_controller.gd	IMPLEMENTED
SYS-RESOLVE-001	동시 해결	내 예측의 판결과 관찰 가능한 인과	combat_resolution_engine.gd	IMPLEMENTED
SYS-AI-001	공개 상태 AI	공정하게 읽히는 상대 적응	combat_ai_planner.gd	IMPLEMENTED
SYS-REVIEW-001	복기	실패가 다음 행동으로 이어짐	combat_review_panel.gd	IMPLEMENTED
SYS-RETRY-001	동일 seed 재도전	학습을 반복 기회로 전환	vertical_slice_run_state.gd	IMPLEMENTED
SYS-TAG-001	행동 태그와 인과	전조·관찰·강건·합을 같은 언어로 읽음	02_COMBAT_RULES.md, action data, resolver events	CONFIRMED / IMPLEMENTED
SYS-GROWTH-001	무공 성장	파훼 폭을 확장	06_STARTING_FACTION_MASTERY_DATA.md	DOCUMENTED / NOT_BALANCE_VALIDATED
SYS-ROUTE-001	route 선택	정보/회복/성장 사이의 장기 선택	vertical_slice_route*.gd	PARTIAL
SYS-MARTIAL-001	무공·절초 계층	기술 선택의 정체성과 결정적 순간의 보상	martial-manual data, CardView, ultimate VFX	PARTIAL / UX_NOT_RUN

08. SYSTEM SPECIFICATIONS

SYS-PLAN-001 - 행동 계획

WHY. 계획을 숨기는 이유는 상대가 내 UI·미확정 계획을 읽는 즉시 심리전이 사라지기 때문이다. 3수의 제한은 “무엇을 할까”를 “어떤 타이밍을 포기할까”로 바꾼다.

HOW. 사용자는 해금된 기술에서 행동을 선택하고 현재 bundle의 빈 슬롯에 배치한다. 1수 행동은 한 슬롯, 2수 행동은 [전조]와 [실행]의 연속 두 슬롯을 차지한다. 배치가 끝난 뒤 행동계획 실행을 누르면 편집이 중단되고 Combat Presentation으로 전환한다. 취소/재배치는 실행 전만 가능하다.

상태	entry	player input	output / guard
Planning	bundle 시작	선택·배치·제거	슬롯 유효성 표시
Ready	유효 계획	행동계획 실행	UI editing disabled
Presentation	실행 요청 수락	관찰 중심	resolver 이벤트에 맞춘 표현
Resolved	bundle 종료	복기/다음 수	public history 갱신

WHAT. 기본 action data는 이동·보법·막기·회피·속공·강공·관찰·명상·준비·장풍이다. 강공·장풍은 2수이며 전조가 공개적으로 해석 가능한 risk가 된다. 덱·손패·드로우·장착 제한은 사용하지 않는다.

IMPLEMENT.

레이어	path / 역할
UI control	src/ui/action_selection/action_placement_controller.gd - placement, locked guard
UI shell	src/ui/action_selection/action_selection_dock.gd - selection dock
CTA	src/ui/combat_progress_button.gd - execute request / disabled state
scene	scenes/combat/combat_board_preview.tscn, scenes/run/vertical_slice_combat_bridge.tscn
data	data/combat/action_selection_poc.json, data/cards/basic_cards.json

PSEUDOCODE. if plan.valid and execute_pressed: lock_inputs(); resolve_bundle(); play_resolution_events(); expose_public_history();

COMPLETE WHEN. 3/3/4 슬롯, 2수 span, 실행 후 편집 불가, resolver로의 단일 execute 흐름, plan leak 없음, Phase 2 tests pass. Human이 2수 전조 비용을 이해하는지는 QA-HUMAN-001으로 남는다.

SYS-PLAN-002 - 행동묶음과 2슬롯 비용

PLAYER QUESTION. 이번 묶음의 세 칸을 지금 안전하게 쓸 것인가, 두 칸을 미리 내어 강한 한 수를 끝까지 살릴 것인가?

한 라운드는 3수 → 해결 → 3수 → 해결 → 4수 → 해결이다. 여기서 3수는 행동을 세 번 누른다는 뜻이 아니라, 계획판의 슬롯이 정확히 3개라는 뜻이다. 각 묶음에서는 1슬롯 행동 셋, 또는 1슬롯 행동 하나와 2슬롯 행동 하나처럼 합계가 슬롯 수를 넘지 않는 조합만 계획할 수 있다. 덱·손패·드로우·장착 제한은 이 희소성을 만드는 장치다 아니다.

- 공개 거리·자원·해결 이력 확인
 - 현재 묶음의 3칸(마지막 묶음은 4칸)에 행동 배치
 - 행동계획 실행
 - 양측의 잠긴 계획을 동시 해결·표현
 - 공개 이력과 자원 갱신

배치	슬롯 표기	플레이어가 감수하는 것	판정 경계
1슬롯 행동	해당 수에 행동명	다음 수의 유연성은 남긴다	행동 종류별 거리·자원·대용 규칙

배치	슬롯 표기	플레이어가 감수하는 것	판정 경계
2슬롯 행동	첫 수 [전조] → 둘째 수 [실행]	전조부터 실행까지 두 슬롯을 점유한다	첫 전조에 비용 전액 선지불, 확정 뒤 환불 없음
전조 중 피격	연결 슬롯은 같은 action_instance_id	강한 수를 준비한 만큼 중단 위험이 생긴다	실제 체력 피해가 나면 [강건]이 없을 때 남은 전조·실행을 취소
실행 요청	행동계획 실행	되돌릴 수 있는 계획 단계를 끝낸다	입력은 비활성화되고 resolver event로 전환

[전조]는 별도의 강화 보너스가 아니라 실행 전 점유와 잃을 수 있는 위험을 뜻한다. 따라서 2슬롯 강공·장풍의 전조를 본 상대는 대응·이동·관찰을 고민할 여지를 얻지만, 상대 AI는 플레이어가 아직 실행하지 않은 슬롯·방향·대상을 볼 수 없다.

SYS-RESOLVE-001 - 동시 해결과 인과

WHY. 플레이어가 “게임이 나를 속였다”가 아니라 “내 가설이 이 조건에서 틀렸다”고 읽어야 다음 수를 바꾼다.

HOW. 한 bundle의 양측 action을 같은 공개 state에서 확정해 순차 [합]과 거리·방어·회피·중단·강건·자원 규칙으로 해결한다. 2수 action은 anchor+span-1 타이밍에 실행한다. 결과 이벤트는 board presentation과 Review가 소비한다.

event	producer	consumers	player-visible meaning
action start / telegraph	resolution engine	board/animation	상대의 실행 전조/내 계획의 소모
range / distance change	engine	board/HUD/review	닿음·이탈·사거리 변화
clash / block / evade / interrupt	engine	board/VFX/review	성공·실패 원인
result	engine	run state / result model	승패·보상·재시도 가능성

COMPLETE WHEN. 같은 입력은 동일한 result event sequence, 실패 원인이 Review로 전달, UI가 규칙을 재계산하지 않음, verify_phase2_combat_resolution.gd pass. animation timing·사람의 납득은 별도 evidence다.

SYS-TAG-001 - 전투 태그를 읽는 법

태그는 장식용 키워드가 아니라, 계획할 때 보이는 위험과 해결 뒤 복기가 설명해야 하는 원인이다. 아래 표는 규칙 원본을 요약한 안내이며, 수치·예외·데이터 스키마는 docs/02_COMBAT_RULES.md와 action JSON이 소유한다.

태그/용어	계획에서 보이는 의미	해결·복기에서 확인할 결과	오해하면 안 되는 경계
[전조] → [실행]	한 행동이 연속 슬롯 둘을 차지한다	전조 뒤 실제 행동이 실행되거나 중단된다	전조만으로 강화·피해가 발생하지 않는다
[관찰]	1슬롯을 당장의 피해 대신 정보에 쓴다	적이 먼저 묶음을 잠근 뒤, 앞 수부터 행동 유형을 관찰량만큼 공개한다	기술명·무공서·비용·방향·거리·피해·AI 가중치·정답은 공개하지 않는다
[준비]	다음 비이동 행동을 위해 지금 한 슬롯을 쓴다	다음 공격은 원공격력 +2와 [강건], 다음 명상은 기력·내력·절초기세 +1을 얻는다	[준비]는 행동이고 [강화]는 그 결과 상태다. 이동·보법은 준비를 소비하지 않는다
[강건]	중단될 수 있는 큰 수를 한 번 버티게 할 수 있다	유효 중단 1회를 막아 연결 행동/다음 피해 단위를 유지할 수 있다	받은 피해·상태·KO를 되돌리거나 무적이 되지는 않는다
[합]	같은 수에 양쪽 공격이 겹칠 가능성을 읽는다	현재 피해 단위끼리 비교하고, 높은 쪽은 차이만큼 원피해를 남긴다	사거리 밖이어도 비교와 합 승리는 일어날 수 있으나 체력·피해·적중은 별도 조건이다
[연격 N]	한 공격이 여러 피해 단위로 이어질 수 있다	체력 피해 없이 공격이 유지되면 다음 단위도 다시 [합]; 한쪽이 중단되면 남은 단위는 취소/단독 타격으로 갈린다	연격은 최종 총피해를 N개 단위로 나누는 판정 언어이지 별도 행동 묶음이 아니다
[중단]	전조와 후속타가 끊길 위험이다	실제 체력 피해 뒤 현재 action_instance_id의 미실행 슬롯·피해 단위가 취소된다	방어로 피해가 0이면 중단이 아니다. [강건]은 한 번만 막는다
[필중]	회피에 의존한 대응을 흔드는 조건이다	유효한 공격은 회피를 무시한다	[합]·방어·거리·방향·중단·KO까지 무시하지 않는다

관찰 예시. 적의 2슬롯 공격과 이동이 잠겨 있고 관찰량이 2라면, 플레이어는 [전조] / [공격] / ?처럼 행동 종류만 본다. 이 정보는 다음 계획의 가설 재료이지, 상대의 기술명이나 정답 대응표가 아니다.

합 예시. 두 연격의 첫 피해 단위가 부딪쳐 한쪽이 방어로 체력 피해를 0으로 막으면, 살아남은 양쪽의 다음 피해 단위가 다시 [합]한다. 반대로 실제 체력 피해가 나서 중단되면, 중단된 쪽의 남은 연격과 전조 후속 실행은 사라지고 유지된 쪽의 잔여타만 순서대로 해결될 수 있다. 이 인과는 전투 표현과 Review가 같은 사건 기록으로 보여 주어야 한다.

SYS-AI-001 - 공개 상태 AI

WHY. 상대가 항상 내 답을 알고 있다고 느끼면 계획은 무의미해진다.

INPUT BOUNDARY. player/enemy positions, 공개 자원, resolved history. EXCLUDED: player pending plan, hidden technique placement, UI intent signal.

path	responsibility
src/combat/combat_ai_planner.gd	public snapshot에서 enemy bundle 선택
data/combat/combat_resolution_preview.json	enemy_plan_source: public_state_ai fixture
tests/verify_phase2_observation.gd	plan/UI leakage regression

COMPLETE WHEN. planner snapshot에서 제외 필드가 없고, enemy plan은 bundle resolve 전에 lock되며, 관찰은 action type의 해결 뒤 노출된다.

SYS-REVIEW-001 / SYS-RETRY-001 - 복기와 동일 조건 재도전

WHY. 첫 패배를 루프 종료가 아닌 반증된 가설의 학습으로 만든다.

흐름	규칙
first loss	Review에 실제 원인 1~3개, 거리 전/후, 가설/실제 결과 노출
retry	retry count 0→1, 동일 snapshot/seed 복구, 무료 1회
retry win	progression 단 한 번 commit
second loss	Main으로 종료, 보상/route 없음

src/run/vertical_slice_run_state.gd가 run 상태와 commit boundary를, src/ui/combat_review_panel.gd가 인과 설명을 소유한다. 완료 자동 증거: tests/verify_vertical_slice_failure_retry.gd.

SYS-ROUTE-001 - 강호행: 비무 사이의 두 노드

PLAYER PROMISE. 강호행은 전투를 하나 더 붙이는 맵이 아니라, 방금 무엇을 배웠고 다음 상대에게 무엇을 알고 들어갈 것인가를 고르는 비전투 선택 구간이다. 첫 Vertical Slice에서 방문 수는 고정이다.

Duel 1 → 성장/회복 노드 → 정보/준비 노드 → Duel 2
→ 성장/회복 노드 → 정보/준비 노드 → Duel 3
→ 성장/회복 노드 → 정보/준비 노드 → Duel 4
→ 성장/회복 노드 → 정보/준비 노드 → Duel 5

주요 비무 1~4 사이에는 정확히 두 노드, 전체에는 성장/회복 4개와 정보/준비 4개, 총 8개의 비전투 노드가 있다. 화면이 일직선 지도일 필요는 없지만, 일반 전투·랜덤 전투·덱 보상·탐험 서브시스템으로 확장하지 않는다.

순서	노드가 던지는 질문	선택의 이득과 포기	다음 화면에 남기는 것
1. 성장/회복	지난 비무에서 드러난 문제를 지금 안정시킬까, 이후 대응 폭을 키울까?	회복은 당장 생존을, 집중 수련은 특정 무공의 성장, 자유 수련은 후속 선택 폭을 준다. 한 선택으로 모두 최대화하지 않는다	체력·자원 또는 무공 성장 상태

순서	노드가 던지는 질문	선택의 이득과 포기	다음 화면에 남기는 것
2. 정보/준비	다음 상대에 대해 어떤 가설 재료를 확보할까?	공개 스테이터스·방어/전조 경향·사거리/무공 계통 중 한 축을 깊게 본다. 다른 축은 포기한다	Briefing에 추가되는 공개 단서
Briefing	내가 아는 것과 모르는 것은 어디까지인가?	상대 이름/전투 인상/공개 상태/조사된 기술 범위를 확인한다	Combat으로 넘길 공개 정보 경계

다음 상대 후보는 Duel Result 뒤 run seed로 먼저 확정되고, Route의 정보 선택이 후보를 다시 뽑지 않는다. 정보 노드는 AI의 현재 계획·확률·가중치·정답 수순을 제공하지 않는다. 따라서 강호행의 보상은 숨은 보정이나 정답이 아니라, 다음 3슬롯 계획을 더 좋은 가설로 시작할 근거다.

STATUS. 5대련과 8노드의 질문·텍스트·가역 수치 seed는 DOCUMENTED; vertical_slice_route*.gd의 소비처는 PARTIAL; Windows 사람 플레이에서 이 선택이 명료하고 재미있는지는 UX_NOT_RUN이다.

SYS-GROWTH-001 / SYS-MARTIAL-001 - 무공 성장·절초·시각 계층

WHY. 무공은 “더 높은 숫자”가 아니라 거리·순서·대응의 새 조합을 여는 언어여야 한다. 절초는 그 조합을 무시하는 만능 버튼이 아니라, 전투에서 축적한 기세를 결정적 순간에 쓰는 선택이다.

계층	플레이어가 읽는 역할	현재 정보의 규칙	시각 언어와 evidence 경계
기초 행동	누구나 쓰는 거리·대응·자원 문법	10종 행동으로 이동·보법·막기·회피·속공·강공·관찰·명상·준비·장풍을 제공한다	실제 카드 아틀라스와 CardView.illustration 소비처가 있다. 작은 삽화·출처 배지·태그·비용은 읽기 우선이며, 긴 텍스트를 원화에 굵지 않는다
무공서 기술	어떤 방식으로 거리를 만들고, 공격/대응을 연결하는지의 정체성	초기 10권, 성취 3→10과 기술 해금이 대응 폭을 넓힌다. 덱·손패·드로우·장착 제한은 없다	무공서명·기술·태그·비용·사거리는 UI/data binding이 소유한다. 개별 무공 삽화는 exact card ID와 실제 CardView.illustration 소비처가 확정될 때까지 자동 제작하지 않는다
절초	축적한 기세를 비용과 함께 결단하는 정점	절초기세 0~5; 묶음 전환, 실제 회피, 준비된 명상, 합 승리로 얻으며 기본 절초와 10성 절초는 각 슬롯·자원·기세·해금 조건을 지킨다	제한된 고색은 절초·선택 확정·결정적 결과에만 쓴다. ultimate_ink_gold_sprite_sheet_rgba는 tracked_consumer가 있으나 Human 가독성·최종 VFX 품질은 NOT_RUN

무공의 시각적 구분은 같은 게임 안에서 세 출처가 다르게 읽히게 하는 것이지, 새 전장 배경·캐릭터·카드 배치를 자동 생산하는 권한이 아니다. 현재 전체 문법은 WARM DUSK: 저채도 종이·먹선·절제된 고색·비격자 논리 전장이다. 이 문법은 거리 N, 슬롯 점유, 전조, 합, 중단의 인과를 먼저 보이게 해야 하며, 숨은 계획을 포즈·색·연출로 누설해서는 안 된다.

data / owner	status	validation
docs/06_STARTING_FACTION_MASTERY_DATA.md	DOCUMENTED	tuning table / fixture 필요
data/cards/martial_manual_cards.json, data/cards/martial_manuals/*.json	IMPLEMENTED adoption data	UI/AI adoption test
src/run/vertical_slice_route*.gd	PARTIAL runtime consumer	visible Godot / human choice test
src/ui/card_view.gd, data/cards/basic_cards.json	IMPLEMENTED basic-card illustration consumer	gameplay-size readability / Human test
src/combat/combat_board_preview.gd, ultimate VFX sprite sheet	PARTIAL visual consumer	Windows visible / Human VFX clarity

09. CONTENT REGISTRY

ID	콘텐츠	역할	status
CNT-DUEL-001	1대련: 합/중단	첫 판결과 실패 원인 학습	DOCUMENTED / PARTIAL runtime
CNT-DUEL-002	2대련: 방어/강건/전조	강한 수의 비용 읽기	DOCUMENTED
CNT-DUEL-003	3대련: 거리/이동	사거리 가설	DOCUMENTED
CNT-DUEL-004	4대련: 공개 이력 적응	반복 패턴 파훼	DOCUMENTED
CNT-DUEL-005	5대련: 순차 해결·합·중단	통합 시험	DOCUMENTED
CNT-ACTION-001	기본 10행동	슬롯·거리·자원 문법	IMPLEMENTED
CNT-MANUAL-001	초기 10권 무공	대응 폭 성장	IMPLEMENTED data / UX_NOT_RUN
CNT-OPPONENT-001	vertical slice opponents	5대련의 행동 archetype	PARTIAL

CNT-ACTION-001 - 기본 행동 계약

action	slots	핵심 의도	important rule
이동 / 보법	1	거리 조절	인접·사거리 판단을 바꿈
막기 / 회피	1	즉시 생존	방어/회피의 읽기 가능 결과
속공	1	짧은 기회 포착	$\text{floor}(3 + \text{external} * 0.5)$
강공	2	전조를 감수한 타격	$\text{floor}(7 + \text{external} * 1)$
관찰	1	정보 우위	player only, 관찰점 1
명상	1	resource 전환	stamina+1, internal+1
준비	1	후속 비이동 행동 준비	다음 공격은 +2 피해와 [강건], 다음 명상은 자원·절초기세를 강화
장풍	2	거리 있는 내력 공격	internal 1, range 1-3, $\text{floor}(3 + \text{internal} * 0.75)$

10. CONTENT SPECIFICATIONS

CNT-DUEL-001...005 - 5대련 학습 아크

duel	learning goal	player counter	failure/recovery	implementation status
1	합·중단의 첫 인과	움직임/방어/타이밍을 바꿈	Review→1 retry	PARTIAL
2	방어·강건과 2수 전조	전조에 맞춰 거리·대응 선택	Review→1 retry	DOCUMENTED
3	거리와 사거리	이동 후 공격, 닿지 않으면 계획 수정	Review→1 retry	DOCUMENTED
4	공개 이력의 반복	해결 이력에서 반복만 파훼	AI no-leak boundary	DOCUMENTED
5	순차·합·중단 통합	3수 전체 가설 조합	Review→1 retry	DOCUMENTED

콘텐츠 생산 template. 각 대련은 learning_goal, public_state, opponent_archetype, initial_distance, allowed_actions, reward, review_causes, retry_seed를 명시하고 공통 resolver/Review/route consumer를 재사용한다. 개별 독립 판정 순서는 만들지 않는다.

11. UI/UX AND INPUT CONTRACT

ID	screen / UI	user goal	required information	input / feedback	status
UI-MAIN-001	Main / Setup	run 시작	start, settings	mouse/touch/focus	PARTIAL
UI-BRIEF-001	Briefing	이번 대련의 공개 조건 이해	거리, 상대, 학습 목표	continue	DOCUMENTED
UI-PLAN-001	Action Selection Dock	3수에 계획 배치	distance N, slot occupancy, action cost, resources	select/place/remove; validation	IMPLEMENTED
UI-COMBAT-001	Combat Board	해결을 읽기	공개 거리, action resolution, result	행동계획 실행 이후 관찰 중심	IMPLEMENTED
UI-REVIEW-001	Review	실패 원인으로 다음 가설 세움	hypothesis/actual/cause/distance before-after	retry/return	IMPLEMENTED
UI-RESULT-001	Result/Route	보상과 다음 선택	win/loss, reward, route info	choose/continue	PARTIAL

UI-COMBAT-001 state contract

visible: 공개 거리, 양측 battler, bundle progress, 실행 피드백.

planning: action dock editable.

ready: valid plan + CTA active.

pressed/executing: CTA disables, plan changes cannot mutate resolver input. warning/error: invalid span, out-of-range/insufficient resource are pre-execution feedback; post-execution failure is Review explanation, not silent rejection.

Accessibility / input. pc_standard / pc_wide_or_ultrawide / mobile_landscape에서 같은 정보 위계와 의미를 유지한다. focus navigation, touch target, contrast, localization expansion은 design requirement이나 Android/assistive runtime evidence는 NOT_RUN이다.

12. VISUAL ASSET CONSUMER MATRIX

ID	asset / locator	consumer	approval / rights	runtime state
AST-CHAR-001	assets/characters/dogyecom_combat_battler_01_v1.png	combat battler	user source-set record	actual routed consumer
AST-CHAR-002	assets/portraits/dogyecom_status_portrait_01_v1.png	status portrait	user source-set record	actual routed consumer
AST-UI-001	card atlas SVG / manifest	action cards	tracked asset manifest	runtime consumer
AST-VFX-001	ultimate VFX RGBA asset	combat feedback	tracked source/provenance record	consumer must remain verified per scene
AST-VIS-001	WARM DUSK v2 / Core Scene Board R2	planning reference	PLANNING_ONLY	not runtime asset / not rights proof

Visual grammar. Warm dusk, charcoal ink, paper, restrained antique gold; non-grid logical board; semi-real 2D ink outlines, low-saturation wash, restrained dot/dither. Keep: clear distance/causality hierarchy. Avoid: baked UI text, hard floor grid, plan leakage, deck/hand visual language. Do not drift: unrelated project style or asset identity. Exact planning palette: INK_900 #171411, PAPER100 #EADFC9, SEPIA500 #7F6847, GOLD500 #B99254, DANGER500 #965148, BLUEGRAY500 #687783.

12.1 무공·절초 시각 의미 계약

화면 요소	반드시 전달할 의미	허용된 표현	금지/미검증 경계
기초 행동 카드	출처·행동 유형·슬롯·비용·태그	작은 수목 삽화, 기초 배치, UI가 소유한 텍스트/숫자	삽화 속 pseudo-text, 카드가 규칙을 재계산하는 표현
무공서 기술 카드	어느 무공서의 어떤 기술이 어떤 대응 폭을 여는가	무공서 identity, 기술명, 태그, 사거리·비용의 data-bound UI	소비처 없는 개별 기술 원화의 자동 생성-runtime 승격
2슬롯 전조	한 행동이 다음 슬롯까지 예약되어 있고 끝길 수 있음	타임라인 span, 절제된 선행 모션/기세, [전조] 표기	전조만으로 피해·강화가 난 것처럼 보이기, 숨은 적 계획 노출
[합]·중단·강건	어느 피해 단위가 살아남고 무엇이 끊겼는가	먹션 충돌, 짧은 타격 강조, 결과 log/Review와 같은 사건 순서	화려함 때문에 거리·피해·중단 원인을 가리는 연출
절초	기세를 쌓아 지불한 결정적 선택	제한된 고색, seal/ink burst, existing sprite-sheet consumer	모든 강한 행동에 금색 사용, final VFX/Human 품질 통과 주장

이 표는 visual brief와 runtime consumer의 경계를 설명할 뿐이다. PROJECT_CORE_SCENE_VISUAL_BOARD_20260828_R2는 planning artifact이고 runtime asset·Scene 구현·Human usability PASS가 아니다.

13. AUDIO CONSUMER MATRIX

ID	required cue	intended consumer	state	next validation
AUD-PLAN-001	slot placement / invalid placement	action dock	NOT_IMPLEMENTED_OR_UNVERIFIED	inspect runtime audio routing before production
AUD-RESOLVE-001	telegraph, clash, block, evade, interrupt	combat presentation	NOT_RUN	define event→cue map after visual lock
AUD-REVIEW-001	review/retry confirmation	result/review	NOT_RUN	human readability test

No audio asset or runtime consumer is claimed solely from this planning document.

14. TECHNICAL ARCHITECTURE

```

vertical_slice_shell.tscn
→ vertical_slice_shell_completion_auto.gd
→ vertical_slice_combat_bridge.tscn / vertical_slice_combat_bridge.gd
→ ActionSelectionDock / ActionPlacementController
→ CombatProgressButton
→ CombatResolutionEngine
  ↔ CombatAIPlanner (public snapshot only)
→ CombatBoardPreviewAuto (presentation)
→ CombatReviewPanel
→ VerticalSliceRunState / ResultModel / Route

```

layer	actual owner	contract
resolver/model	src/combat/combat_resolution_engine.gd	authoritative action span, timing, state/event resolution
planner	src/combat/combat_ai_planner.gd	public info only enemy plan
UI controller	src/ui/action_selection/action_placement_controller.gd	plan editing/locked guard, no combat recalc
UI view	src/ui/combat_progress_button.gd, review panel	input state and observable result
run/persistence boundary	src/run/vertical_slice_run_state.gd, result model	retry snapshot / commit exactly once
scene adapters	scenes/run/*, scenes/combat/*	compose controls, visual presentation

layer	actual owner	contract
content data	data/cards/*, data/combat/*, data/run/*	IDs and fixture content, no UI-owned rules

15. DATA CONTRACTS

ID	data	fields / constraints	owner
DAT-ACTION-001	basic_cards.json	id, slots/span, resource, range, effect; 2-slot has telegraph/execution meaning	combat data
DAT-RESOLVE-001	combat_resolution_preview.json	board 10 cells, starting positions, public AI source, action fixture	combat fixture
DAT-PLAN-001	action_selection_poc.json	placement UI fixture / slot capacity	action selection
DAT-MANUAL-001	martial_manual_cards.json, martial_manuals/*.json	manual ID, unlock/adoption data	content data
DAT-RUN-001	vertical_slice_opponents.json	opponent/run seed data	run content

Schema changes must preserve data/fallback/fixture/consumer/test compatibility. UI may display but must not recalculate combat rule truth.

16. SCENE MAP

scene	role	evidence
scenes/run/vertical_slice_shell.tscn	run shell / application entry	project.godot main scene chain
scenes/run/vertical_slice_combat_bridge.tscn	run-to-combat composition	bridge tests
scenes/combat/combat_board_preview.tscn	combat board/UI presentation	Phase 2 visual/combat tests
scenes/combat/action_selection_dock.tscn	planning interface	UI adoption test

Unknown scene paths are intentionally not fabricated. Inspect exact .tscn before changing nodes or bindings.

17. SCRIPT RESPONSIBILITY MAP

script	responsibility	prohibited responsibility
combat_resolution_engine.gd	action spans, resolution events, state transitions	UI layout/visual-only totals
combat_ai_planner.gd	public snapshot decision	pending player plan/UI inspection
combat_board_preview*.gd	board state projection/presentation lifecycle	changing authoritative rules
action_placement_controller.gd	placement legality, lock behavior	hidden opponent reasoning
combat_progress_button.gd	execute request, disabled feedback	independently resolving combat
combat_review_panel.gd	causal replay/readout	inventing cause not in event history
vertical_slice_run_state.gd	retry count/snapshot/progression commit	duplicate reward commits

18. SIGNAL AND EVENT FLOW

UI-PLAN-001: placement_changed → valid_plan_changed
UI-COMBAT-001: execute_requested → SYS-RESOLVE-001.resolve_bundle
SYS-RESOLVE-001: resolution_event → Board / VFX / Review
SYS-RESOLVE-001: bundle_resolved → RunState / ResultModel
SYS-REVIEW-001: retry_requested → RunState.restore_same_snapshot
RunState: result_finalized → Result / Route

Emitter/receiver names must be re-read from exact scripts when implementation changes. The sequence records ownership and timing, not invented API names.

19. STATE MACHINES

combat

Planning → Ready → Executing/Presentation → Resolved → (next Planning | Review | Result).

loss recovery

Loss(retry_count=0) → Review → SameSeedRetry(retry_count=1) → (Win: commit once | Loss: Main, no reward/route).

planning action

Unselected → Selected → Placed(slot n) → [locked after execute] → Resolved. A 2-slot action uses Telegraph(slot n) → Action(slot n+1).

20. SAVE/LOAD CONTRACT

Current contract protects retry snapshot and exactly-once progression commit. Persisted formats, migrations, and platform lifecycle behavior require exact source review before any schema change. Android suspend/resume and device storage proof are NOT_RUN; never infer them from a headless test.

21. IMPLEMENTATION TRACEABILITY

player experience	system/content	UI	implementation	validation
가설을 3수에 배치	SYS-PLAN-001 / CNT-ACTION-001	UI-PLAN-001	placement controller + action data	Phase 2 resolution/UI tests
전조 비용을 보고 판단	SYS-PLAN-002	UI-COMBAT-001	engine span/timing + CTA	phase2 combat test; human clarity NOT_RUN
공정한 상대 읽기	SYS-AI-001	Review/history	AI public snapshot	verify_phase2_observation.gd
실패에서 재도전	SYS-REVIEW-001/SYS-RETRY-001	UI-REVIEW-001	run state / review panel	verify_vertical_slice_failure_retry.gd
무공 선택으로 대응 폭 확장	SYS-GROWTH-001/CNT-MANUAL-001	selection / route	manual JSON + adoption UI/AI	verify_ten_manual_ui_ai_adoption.gd; UX NOT_RUN

22. TEST AND QA CONTRACT

ID	test / evidence	claim allowed	status
QA-PHASE2-001	tests/verify_phase2_observation.gd	no private-plan AI observation regression	automated result required per exact SHA
QA-PHASE2-002	tests/verify_phase2_combat_resolution.gd	3/3/4, spans/timing, result rules	automated result required per exact SHA
QA-RETRY-001	tests/verify_vertical_slice_failure_retry.gd	one retry/one commit contract	automated result required per exact SHA
QA-MANUAL-001	tests/verify_ten_manual_ui_ai_adoption.gd	manual data/UI/AI adoption	automated result required per exact SHA
QA-BRIDGE-001	tests/verify_vertical_slice_combat_bridge.gd	shell/bridge integration	automated result required per exact SHA
QA-DATA-001	pytest tests/test_phase2_combat_canon_data.py -q	phase2 fixture/data coherence	automated result required per exact SHA
QA-HUMAN-001	visible Windows playthrough	readability, understanding, delight	NOT_RUN
QA-ANDROID-001	device install/touch/back/safe-area/lifecycle	Android runtime	NOT_RUN
QA-A11Y-001	keyboard focus/touch/accessibility session	inclusive input / contrast	NOT_RUN

23. VERTICAL SLICE DEFINITION

In scope: 5 learning duels, first-loss Review and same-seed retry, 10 manual data adoption, route information/growth intent, planning→execution→presentation core.

Proof target: the player can explain one failure using public evidence and alter the next 3-slot plan.

Most dangerous hypotheses: (1) 2-slot telegraph cost creates readable tension, (2) Review makes a loss instructive rather than punitive, (3) the WARM DUSK visual grammar remains readable at gameplay size, (4) production can reuse shared resolver/template without bespoke duel systems. Out of scope: new production asset batch, full campaign, deck/hand/draw grammar, real-time physics fighter, release claim.

24. RISKS AND BLOCKERS

risk	class	evidence	disposition	next validation
stale mutable docs after #261 merge	internal / VERIFIED	Active Context, planning JSON, historical Notion timestamp vs main	FIXED	repository owner readback + governance regression
2-slot telegraph unclear at actual scale	UX / NOT_RUN	no human evidence	TEST	five-player moderated session
review may explain too much/too little	design / NOT_RUN	no comprehension evidence	TEST	ask player to predict changed plan
15-opponent / art production cost	production / INFERENCE	content/asset scope	MITIGATE	template + asset consumer estimate
deck-like card UI mispositions game	positioning / INFERENCE	explicit no-deck rule vs card visual	MITIGATE	usability and store-page concept test
Android usability	technical / NOT_RUN	no device evidence	TEST	target device matrix
visual board treated as shipping asset	rights/release / VERIFIED risk	planning-only decision	PROTECT	provenance and consumer check before adoption

25. USER DECISION REQUIRED

No new product-meaning decision is required to use this document as a GDD snapshot. The following cannot be silently decided:

1. Human test threshold and audience: number/profile/definition of understanding pass for first 5-15 minutes.
2. Production art scope: whether to fund character/animation/VFX batch after a visual implementation contract; WARM DUSK planning anchor is not a shipping asset lock.
3. Release priority: Windows-first validation versus Android parity timing, after device evidence.

26. IMPLEMENTATION QUEUE

1. Execute visible Windows player test for 5/15 minute comprehension; do not tune rules until results exist.
2. Create a single Phase 2 implementation contract only from approved human-test findings; then build in isolated PR.
3. Perform Android, keyboard/focus, accessibility and performance gates before release scope expands.

Priority formula: player-value risk (comprehension) → technical/platform risk → content/art production.

27. CHANGE LOG

date	change	evidence
2026-08-28	First two-artifact GDD snapshot created from origin/main@6baf817	this document / matching PDF
2026-08-28	Phase 2 code reconciled through #261 before snapshot	merged PR #261
2026-08-28	identified post-merge stale mutable owner records	DEC-STALE-001
2026-08-28	resolved DEC-STALE-001 and retired the carried one-time protected approval	repository owner readback / lifecycle validator
2026-08-28	Issue #264: expanded Jianghu Journey, action-bundle/tag, martial/ultimate and visual-consumer explanations without changing product rules	user approval, docs/02, docs/12, docs/17, docs/19, actual data/consumer readback

27.1 Project Incident / Solution / Lesson - Issue #264

- Incident. 시스템 등록표와 단락형 요약만으로는 강호행의 비전투 선택, 3슬롯·2슬롯의 실제 기회비용, 관찰·강건·합·중단의 인과, 무공/절초의 시각 소비 경계를 한 흐름으로 이해하기 어려웠다. 이는 규칙 자체의 충돌이 아니라 설명 밀도 부족으로 인한 정보 오독 위험이다.
- Solution. §08과 §12에 player question, 선택의 이득/포기, 태그 glossary, [합]/중단 예시, 8노드 강호행, 기초/무공서/절초 시각 계층을 추가했다. 모든 새 설명은 기존 규칙 owner를 참조하고 IMPLEMENTED, PARTIAL, UX_NOT_RUN 경계를 유지한다.
- Lesson. 통합 GDD는 시스템 이름과 소유자만 나열하지 말고 플레이어가 보는 정보 → 선택·대가 → 해결 결과 → 복기·다음 행동을 최소 한 번 연결해야 한다. 다만 그 설명은 데이터·Scene·자산 소비처의 실제 상태를 앞질러서는 안 된다.
- Base promotion. NO_BASE_PROMOTION: 강호행 8노드, 3/3/4, 태그 뜻, 무공/절초의 visual grammar는 심보강호 고유이다. Base는 이미 설명·근거·상태 분리와 적대적 문서 검토 원칙을 소유한다.

Appendix A. Evidence-based SWOT

statement	class	evidence	confidence	player impact	production impact	disposition	next validation
Public-only AI boundary is executable and covered by a dedicated regression	STRENGTH	planner, fixture, observation test	VERIFIED	fair inference game	reusable opponent template	PROTECT	current-main test run
3-slot/2-slot telegraph ties power to a legible timing sacrifice	STRENGTH	rules, engine span/timing	PARTIAL	meaningful commitment	low system reuse cost	TEST	comprehension playtest
5-duel arc gives a teachable sequence of counters	STRENGTH	game/POC docs	PARTIAL	learning-shaped first session	templateable content	TEST	full 30 min session
Current mutable state was stale after merge	WEAKNESS	Active Context/JSON/historical Notion vs #261	VERIFIED	indirect confusion	wrong handoff risk	IMPROVE	repository owner readback + governance regression
No human readability, audio, or device evidence exists	WEAKNESS	test/status audit	NOT_RUIN	fun/clarity unknown	late rework risk	TEST	Windows+Android sessions
15-opponent visual/content demand can outrun shared template	THREAT	vertical-slice content scope	INFERENCE	repetition or thin identity	budget/schedule risk	MITIGATE	per-template cost estimate
A compact wuxia inference duel has a clear category explanation	OPPORTUNITY	design synthesis, comparable mechanics	INFERENCE	memorable pitch	focused marketing surface	TEST	pitch/playtest response
Card-like presentation can be mistaken for a deckbuilder	THREAT	no-deck rule and card consumer	INFERENCE	wrong expectation	rework/store risk	MITIGATE	first-impression test

Appendix B. Benchmarks (research date 2026-08-28)

reference	category	observation	decision	adapt / reject	validation
Into the Breach	direct tactical readability	enemy intent and board state make causality inspectable	ADAPT	show why a result happened; reject full enemy plan telegraph	can players predict one counter?
Your Only Move Is HUSTLE	direct commit → watch loop	committed sequence produces an inspectable playback	ADAPT	plan→presentation pacing; reject frame-sim/PvP scope	execution pacing test
Fights in Tight Spaces	direct spatial tactic	compact arenas make position/action consequences legible	ADAPT	spatial readability; reject deck/hand/draw grammar	distance comprehension
Shogun Showdown	direct timing-position tactic	turn timing and placement form compact combos	ADAPT	timing/position teaching; reject roguelike deck surface	duel template test
Hellish Quart	direct duel fantasy	distance and attack timing carry tension	ADAPT	dueling impact language; reject physics/contact-sim cost	action readability
Wandering Sword	direct wuxia identity	martial fantasy supports tactical anticipation	ADAPT	wuxia tone/skill identity; reject open-world/dual-mode scope	pitch test
Slay the Spire	adjacent route clarity	small visible route choices can clarify long-term tradeoffs	ADAPT	information-first route choice; REJECT deck system	route decision test
Godot GUI navigation + Android accessibility guidance	adjacent platform practice	focus order and accessible touch targets require explicit design	ADOPT	focus/touch/contrast gate	device/a11y test

Sources: [Into the Breach](#); [YOMI Hustle](#); [Fights in Tight Spaces](#); [Shogun Showdown](#); [Hellish Quart](#); [Wandering Sword](#); [Slay the Spire](#); [Godot GUI navigation](#); [Android accessibility](#).

Benchmark conclusion: ADOPT readable result causality and focus/accessibility gates. ADAPT planned-sequence presentation, compact timing/position tension, information-first route choices, wuxia identity. REJECT full telegraph, deck/hand/draw, real-time physics combat, PvP/frame simulation, open-world scope. Differentiation: public-evidence-only AI plus 3-slot telegraph/action commitment and causal retry. Remaining uncertainty: human readability, 5-duel pacing, content cost, Android input.

Appendix C. Notion retirement migration inventory

TEN-DEC-20260828-REPOSITORY-ONLY-CANONICAL-WORKSPACE-01을 적용하기 전에 Notion Home와 L2/L3 tree를 fresh-read했다. 이 표는 이전 구조와 작업물을 삭제하지 않고, 현재 의미가 있는 고유 정보가 어느 repository owner에 있는지 확인하는 migration readback이다. 2026-08-18~25의 planning-only 설명 중 최신 GitHub/Decision과 충돌하거나 current runtime을 주장하는 문구는 복사하지 않고 HISTORICAL_OR_SUPERSEDED로 냈었다.

legacy structure	current/relevant material	repository destination	migration verdict
십보강호 · Home	Player Promise, 3/3/4→execute→review loop, current evidence ceiling, P0 screen coverage	this spec §02-§06, §11-§12, §22-§24; [기획서]/00_프로젝트_허브/ACTIVE_CONTEXT.md; docs/20_SCREEN_VISUAL_COVERAGE_INVENTORY_20260828.md	MIGRATED; Phase 2 “merge pending” wording corrected to PR #261 merged
01 · Direction · Planning	planning boundary / completion handoff	docs/PROJECT_TOTAL_PLANNING_IMPLEMENTATION_AND_DELIVERY_INSTRUCTION.md, docs/15_VERTICAL_SLICE_REVIEW_READY_CONTRACT.md, docs/16_VERTICAL_SLICE_IMPLEMENTATION_HANDOFF_PLAN.md	MIGRATED; old pre-user-complete gate is historical
02 · Combat · Martial Arts · Route	Flow Map, core systems, 15-candidate/8-route wire and reversible route seeds	docs/02_COMBAT_RULES.md, docs/07_COMBAT_UI_SPEC.md, docs/09_COMBAT_SYSTEM_ARCHITECTURE.md, docs/13_VERTICAL_SLICE_OPPONENT_ROUTE_TEXT_UX.md, docs/14_VERTICAL_SLICE_LOADOUT_ROUTE_BUDGET_WIREFRAME.md	MIGRATED; numeric seeds remain NOT_BALANCE_VALIDATED
03 · Visual · UX · Assets	WARM DUSK v2, Board R2 planning-only boundary, runtime asset consumers	docs/17_VERTICAL_SLICE_VISUAL_UX_REQUIREMENT_SPEC.md, docs/19_VISUAL_PRODUCTION_CURRENT_GATE_2026-08-26.md, docs/20_SCREEN_VISUAL_COVERAGE_INVENTORY_20260828.md, docs/visual-assets/**	MIGRATED; planning image never promoted to runtime asset
04 · Opponents · World · Content	5 learning slots × 3 candidates, 8 Route nodes, Briefing/Review/Result text grammar, Jianghu journey boundary	docs/03_CONTENT_CATALOG.md, docs/12_VERTICAL_SLICE_JIANGHU_JOURNEY.md, docs/13_VERTICAL_SLICE_OPPONENT_ROUTE_TEXT_UX.md, docs/14_VERTICAL_SLICE_LOADOUT_ROUTE_BUDGET_WIREFRAME.md	MIGRATED; names/appearance/long-form story remain reversible content detail
05 · Production · Validation	handoff, human/device evidence ceiling, validation packet	docs/16_VERTICAL_SLICE_IMPLEMENTATION_HANDOFF_PLAN.md, docs/validation/TEN_PACES_UX_UI_VALIDATION_PACKET.md, docs/planning-data/current_user_planning_status.json, docs/operations/*	MIGRATED; only exact-current automated result is claimed
06 · Reference · Benchmark	benchmark library function	Appendix B and source links in this spec	MIGRATED; raw historical library is not current canon
Notion Visual Bible / Asset Library attachments	visual direction, planning/R2 status, source-set/consumer/provenance distinctions	docs/visual-assets/approved/**, docs/visual-assets/planning/**, docs/ASSET_RIGHTS_AND_PROVENANCE_RECORD.md, this spec §12	MIGRATED; prior attachments are historical delivery evidence only

Result: no current Notion structure is required for a cold start. New Notion page, database, view, attachment, synchronization, or destination readback is out of scope for future work. A future request may selectively migrate a historical-only item only when it contains project-unique information not already owned by the repository.