



Getting started

General information

Authentication & content-type

In order to authenticate to our API you will be using http basic auth together with your generated api-key-ID and password. Data is transfered via JSON-body.

Statuses & error codes

The API will answer with different status codes depending on various scenarios. The status codes can be used in order to know how to handle the response.

Successful requests

200 # Everything is ok

201 # Resource created

204 # Resource updated (nothing returned)

Unsuccessful requests

400 # Bad request

403 # Forbidden

404 # Resource not found

422 # Validation error

500 # Internal server error

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Payments](#) / [create](#)

POST `/api/v2/invoices/:invoice_id/payments` Add payment

Params

paid_at

What date was the payment made?

Examples

POST `/api/v2/invoices/4/payments`

```
{
  "paid_at": "2021-01-25"
}
201
{
  "data": {
    "id": 1,
    "paid_at": "2021-01-25",
    "amount": "1250.0",
    "invoice_id": 4
  }
}
```



Resources

[Fakturan.nu API 2](#) / [Clients](#) / [index](#)

GET /api/v2/clients List clients

Params

number

Filter by client number

org_number

Filter by client org.number

email

Filter by client email

sort

Allowed sort fields: number, name. The direction is specified by prefixing the field with +/- (+ for ASC, - for DESC). Example: "sort=+field,-secondary_field"

Examples

GET /api/v2/clients

200

```
{
  "data": [
    {
      "id": 3,
      "number": 1,
      "name": "Google Inc",
      "first_name": "",
      "last_name": "",
      "email": "",
      "fax": "",
      "phone": "",
      "home_phone": "",
      "mobile_phone": "",
      "client_type": "company",
      "org_number": "556677-8899",
      "settings": {
        "currency": "USD",
        "discount": 0,
        "email_attach_pdf": false,
        "invoice_days": 30,
        "invoice_delivery_method": "email",
        "invoice_template": "croatia",
        "locale": "sv",
        "prices_inc_tax": "no",
        "show_product_code": false,
        "tax": 25
      },
      "address": {
        "street_address": "1600 Amphitheatre Parkway",
        "care_of": "",
        "zip_code": "94043",
        "city": "Mountain View",
        "country": "SE"
      }
    }
  ]
}
```

```
}  
}  
],  
"paging": {  
  "total_pages": 1,  
  "current_page": 1,  
  "next": null,  
  "previous": null  
}  
}
```



Resources

Fakturan.nu API 2 / Clients / create

POST /api/v2/clients Create a client

Params

number

Client number

first_name

Must be present if client is an individual.

last_name

Must be present if client is an individual.

email

Must be valid email if used.

company

Must be present unless client is an individual.

phone**home_phone****mobile_phone****fax****org_number****client_type**

Is the client an individual (not a business)?

One of: "company", "individual" (defaults to "company")

web**vat_number****gln**

Global Location Number (e-invoice address)

settings *Must be a Hash***settings[invoice_delivery_method]**

One of: "email", "email_and_sms", "letter", "e_invoice"

settings[e_invoice]

Boolean. If possible, the invoice will be sent as an e-invoice.

Examples

POST /api/v2/clients

```
{
  "first_name": "Nils",
  "last_name": "Eriksson",
  "address": {
    "street_address": "Testvägen",
    "care_of": "Någon",
    "zip_code": "12345",
    "city": "Karlstad",
    "country": "SE"
  },
  "mobile_phone": "46701234567",
  "email": "test@test.com",
  "fax": "",
  "phone": "070 751 51 66",
  "home_phone": "46701234567",
  "client_type": "individual",
  "org_number": "8001010043"
}
201
{
  "data": {
    "id": 2,
    "number": 1,
    "name": "Nils Eriksson",
    "first_name": "Nils",
    "last_name": "Eriksson",
    "email": "test@test.com",
    "fax": "",
    "phone": "070 751 51 66",
    "home_phone": "46701234567",
    "mobile_phone": "46701234567",
    "client_type": "individual",
    "org_number": "8001010043",
    "settings": {
      "currency": "SEK",
```

settings[invoice_days]

Default for new invoices to this client.

Defaults to global setting.

settings[locale]

Default for new invoices to this client.

Defaults to global setting.

settings[currency]

Default for new invoices to this client.

Defaults to global setting.

settings[email_attach_pdf]

Boolean. Attach PDF when sending invoices by email. Useful if the recipient needs the PDF for automatic scanning.

address *Must be a Hash*

address[street_address]

address[care_of]

This field (if present) is printed as the first line in the address. No "care of" prefix is added by the application, so you have to do this yourself. This makes it possible to use the field for other purposes, e.g. "Att."

address[zip_code]

address[city]

address[country]

```
"discount": 0,
"email_attach_pdf": false,
"invoice_days": 30,
"invoice_delivery_method": "email",
"invoice_template": "croatia",
"locale": "sv",
"prices_inc_tax": "no",
"show_product_code": false,
"tax": 25
},
"address": {
  "street_address": "Testvägen",
  "care_of": "Någon",
  "zip_code": "12345",
  "city": "Karlstad",
  "country": "SE"
}
}
}
POST /api/v2/clients
{
  "company": ""
}
422
{
  "errors": {
    "company": [
      {
        "error": "blank"
      }
    ]
  }
}
}
```

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Products](#) / [create](#)

POST /api/v2/products Create a product

Params

name

Name of the product or service.

unit**price****tax****product_code**

Max length 30

Examples

POST /api/v2/products

```
{
  "name": "Test",
  "price": "150.3",
  "tax": 12,
  "unit": "h",
  "product_code": "XYZ"
}
```

201

```
{
  "data": {
    "id": 1,
    "product_code": "XYZ",
    "name": "Test",
    "unit": "h",
    "price": "150.3",
    "price_inc_tax": "168.34",
    "tax": 12
  }
}
```

The name of the product or service is required.


Leaving it out will result in a validation error.

POST /api/v2/products

```
{
  "name": ""
}
```

422

```
{
  "errors": {
    "name": [
      {
        "error": "blank"
      }
    ]
  }
}
```



[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Invoices](#) / [index](#)

GET /api/v2/invoices List invoices

Params

number

Filter by number

client_id

Filter by client_id

start_date

Filter invoices from start_date to end_date (or today's date if end_date is omitted)

end_date

Filter invoices from start_date (or from the beginning of time if start_date is omitted) to end_date

sort

Allowed sort fields: number, date. The direction is specified by prefixing the field with +/- (+ for ASC, - for DESC). Example: "sort=+field,-secondary_field"

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Payments](#) / [index](#)

GET /api/v2/invoices/:invoice_id/payments List payments

Examples

GET /api/v2/invoices/5/payments

200

```
{
  "data": [
    {
      "id": 2,
      "paid_at": "2021-01-25",
      "amount": "100.0",
      "invoice_id": 5
    },
    {
      "id": 3,
      "paid_at": "2021-01-25",
      "amount": "200.0",
      "invoice_id": 5
    }
  ],
  "paging": {
    "total_pages": 1,
    "current_page": 1,
    "next": null,
    "previous": null
  }
}
```



Resources

[Fakturan.nu API 2](#) / [Products](#) / [index](#)

GET /api/v2/products List products

Params

product_code

Filter by product_code

name

Filter by product name

sort

Allowed sort fields: name, product_code, price. The direction is specified by prefixing the field with +/- (+ for ASC, - for DESC).

Example: "sort=+field,-secondary_field"

Examples

GET /api/v2/products

200

```
{
  "data": [
    {
      "id": 3,
      "product_code": "XYZ",
      "name": "My product",
      "unit": "kg",
      "price": "150.0",
      "price_inc_tax": "187.5",
      "tax": 25
    }
  ],
  "paging": {
    "total_pages": 1,
    "current_page": 1,
    "next": null,
    "previous": null
  }
}
```

GET /api/v2/products?per_page=15

200

```
{
  "data": [
    {
      "id": 3,
      "product_code": "XYZ",
      "name": "My product",
      "unit": "kg",
      "price": "150.0",
      "price_inc_tax": "187.5",
      "tax": 25
    },
    {
      "id": 4,
```

```
"product_code": "",
"name": "Product 2",
"unit": "",
"price": "0.0",
"price_inc_tax": "0.0",
"tax": 25
},
{
  "id": 5,
  "product_code": "",
  "name": "Product 3",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 6,
  "product_code": "",
  "name": "Product 4",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 7,
  "product_code": "",
  "name": "Product 5",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 8,
  "product_code": "",
  "name": "Product 6",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 9,
  "product_code": "",
  "name": "Product 7",
  "unit": "",
  "price": "0.0",
```

```
"price_inc_tax": "0.0",
"tax": 25
},
{
  "id": 10,
  "product_code": "",
  "name": "Product 8",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 11,
  "product_code": "",
  "name": "Product 9",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 12,
  "product_code": "",
  "name": "Product 10",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 13,
  "product_code": "",
  "name": "Product 11",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 14,
  "product_code": "",
  "name": "Product 12",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
```

```
"id": 15,
"product_code": "",
"name": "Product 13",
"unit": "",
"price": "0.0",
"price_inc_tax": "0.0",
"tax": 25
},
{
  "id": 16,
  "product_code": "",
  "name": "Product 14",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
},
{
  "id": 17,
  "product_code": "",
  "name": "Product 15",
  "unit": "",
  "price": "0.0",
  "price_inc_tax": "0.0",
  "tax": 25
}
],
"paging": {
  "total_pages": 2,
  "current_page": 1,
  "next":
    "http://www.example.com/api/v2/products?
page=2&per_page=15",
  "previous": null
}
}
GET /api/v2/products?page=2&per_page=10
200
{
  "data": [
    {
      "id": 18,
      "product_code": "",
      "name": "Product 16",
      "unit": "",
      "price": "0.0",
      "price_inc_tax": "0.0",
      "tax": 25
    }
  ]
}
```

```
],  
  "paging": {  
    "total_pages": 2,  
    "current_page": 2,  
    "next": null,  
    "previous":  
    "http://www.example.com/api/v2/products?  
page=1&per_page=15"  
  }  
}
```

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Invoices](#) / [send](#)

POST `/api/v2/invoices/:id/send` Send an invoice

Params

delivery_method *Must be one of: email, letter, auto.*

Sends an invoice to the client. The "delivery_method" param is optional and defaults to "auto" (which in turn takes the delivery method from the client settings).

Examples

POST `/api/v2/invoices/8/send`

422

```
{
  "error": "You must select at least one
recipient."
}
```


[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Clients](#) / [show](#)

GET /api/v2/clients/:id [Show a client](#)

Examples

GET /api/v2/clients/4

200

```
{
  "data": {
    "id": 4,
    "number": 1,
    "name": "Google Inc",
    "first_name": "",
    "last_name": "",
    "email": "",
    "fax": "",
    "phone": "",
    "home_phone": "",
    "mobile_phone": "",
    "client_type": "company",
    "org_number": "556677-8899",
    "settings": {
      "currency": "USD",
      "discount": 0,
      "email_attach_pdf": false,
      "invoice_days": 30,
      "invoice_delivery_method": "email",
      "invoice_template": "croatia",
      "locale": "sv",
      "prices_inc_tax": "no",
      "show_product_code": false,
      "tax": 25
    },
    "address": {
      "street_address": "1600 Amphitheatre
      Parkway",
      "care_of": "",
      "zip_code": "94043",
      "city": "Mountain View",
      "country": "SE"
    }
  }
}
```

}
}



[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Products](#) / [show](#)

GET /api/v2/products/:id Show a product

Examples

GET /api/v2/products/20

200

```
{
  "data": {
    "id": 20,
    "product_code": "XYZ",
    "name": "My product",
    "unit": "kg",
    "price": "150.0",
    "price_inc_tax": "187.5",
    "tax": 25
  }
}
```

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Invoices](#) / [show](#)

GET /api/v2/invoices/:id Show an invoice

Examples

GET /api/v2/invoices/10

200

```
{
  "data": {
    "id": 10,
    "number": 1,
    "date": "2021-01-25",
    "client_id": 9,
    "days": 30,
    "our_reference": "",
    "your_reference": "",
    "sent": false,
    "paid_at": null,
    "locale": "sv",
    "currency": "SEK",
    "settings": {
      "invoice_template": "croatia",
      "prices_inc_tax": "no",
      "show_product_code": false
    },
    "sum": "1250.0",
    "net": "1000.0",
    "tax": "250.0",
    "tax_details": {
      "25": "250.0"
    },
    "address": {
      "name": "Google Inc",
      "street_address": "1600 Amphitheatre Parkway",
      "care_of": "",
      "zip_code": "940 43",
      "city": "Mountain View",
      "country": "SE"
    },
    "rows": [
```

```
{  
  "id": 13,  
  "product_id": 0,  
  "discount": 0,  
  "amount": "5.0",  
  "text": "",  
  "product_code": null,  
  "product_name": "product",  
  "product_unit": "st",  
  "product_price": "200.0",  
  "product_tax": 25,  
  "text_row": false,  
  "sort_order": 0,  
  "tax_deductible": false  
}  
]  
}  
}
```

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Clients](#) / [update](#)

PUT /api/v2/clients/:id Update a client

Params

number

Client number

first_name

Must be present if client is an individual.

last_name

Must be present if client is an individual.

email

Must be valid email if used.

company

Must be present unless client is an individual.

phone**home_phone****mobile_phone****fax****org_number****client_type**

Is the client an individual (not a business)?

One of: "company", "individual" (defaults to "company")

web**vat_number****gln**

Global Location Number (e-invoice address)

settings *Must be a Hash***settings[invoice_delivery_method]**

One of: "email", "email_and_sms", "letter", "e_invoice"

settings[e_invoice]

Boolean. If possible, the invoice will be sent as an e-invoice.

Examples

PUT /api/v2/clients/10

```
{
  "company": "After"
}
204
```

settings[invoice_days]

Default for new invoices to this client.

Defaults to global setting.

settings[locale]

Default for new invoices to this client.

Defaults to global setting.

settings[currency]

Default for new invoices to this client.

Defaults to global setting.

settings[email_attach_pdf]

Boolean. Attach PDF when sending invoices by email. Useful if the recipient needs the PDF for automatic scanning.

address *Must be a Hash*

address[street_address]**address[care_of]**

This field (if present) is printed as the first line in the address. No "care of" prefix is added by the application, so you have to do this yourself. This makes it possible to use the field for other purposes, e.g. "Att."

address[zip_code]**address[city]****address[country]**

[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Products](#) / [update](#)

PUT /api/v2/products/:id Update a product

Params

name

Name of the product or service.

unit**price****tax****product_code**

Max length 30

Examples

PUT /api/v2/products/24

```
{  
  "name": "After"  
}  
204
```


[Setup](#)[Getting started](#)[Resources](#)[Libraries](#)

Resources

[Fakturan.nu API 2](#) / [Invoices](#) / [update](#)

PUT /api/v2/invoices/:id Update an invoice

Params

number

Invoice number. Defaults to +1 of highest number currently in account.

date

Date string in the format "yyyy-mm-dd"

client_id

Id of existing client. "client_id" OR "client" is required.

days

Number of days from "date" that invoice payment is due.

our_reference

Name of person who acts as reference at senders company

your_reference

Name of person who acts as reference at recievers company

locale

One of: "sv", "en", "da", "nb"

currency**settings** Must be a Hash**settings[invoice_template]**

One of: "urban", "clean", "iconic", "foxy", "static", "original", "croatia"

settings[show_product_code]

Boolean. Should the invoice show the product code column?

rows Must be an Array of nested elements**rows[id]****rows[product_id]****rows[discount]**

Examples

Update an existing invoice

PUT /api/v2/invoices/11

```
{
  "date": "2021-01-26",
  "rows": [
    {
      "id": 14,
      "product_name": "Updated name"
    }
  ]
}
```

204

Discount in %

rows[amount]

How many units of this item? May be fractional ("1.5").

rows[text]

Max length 255

rows[product_code]

Max length 30

rows[product_name]

Max length 255

rows[product_unit]

Max length 30

rows[product_price]

Price of this item. May be fractional ("9.95").

rows[product_tax]

One of 25, 12, 6, 0

rows[text_row]

Boolean. Show this row as purely text?

rows[sort_order]
