



AKA-CLAUDE-TOOLS · WHAT'S INSIDE · JUNE 2026 · V0.2.0

What's in the box.

A fresh Claude Code ships with almost no guardrails. **aka-claude-tools** adds nine **pick-and-choose** pieces that give it clean context, locked doors, and guarded exits.

9 additions

pick & choose

MIT

open-source

github.com/alsoknownassecurity/aka-claude-tools

THE PREMISE

Powerful out of the box.
Bare out of the box.

Claude Code is a capable coding agent on day one — and it ships with the guardrails of a blank text editor.

- The kit adds **nine optional pieces** — six on by default, three you opt in.
- Every one is **independent**. Take what you want, ignore the rest, delete any.
- No framework, no lock-in, nothing proprietary — **MIT, all open**.

Keep the model's desk clean.

`rtk-safe`

ON BY DEFAULT

Quietly rewrites chatty commands — giant file listings, logs — into compact summaries **before** they reach the model, saving its limited working memory. Invisible, and inert if you don't use `rtk`.

`statusline`

ON BY DEFAULT

A status bar showing your **context fill and rate-limit budget live** — so you know when to wrap a session before the model starts forgetting.

Safe defaults, day one.

secure-settings

ON BY DEFAULT

The settings a fresh install should already have: the agent **can't read your SSH keys, cloud credentials, .env files, or keychains**; telemetry is off; and untrusted plugins don't auto-load.

One file flips a blank-slate install into a sensible, locked-down baseline — the floor, not a framework.

Watch what leaves, and what runs.

leak-guard

ON BY DEFAULT

Inspects what the agent sends to the web — searches, fetches — and **blocks anything shaped like a secret** from leaving. Scanned locally; nothing is uploaded to check it.

command-guard

ON BY DEFAULT

Watches shell commands: blocks **piping a random web script straight into your shell**, edits to your startup files, and credentials being shipped out.

Check the work before it ships.

shell-audit

ON BY DEFAULT

An on-demand, read-only scan of your shell setup — flags **hardcoded credentials, sketchy startup hooks, and risky aliases** hiding in your dotfiles.

/wrap-up

OPT-IN

A clean end-of-session routine: it summarizes what changed, verifies, and **stages a commit for you to review — but never commits on its own.**

Two more, off until you want them.

secure-deep-research

OPT-IN

Privacy-aware web research that routes through **your own search instance** and gates sensitive topics — deep research without handing your queries to a third party.

harness-pointer

OPT-IN

A small nudge that points the agent at the **right CLI for your environment**. Ships disabled — turn it on only if you need it.

ALL NINE, AT A GLANCE

Six on. Three you opt in.

ON BY DEFAULT

- ✓ `secure-settings`
- ✓ `leak-guard`
- ✓ `command-guard`
- ✓ `rtk-safe`
- ✓ `statusline`
- ✓ `shell-audit`

OPT IN

- `/wrap-up`
- `secure-deep-research`
- `harness-pointer`

The recommended six are safe to keep on. The other three you turn on by choice.

WHY A KIT, NOT A FRAMEWORK

Defaults a fresh install should already have.

This isn't a platform you adopt. It's the floor — clean context, locked credentials, guarded egress — that a coding agent ought to start from.

- Each piece stands alone — **break one, the rest are fine.**
- Nothing phones home, nothing locks you in. Delete any of it in seconds.

GET IT

Add the floor to your setup.

It installs into its own isolated profile — your normal Claude Code stays untouched. Two ways in, no developer chops required:

```
# hand it to your AI (recommended) — no clone needed
"Set up aka-claude-tools from its GitHub repo —
  read the install guide and do it safely for me."

# prefer the terminal? clone it, then:
./install.sh --defaults
```



AKA **Security** · github.com/alsoknownassecurity