

```

1 // Generated by ResEdit 1.5.11
2 // Copyright (C) 2006-2012
3 // http://www.resedit.net
4
5 #include <windows.h>
6 #include <commctrl.h>
7 #include <richedit.h>
8 #include "resource.h"
9
10
11
12
13 //
14 // Dialog resources
15 //
16 LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
17 DLG_MAIN DIALOGEX 0, 0, 360, 340
18 STYLE DS_MODALFRAME | DS_SETFONT | WS_CAPTION | WS_GROUP | WS_MAXIMIZEBOX | WS_POPUP
| WS_SYSMENU
19 CAPTION "WM-MP_TEST_10"
20 FONT 12, "????", 0, 0, 1
21 {
22     CONTROL        "", IDC_TAB_MAIN, WC_TABCONTROL, 0, 1, 1, 358, 339
23 }
24
25
26
27 LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
28 IDD_CONSOLE DIALOG 1, 13, 355, 325
29 STYLE DS_3DLOOK | DS_SHELLFONT | WS_VISIBLE | WS_CHILDWINDOW | WS_SYSMENU
30 FONT 12, "????"
31 {
32     DEFPUSHBUTTON   "OK", IDOK, 129, 7, 50, 14
33     PUSHBUTTON      "Cancel", IDCANCEL, 129, 24, 50, 14
34 }
35
36
37
38 LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
39 IDD_DIALOG_TEST DIALOG 0, 0, 241, 146
40 STYLE DS_3DLOOK | DS_CENTER | DS_MODALFRAME | DS_SHELLFONT | WS_CAPTION | WS_VISIBLE
| WS_POPUP | WS_SYSMENU
41 CAPTION "Dialog"
42 FONT 8, "Ms Shell Dlg"
43 {
44     DEFPUSHBUTTON   "??", IDOK, 125, 124, 50, 14
45     PUSHBUTTON      "??", IDCANCEL, 177, 124, 50, 14
46 }
47
48
49
50 LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
51 IDD_RUN DIALOG 1, 13, 355, 325
52 STYLE DS_3DLOOK | DS_SHELLFONT | WS_VISIBLE | WS_CHILDWINDOW | WS_SYSMENU
53 FONT 12, "????"
54 {
55     EDITTEXT        IDC_EDIT_NO, 71, 4, 63, 15, ES_AUTOHSCROLL, WS_EX_TRANSPARENT
56     PUSHBUTTON      "????", IDC_BUTTON_START, 284, 3, 64, 16
57     CTEXT           "LAN9514 - MAC", IDC_STATIC_INPUT, 6, 22, 61, 14, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
58     EDITTEXT        IDC_EDIT_INPUT, 71, 21, 63, 15, ES_AUTOHSCROLL
59     CTEXT           "IMX6 - MAC", IDC_STATIC_INPUT1, 6, 38, 61, 15, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
60     EDITTEXT        IDC_EDIT_INPUT1, 71, 38, 63, 15, ES_AUTOHSCROLL
61     CTEXT           "????", IDC_STATIC_INPUT2, 138, 21, 61, 15, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE

```

```

62     EDITTEXT          IDC_EDIT_INPUT2, 203, 21, 78, 15, ES_CENTER | ES_AUTOHSCROLL
63     PUSHBUTTON        "Button1", IDC_BUTTON_RESTART, 284, 20, 64, 16
64     CONTROL           "", IDC_LIST_REPORT, WC_LISTVIEW, WS_TABSTOP | WS_BORDER |
LVS_ALIGNLEFT | LVS_REPORT, 5, 55, 343, 170
65     LTEXT             "", IDC_STATIC_STATE, 5, 227, 248, 17, SS_LEFT | SS_CENTERIMAGE
| SS_SUNKEN
66     PUSHBUTTON        "Button1", IDC_BUTTON_YES_NO_OK, 253, 227, 48, 16
67     PUSHBUTTON        "Button1", IDC_BUTTON_YES_NO_FAIL, 302, 227, 47, 17
68     EDITTEXT          IDC_EDIT_CONSOLE, 8, 251, 336, 63, WS_HSCROLL | WS_VSCROLL |
ES_AUTOHSCROLL | ES_MULTILINE | ES_READONLY
69     GROUPBOX          "console", IDC_STATIC_CONSOLE, 4, 243, 345, 74
70     CTEXT             "?????", IDC_STATIC_INPUT3, 6, 5, 61, 14, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
71     EDITTEXT          IDC_EDIT1, 203, 4, 78, 15, ES_AUTOHSCROLL
72     CTEXT             "???????", IDC_STATIC_INPUT4, 138, 4, 61, 15, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
73     CTEXT             "", IDC_STATIC_TIMER, 203, 38, 78, 15, SS_CENTER |
SS_CENTERIMAGE | SS_SUNKEN
74     CTEXT             "????(DDR)", IDC_STATIC_INPUT5, 138, 38, 61, 14, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
75     CTEXT             "", IDC_STATIC_RUNIN, 284, 38, 63, 15, SS_CENTER |
SS_CENTERIMAGE | SS_SUNKEN
76 }
77
78
79
80     LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
81     IDD_SETTING_DIALOG 1, 13, 355, 325
82     STYLE DS_3DLOOK | DS_SHELLFONT | WS_VISIBLE | WS_CHILDWINDOW | WS_SYSMENU
83     FONT 12, "?????"
84     {
85         GROUPBOX        "RS232???", IDC_STATIC_RS232, 5, 5, 155, 32, BS_BITMAP,
WS_EX_TRANSPARENT
86         CTEXT           "???", IDC_STATIC, 10, 15, 36, 13, SS_CENTER | SS_CENTERIMAGE,
WS_EX_STATICEDGE
87         COMBOBOX        IDC_COMBO_PORT, 50, 15, 60, 20, CBS_DROPDOWN | CBS_HASSTRINGS
88         PUSHBUTTON      "???", IDC_BUTTON_RS232_SCAN, 115, 15, 39, 15
89         CTEXT           "Login", IDC_STATIC, 10, 53, 36, 13, SS_CENTER | SS_CENTERIMAGE,
WS_EX_STATICEDGE
90         CTEXT           "Password", IDC_STATIC, 127, 53, 35, 14, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
91         CTEXT           "MP_TEST", IDC_STATIC, 10, 87, 35, 14, SS_CENTER |
SS_CENTERIMAGE, WS_EX_STATICEDGE
92         GROUPBOX        "?????", IDC_STATIC_RS1, 5, 40, 228, 32, BS_BITMAP,
WS_EX_TRANSPARENT
93         GROUPBOX        "???????", IDC_STATIC_RS2, 5, 75, 228, 32, BS_BITMAP,
WS_EX_TRANSPARENT
94         EDITTEXT        MP_PATH, 52, 87, 174, 14, ES_AUTOHSCROLL
95         EDITTEXT        USER_NAME, 53, 52, 60, 15, ES_AUTOHSCROLL
96         EDITTEXT        PASSWORD, 170, 53, 54, 15, ES_AUTOHSCROLL
97     }
98
99
100
101 //
102 // String Table resources
103 //
104     LANGUAGE LANG_CHINESE, SUBLANG_CHINESE_TRADITIONAL
105     STRINGTABLE
106     {
107         IDS_STRING_START          "?????"
108         IDS_STRING_STOP           "???"
109         IDS_STRING_REPORT_ITEM    "???"
110         IDS_STRING_REPORT         "???"
111         IDS_STRING_REPORT_TIME    "?????"
112     }

```

```
113
114
115
116 //
117 // Icon resources
118 //
119 LANGUAGE LANG_NEUTRAL, SUBLANG_NEUTRAL
120 IDI_ICON_EMPTY      ICON          ".\\empty.ico"
121
122
123 LANGUAGE LANG_NEUTRAL, SUBLANG_NEUTRAL
124 IDI_ICON_FAILE      ICON          ".\\faile.ico"
125
126
127 LANGUAGE LANG_NEUTRAL, SUBLANG_NEUTRAL
128 IDI_ICON_OK         ICON          ".\\Ok.ico"
129
130
131 LANGUAGE LANG_NEUTRAL, SUBLANG_NEUTRAL
132 IDI_ICON_RUN        ICON          ".\\run.ico"
133
134
135
136 //
137 // Manifest resources
138 //
139 LANGUAGE LANG_NEUTRAL, SUBLANG_NEUTRAL
140 1                     RT_MANIFEST ".\\manifest.xml"
```